

## Preparation of Thin-Layer Chromatography Stains

### CAM Stain

10 mL concentrated sulfuric acid  
90 mL H<sub>2</sub>O  
2.5 g ammonium molybdate (VI) tetrahydrate  
1 g ammonium cerium (IV) sulfate dihydrate

### PMA Stain

100 mL ethanol  
10 g phosphomolybdic acid hydrate

### Ninhydrin Stain

100 mL *n*-butanol  
3 mL acetic acid  
300 mg ninhydrin  
(protect from light)