

Class 5: Agenda, Questions, and Links

1 Warm-Up

Go to <http://PollEv.com/cs265> and answer the following question.

Suppose you roll a 6-sided coin n times. Use a Chernoff bound to bound the probability that you see more than $\frac{1+\delta}{6} \cdot n$ threes, where $\delta \in (0, 1)$. What do you get?

Group Work: Solutions

Let X be the number of threes that you see. Let X_i be an indicator random variable that is 1 iff you roll a three on roll i . Then $X = \sum_{i=1}^n X_i$, and $\mathbb{E}X_i = 1/6$. Thus, a Chernoff bound (for example, one of the simplified ones) says that

$$\Pr[X \geq (1 + \delta) \cdot \frac{n}{6}] \leq \exp(-\mu\delta^2/3) = \exp(n\delta^2/18) = \exp(-\Omega(n\delta^2)).$$

2 Announcements

- HW2 is out! HW party this evening!
- I just posted an announcement on Canvas about a feedback form. Please fill it out and let us know how the class is going!

3 Questions?

Any questions from the minilectures or warmup? (Moment generating functions; Chernoff bounds)

- Go into small groups and ask each other your questions.
- Ask any questions that the group can't resolve in the chat, or DM one of the course staff and we'll come to your room.

4 Randomized Routing

[Slides with setup; the summary is below]

- Let H be the n -dimensional hypercube. There are 2^n vertices, each labeled with an element of $\{0, 1\}^n$. Two vertices are connected by an edge if their labels differ in only one place. For example, 0101 is adjacent to 1101.
- Each vertex i has a packet (also named i), that it wants to route to another vertex $\pi(i)$, where $\pi : \{0, 1\}^n \rightarrow \{0, 1\}^n$ is a permutation.
- Each edge can only have one packet on it at a time (in each direction). Time is discrete (goes step-by-step), and the packets queue up in a first-in-first-out queue for each (directed) edge.

4.1 Group work: Bit-fixing scheme

Consider the following *bit-fixing scheme*: To send a packet i to a node j , we turn the bitstring i into the bitstring j by fixing each bit one-by-one, starting with the left-most and moving right. For example, to send

$$i = 001010$$

to

$$j = 101001,$$

we'd send

$$i = 001010 \rightarrow 101010 \rightarrow 101000 \rightarrow 101001 = j.$$

Group Work

Important: as you make progress on the question(s), one person in each room should record your progress on <http://PollEv.com/cs265>.

1. Suppose that every packet is trying to get to $\vec{0}$ (the all-zero string). (Yes, I know that this isn't a permutation). Show that if every packet used the bit-fixing scheme (or, any scheme at all) to get to its destination, the total time required is at least $(2^n - 1)/n$ steps.

Hint: How many packets can arrive at $\vec{0}$ at any one timestep? How many packets need to arrive there?

2. Suppose that n is even. Come up with an example of a permutation π where the bit-fixing scheme requires at least $(2^{n/2} - 1)/(n/2)$ steps.

Hint: Consider what happens if (\vec{a}, \vec{b}) wants to go to (\vec{b}, \vec{a}) , where $\vec{a}, \vec{b} \in \{0, 1\}^{n/2}$, and use part 1.

At this point please go to PollEverywhere and register your progress.

3. If you still have time, think about the following: what happens if each packet i wants to go to a *uniformly random* destination $\delta(i)$, under the bit-fixing scheme? Will it be as bad as the scheme you came up with in part 2? Or will things finish

in closer to $O(n)$ steps?

Group Work: Solutions

1. There are $2^n - 1$ packets that want to get to zero (not counting the packet that starts at zero, which is already there). At each timestep, at most n packets can go to zero, since there are only n edges coming out. Therefore we need at least $(2^n - 1)/n$ timesteps.
2. As in the hint, suppose that we construct a permutation π that sends (\vec{a}, \vec{b}) to (\vec{b}, \vec{a}) . Then the bit-fixing scheme on $(\vec{a}, \vec{0})$ first proceeds by sending \vec{a} to $\vec{0}$, for any \vec{a} . But by the previous part, this will take time at least $(2^{n/2} - 1)/(n/2)$.

4.2 A useful lemma

[Slides. The slides state the following lemma.]

Lemma 1. *Let $D(i)$ denote the delay in the i 'th packet. That is, this is the number of timesteps it spends waiting.*

Let $P(i)$ denote the path that packet i takes under the bit-fixing map. (So, $P(i)$ is a collection of directed edges).

Let $N(i)$ denote the number of other packets j so that $P(j) \cap P(i) \neq \emptyset$. That is, at some point j wants to traverse an edge that i also wants to traverse, in the same direction, although possibly at some other point in time.

Then $D(i) \leq N(i)$.

Group Work

Important: as you make progress on the question(s), one person in each room should record your progress on <http://PollEv.com/cs265>.

Let $\delta : \{0, 1\}^n \rightarrow \{0, 1\}^n$ be a completely random function (not necessarily a permutation). That is, for each i , $\delta(i)$ is a uniformly random element of $\{0, 1\}^n$, and each $\delta(i)$ is independent.

In this group work, you will analyze how the bit-fixing scheme performs when packet i wants to go to node $\delta(i)$.

Fix some special node/packet i . Let $D(i)$ and $P(i)$ be as above. Fix $\delta(i)$ (and hence $P(i)$, since we have committed to the bit-fixing scheme). But let's keep $\delta(j)$ random for all $j \neq i$. (Formally, we will condition on an outcome for $\delta(i)$; since $\delta(i)$ is independent from all of the other $\delta(j)$, this won't affect any of our calculations).

Let X_j be the indicator random variable that is 1 if $P(i)$ intersects $P(j)$.

1. Assume that we are using the bit-fixing scheme. Argue that $\mathbb{E}[\sum_j X_j] \leq n/2$.

Hint: In expectation, how many directed edges are in all of the paths $P(j)$ taken together (with repetition)? Show that this is at most $2^n \cdot n/2$. Then argue that the expected number of paths $P(j)$ that any single directed edge e is in is $1/2$. Finally, bound $\sum_j X_j \leq \sum_{e \in P(i)}$ (number of paths $P(j)$ that e is in) and use linearity of expectation and the fact that $|P(i)| \leq n$ to bound $\mathbb{E}[\sum_j X_j]$.

At this point please fill out the PollEverywhere to record your progress.

2. Use a Chernoff bound to bound the probability that $\sum_j X_j$ is larger than $10n$.

At this point please fill out the PollEverywhere to record your progress.

3. Use your answer to the previous question to bound the probability that the bit-fixing scheme takes more than $11n$ timesteps to send every packet i to $\delta(i)$, assuming that the destinations $\delta(i)$ are completely random.

Hint: Lemma 1.

At this point please fill out the PollEverywhere to record your progress.

If you still have time, think about the following:

4. However, the destinations are not random! They are given by some worst-case permutation π . Using what you've discovered above for random destinations, develop a randomized routing algorithm that gets every packet where it wants to go, with high probability, in at most $22n$ steps.

Hint: The fact that $22n$ is twice of $11n$ is not an accident.

Group Work: Solutions

1. The number of edges in all of the paths $P(j)$ is, in expectation,

$$\mathbb{E}\left[\sum_j \sum_e \mathbf{1}[e \in P(j)]\right] = \sum_j \mathbb{E}[\text{length of path from } j \text{ to } \delta(j)] = \sum_j n/2 \leq 2^n \cdot n/2.$$

This is because, for any j , the length of the bit-fixing path from j to $\delta(j)$ is just the number of coordinates on which j and $\delta(j)$ differ. But in expectation this is $n/2$, since the probability that they differ on any single coordinate is $1/2$. We also used the fact that there are $2^n - 1 \leq 2^n$ things in the sum.

Thus, on average, every directed edge is in $1/2$ paths (since there are $n \cdot 2^n$ directed edges). By symmetry, the expected number of paths that any edge e must be in is $1/2$.

Finally,

$$\mathbb{E}\left[\sum_j X_j\right] \leq \mathbb{E}\left[\sum_{e \in P(i)} \sum_j \mathbf{1}[e \in P(j)]\right],$$

and by the above, $\mathbb{E} \sum_j \mathbf{1}[e \in P(j)]$ (which is the expected number of paths that e is in) is at most $1/2$. Thus,

$$\mathbb{E}[\sum_j X_j] \leq \sum_{e \in P(j)} \frac{1}{2} \leq \frac{n}{2}.$$

2. We have $\mathbb{E}[\sum_j X_j] \leq n/2 =: \mu$ by the previous part. By a Chernoff bound,

$$\Pr[\sum_j X_j \geq 10n] = \Pr[\sum_j X_j \geq 20\mu] \leq 2^{-20\mu} = 2^{-10n}.$$

3. The lemma says that the number of timesteps that packet i is delayed is at most the number of paths that cross $P(i)$, which is $\sum_j X_j$ using the notation from the previous problem. We just showed that this was at most $10n$ with probability 2^{-10n} . If this were to happen for all 2^n packets i , then the total time would be at most $11n$: at most n steps actually moving, and at most $10n$ steps delayed. We can union bound over all 2^n packets, to conclude that this indeed happens with probability at least $1 - 2^n 2^{-10n} = 1 - 2^{-9n}$.

4. Route to a random $\delta(i)$. Then route from $\delta(i)$ to $\pi(i)$. The total number of steps is at most $22n$ with high probability.

4.3 Going over solutions, and coming up with the final algorithm!

Before we go over solutions, let's see if we can figure out the final algorithm, assuming that if the destinations are random, the bit-fixing algorithm works w.h.p. in time $O(n)$. [PollEverywhere: type in your suggestion! <https://pollev.com/cs265>]

[In remaining time, go over solutions and answer questions]