

## Class 5: Agenda and Questions

### 1 Warm-Up

Suppose you roll a 6-sided die  $n$  times. Use a Chernoff bound to bound the probability that you see more than  $\frac{1+\delta}{6} \cdot n$  threes, where  $\delta \in (0, 1)$ . What bound do you get as a function of  $n$ ?

### 2 Announcements

- HW2 is due Friday!
- Friday is also the add-drop deadline; we'll get HW1 back to you before then.

### 3 Questions?

Any questions from the minilectures or warmup? (Moment generating functions; Chernoff bounds)

### 4 Randomized Routing

[Discussion with setup; the summary is below and also in more detail in the lecture notes.]

The goal is the following. Suppose we want to design a network with  $M$  nodes and a routing protocol in such a way that 1) we have relatively few edges in the network (ie  $O(M)$  or  $O(M \log M)$ ), and 2) if each node has a message to send to a some other node, the messages can all be routed to their destinations in a timely manner without too much congestion on the edges. More formally:

- Let  $H$  be the  $n$ -dimensional hypercube. There are  $2^n$  vertices, each labeled with an element of  $\{0, 1\}^n$ . Two vertices are connected by an edge if their labels differ in only one place. For example, 0101 is adjacent to 1101.
- Each vertex  $i$  has a packet (also named  $i$ ), that it wants to route to another vertex  $\pi(i)$ , where  $\pi : \{0, 1\}^n \rightarrow \{0, 1\}^n$  is a permutation.
- Each edge can only have one packet on it at a time (in each direction). Time is discrete (goes step-by-step), and the packets queue up in a first-in-first-out queue for each (directed) edge.

## 4.1 Group work: Bit-fixing scheme

Consider the following *bit-fixing scheme*: To send a packet  $i$  to a node  $j$ , we turn the bitstring  $i$  into the bitstring  $j$  by fixing each bit one-by-one, starting with the left-most and moving right. For example, to send

$$i = 001010$$

to

$$j = 101001,$$

we'd send

$$i = 001010 \rightarrow 101010 \rightarrow 101000 \rightarrow 101001 = j.$$

### Group Work

1. Suppose that every packet is trying to get to  $\vec{0}$  (the all-zero string). (Yes, I know that this isn't a permutation). Show that if every packet used the bit-fixing scheme (or, any scheme at all) to get to its destination, the total time required is at least  $(2^n - 1)/n$  steps.

**Hint:** How many packets can arrive at  $\vec{0}$  at any one timestep? How many packets need to arrive there?

2. Suppose that  $n$  is even. Come up with an example of a permutation  $\pi$  where the bit-fixing scheme requires at least  $(2^{n/2} - 1)/(n/2)$  steps.

**Hint:** Consider what happens if  $(\vec{a}, \vec{b}) \in \{0, 1\}^n$  wants to go to  $(\vec{b}, \vec{a})$ , where  $\vec{a}, \vec{b} \in \{0, 1\}^{n/2}$ , and use part 1.

3. If you still have time, think about the following: what happens if each packet  $i$  wants to go to a *uniformly random* destination  $\delta(i)$ , under the bit-fixing scheme? Will it be as bad as the scheme you came up with in part 2? Or will it finish in closer to  $O(n)$  steps?

## 4.2 A useful lemma

[Discussion explaining the following lemma.]

**Lemma 1.** Let  $D(i)$  denote the delay in the  $i$ 'th packet. That is, this is the number of timesteps it spends waiting.

Let  $P(i)$  denote the path that packet  $i$  takes under the bit-fixing map. (So,  $P(i)$  is a collection of directed edges).

Let  $N(i)$  denote the number of other packets  $j$  so that  $P(j) \cap P(i) \neq \emptyset$ . That is, at some point  $j$  wants to traverse an edge that  $i$  also wants to traverse, in the same direction, although possibly at some other point in time.

Then  $D(i) \leq N(i)$ .

## Group Work

Let  $\delta : \{0, 1\}^n \rightarrow \{0, 1\}^n$  be a completely random function (not necessarily a permutation). That is, for each  $i$ ,  $\delta(i)$  is a uniformly random element of  $\{0, 1\}^n$ , and each  $\delta(i)$  is independent.

In this group work, you will analyze how the bit-fixing scheme performs when packet  $i$  wants to go to node  $\delta(i)$ .

Fix some special node/packet  $i$ . Let  $D(i)$  and  $P(i)$  be as above. Fix  $\delta(i)$  (and hence  $P(i)$ , since we have committed to the bit-fixing scheme). But let's keep  $\delta(j)$  random for all  $j \neq i$ . (Formally, we will condition on an outcome for  $\delta(i)$ ; since  $\delta(i)$  is independent from all of the other  $\delta(j)$ , this won't affect any of our calculations).

Let  $X_j$  be the indicator random variable that is 1 if  $P(i)$  intersects  $P(j)$ .

1. Assume that we are using the bit-fixing scheme. Argue that  $\mathbb{E}[\sum_j X_j] \leq n/2$ .

**Hint:** In expectation, how many directed edges are in all of the paths  $P(j)$  taken together (with repetition)? Show that this is at most  $2^n \cdot n/2$ . Then argue that the expected number of paths  $P(j)$  that any single directed edge  $e$  is in is  $1/2$ . Finally, bound  $\sum_j X_j \leq \sum_{e \in P(i)} (\text{number of paths } P(j) \text{ that } e \text{ is in})$  and use linearity of expectation and the fact that  $|P(i)| \leq n$  to bound  $\mathbb{E}[\sum_j X_j]$ .

2. Use a Chernoff bound to bound the probability that  $\sum_j X_j$  is larger than  $10n$ .
3. Use your answer to the previous question to bound the probability that the bit-fixing scheme takes more than  $11n$  timesteps to send every packet  $i$  to  $\delta(i)$ , assuming that the destinations  $\delta(i)$  are completely random.

**Hint:** Lemma 1.

If you still have time, think about the following:

4. However, the destinations are not random! They are given by some worst-case permutation  $\pi$ . Using what you've discovered above for random destinations, develop a randomized routing algorithm that gets every packet where it wants to go, with high probability, in at most  $22n$  steps.

**Hint:** The fact that  $22n$  is two times  $11n$  is not an accident.