

Site Location Madison, Wisconsin






Site Conditions Madison, Wisconsin





Weather & Climate












Weather & Climate






Heavy Rain: June – August Average High Temps: 84° F Average Low Temps: 58° F

Decision Matrix Where We Left Off





The Staircase

Scale: -2 to 2 with 0 Neutral

Metrics	The Staircase		Contrast		Maight
	Steel	RC	Steel	Mixed	Weight
Symmetry	2	2	0	0	1
Feel	1	1	2	2	1
Iconicity	0	0	2	2	1
Aesthetics	0	0	2	2	1
Simplicity of Structure	0	-1	2	1	1
Innovation	0	0	1	1	1
Sustainability	1	2	1	2	1
Going Native	0	2	0	1	1
Schedule	2	1	1	0	1
Cost	1	2	-2	-1	2
Site	0	1	0	1	1
Constructability	2	1	-1	-1	1
Owner Preference	0	0	2	2	3

TOTAL 10 13 12 15

Contrast Shapes atlantic team


Contrast Footprint


A

M


C


atlantic team







Shapes + Cantilivers







Change In Shape Influence of Other Disciplines






Change In Shape Influence of Other Disciplines





Change In Shape


Influence of Other Disciplines








Change In Shape Influence of Other Disciplines





Site

A E M C atlantic team







Site

A L M C atlantic team





MEP Integration/Going native





- Auditorium
- Seminar Room
- Small Classroom
- Large Classroom
- Mechanical/Technical Room Storage






- Auditorium
- Small Classroom
- Student Offices
- Mechanical/Technical Room Storage
- MEP Showroom




3rd floor




Section North-South I - Atrium







Section North-South II - Atrium










Section North-South III Staircases







E M C atlantic team











Soil Considerations

Soil Profile

- Α
- E
- M
- C


- Bearing Capacity 4 KSF
- High Water Table
- Excavation Needed






Δ o atlantic team

Loading Considerations




Lateral Load Path




atlantic team

Loading Considerations



Gravity Load Path





atlantic team

Loading Considerations

Gravity Load Path

Α







76'

M c atlantic team


Loading Considerations







atlantic team

Loading Considerations







Structural System









Structural System






Structural System



3rd Floor 8" Concrete Shear M R = 56'16"x16" Columns 12"x12" Slanted Columns atlantic team 20" x 20" Columns 76' 76'

Details

Column Sizes






Α


M

C


Slanted Columns








olumns Auditorium Columns




Walkway Details 8 No. 9s 16" M R = 47' 16" atlantic team 76' 76'





Details

atlantic team


Soldier Pile Retaining Wall









Section B






Modeling

ETABS



Mode shape showing lateral interaction



Max deflection = 1.25" Allowable deflection=1.33"

MEP biotope


Blossom

Α

E

M

_






MEP biotope Environment Rain Light **MEP systems** M **Chilled water** steam backup **Building Hot water** AHU VAV **Utilities** Air Supply interior Lighting exhaust **Electricity** Chilled beams **Hydronic system Heat pump Geothermal boreholes**

MEP structure

AIR

HVAC

E M



1 2 3 4 5

Chilled beams + Ducts + Pipes


Floor sandwich

3 ½ " of MEP space

A -

M

C






MEP Floor plans

First floor

Classrooms Auditorium **Atrium** Restrooms Mechanical rooms 3000-**Corridors** 112' - 10"

MEP Floor plans

Second floor




MEP Floor plans

Third floor

A E

M

C



HVAC

AIR

CFM requirements

A

M

_

		max				
	area %	occupancy	CFM/pers	max CFM zone		
Classrooms	10.8	75	15	1125		
Offices	17.5	200	20	4000		
Corridor	11.9	20	15	300		
Auditorium	19.1	470	15	4700		
Atrium	27.4	500	10	5000		
Restrooms	4	20	50	1000		
Labs	7.2	100	20	2000		
Server room	2	25	15	375		
			TOTAL CFM	18500		

Lighting

and additional heat loads

		Lighting	Additionnal Load
	area %	(W/sqft)	(W/sqft)
Classrooms	10.8	1.45	20
Offices	17.5	1.49	20
Corridor	11.9	0.57	
Auditorium	19.1	1.62	5
Atrium	27.4	1.77	
Restrooms	4	0.77	
Labs	7.2	1.24	40
Server room	2	1.45	50








Roof area

Water catchment


A E

M


C







Water catchment





Geothermal roots

Ground source heat pump


H


M

Α

E

C










Ground source heat pump


Sizing

A

Ε

Six 150 ft- deep boreholes and heat pump 11 EER sized with Equest:





MEP ⇔C: First delay estimated 2 months, finally only one week and first cost in the budget!

Baseline Energy Consumption



without ground source heat pump

Α E Electric Consumption (kWh) Gas Consumption (Btu) (x000)M (x000,000) 500 50 400 40 300 30 200 20 10 100 Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Area Lighting Exterior Usage Water Heating Refrigeration Task Lighting Pumps & Aux. Heat Rejection Ht Pump Supp. Misc. Equipment Ventilation Fans Space Heating Space Cooling

Energy Consumption


with ground source heat pump

SOIL

A E

M

C






NPV for ground source heat pump

10 years payback

A E M




Energy And Atmosphere

PEED PSGBC BOILDING COUNCIL

A E

M


atlantic team













Water Efficiency



Water Indoor Usage





M

C

atlantic team













Materials and Resources







On-Site Sorting > 75% of Debris





Local Aggregate

Fly Ash

Indoor Environmental Quality


POUNCY LEED PROPERTY OF THE PR

A

M

C

atlantic team









LEED Certification

Α

-

VI

L

atlantic team

SUSTAINABLE SITE

20

WATER EFFICIENCY 9

ENERGY & ATMOSPHERE

22

MATERIALS & RESOURCES 5

INDOOR ENVIRONMENTAL QUALITY 13


TOTAL

70



LEED Gold

Site Plan for Construction



A CONTRACTOR OF THE PARTY OF TH

TEMPORARY FACILITIES

SITE FENCE

MULTIPURPOSE

AREA

- Mobile crane
- Bus
- Unloading area

PEDESTRIAN BYPASS

LIMITED ACCESS SPACE (45 feet)

RECYCLING AREA

POSITION OF THE BUILDING

Site Access


Delivery Path


Α

E


M


C





Schedule







Schedule

4D Animation

atlantic team

Critical Construction Zone I Sub Structure





Limited Construction Site



Retaining Wall and Foundation


Critical Construction Zone I

Equipment











1x PILING RIG



1 EXCAVATOR





4x CONCRETE MIXER



1x CONCRETE PUMP




1x TRUCK MOUTED RIG

Α

Mobile Crane


Haviest Lift



100 110

120

130 140 150 160






45' Long Crane

Heaviest Lift is 6 klbs


Critical Construction Zone I Foundation – Construction Sequence




Α

Critical Construction Zone II

Labs



LABS




OWNERS ARCHITECT

LABS

CM MEP


Target Value Design 1st Estimate, 2/2/2011






M

C




Target Value Design 2nd Estimate, 3/6/2011






V

C




Target Value Design 3rd Estimate, 4/25/2011






M








M






Description	Quantity	Unit	Unit Cost	Total Price	TargetCost
Floor Construction	1.0	-	553,246.46	▲ 553,246.46	440,000.00
Roof Construction	1.0) -	312,783.38	A 312,783.38	275,000.00

atlantic team

e	Description	Quantity	Unit	Unit Cost	Total Price	TargetCost
► B1010	Floor Construction	1.0	-	553,246.46	<u>▲</u> 553,246.46	440,000.0
= B1020	Roof Construction	1.0	-	312,783.38	A 312,783.38	275,000.0
- B1020.09	Roof Deck (One Way)	2,831.6	sf	11.81	A 33,454.37	25,000.0
- 03111.62.0	Forming/Prep Slab	2,831.6	sf	9.04	4 25,585.70	6,250.0
03-110.02	Forming Labor, C-2 Crew	271.8	hr	64.33	17,487.24	3,125.0
03-111.33	Forms in Place, 1-Way Joist Pans, 4 use	2,831.6	sf	2.86	8,098.46	3,125.0
- 03211.61.0	Reinforcing Slab (#4 to #7)	1.8	ton	1,626.79	A 2,879.04	6,250.0
03-210.25	4 Rodm, C-25 Crew	19.5	hr	61.23	1,195.67	3,125.0
03-211.06.04	Reinforcing in Place, Slab	1.8	ton	951.18	1,683.36	3,125.0
- 03310.61.0	Pouring Slab (Pumped)	26.2	су	136.74	A 3,585.15	6,250.0
03-310.20	Placing Concrete, C-20 Crew	10.5	hr	69.35	727.31	3,125.0
03-313.4000	Concrete in Place, 4000 psi Normal Weight	26.2	су	109.00	2,857.84	3,125.0
- 03352.93.0	Finishing Concrete, Broom Finish	24.5	hr	57.23	A 1,404.48	6,250.0
03-350.10	Finishing Concrete, C-10 Crew	24.5	hr	57.23	1,404.48	6,250.0
- B1020.10	Roof Deck	11,274.0	sf	18.95	A 213,590.30	190,000.0
- 03111.62.0	Forming/Prep Slab	11,274.0	sf	11.97	A 134,899.12	47,500.0
03-110.02	Forming Labor, C-2 Crew	1,589.6	hr	64.33	102,260.95	23,750.0
03-116.22	Forms in Place, Slab 4 use	16,911.0	sf	1.93	32,638.17	23,750.0
- 03211.32.0	Reinforcing Roof Deck	19.1	ton	1,626.79	A 31,024.60	47,500.0
03-210.25	4 Rodm, C-25 Crew	210.4	hr	61.23	12,884.62	23,750.0
03-211.06.04	Reinforcing in Place, Slab	19.1	ton	951.18	18,139.99	23,750.0
- 03310.32.0	Pouring Roof Deck	282.5	су	136.74	A 38,633.68	47,500.0
03-310.20	Placing Concrete, C-20 Crew	113.0	hr	69.35	7,837.49	23,750.0
03-313.4000	Concrete in Place, 4000 psi Normal Weight	282.5	су	109.00	30,796.19	23,750.0
- 03350.14.0	Finishing Roof Deck	157.8	hr	57.23	A 9,032.90	47,500.0
03-350.10	Finishing Concrete, C-10 Crew	157.8	hr	57.23	9,032.90	47,500.0
- B1020.40	Sky Roof	1,493.4	sf	44.02	▲ 65,738.72	60,000.0
- 05121.42.0	Erect Steel Beams - W12x26	124.2	If	37.55	A 4,664.10	15,000.0
05-120.02	Steel Erection, E-2 Crew	8.0	hr	112.13	891.46	7,500.0
05-124.32	W12x26	124.2	lf	30.37	3,772.64	7,500.0
- 05121.47.0	Erect Steel Beams - W14x30	38.0	lf	42.06	A 1,598.36	15,000.0
05-120.02	Steel Erection, E-2 Crew	2.4	hr	112.13	264.18	7,500.0
05-124.36	W14x30	38.0	lf	35.11	1,334.18	7,500.0
- 07810.11.0	Fireproofing Steel Beams	325.8	sf	1.44	A 470.40	15,000.0
07-810.02	Fireproofing, G-2 Crew	5.2	hr	60.23	314.00	7,500.0
07-811.10	2 hr Spray Fireproofing	325.8	sf	0.48	156.40	7,500.0
- 08451.00.0	Sky Roof Intallation	1,493.4	sf	39.51	59,005.87	15,000.0
08-450.03	G-3 Crew	135.9	hr	65.40	8,887.75	7,500.0
08-451.01	Skyroof, translucent panel, 2-3/4" thick	1,493.4	sf	33.56	50,118.11	7,500.0

Cost Based on:

- Labor
- Material
- Equipment



Α	
Ε	
М	


de	Description	Quantity	Unit	Unit Cost	Tota	al Price	TargetCost
+ B1010	Floor Construction	1.0	-	553,246.46	A	553 246 46	440 000 0
- B1020	Roof Construction	1.0	-	312,783.38	A	312,783.38	275,000.0
■ B1020.09	Roof Deck (One Way)	2,831.6	sf	11.81	A	33,454.37	25,000.0
+ 03111.62.0	Forming/Prep Slab	2,831.6	sf	9.04	A	25,585.70	6,250.0
+ 03211.61.0	Reinforcing Slab (#4 to #7)	1.8	ton	1,626.79	A	2,879.04	6,250.0
+ 03310.61.0	Pouring Slab (Pumped)	26.2	су	136.74	A	3,585.15	6,250.0
+ 03352.93.0	Finishing Concrete, Broom Finish	24.5	hr	57.23	A	1,404.48	6,250.0
⇒ B1020.10	Roof Deck	11,274.0	sf	18.95	A	213,590.30	190,000.0
+ 03111.62.0	Forming/Prep Slab	11,274.0	sf	11.97	A	134,899.12	47,500.0
+ 03211.32.0	Reinforcing Roof Deck	19.1	ton	1,626.79	A	31,024.60	47,500.0
+ 03310.32.0	Pouring Roof Deck	282.5	су	136.74	A	38,633.68	47,500.0
+ 03350.14.0	Finishing Roof Deck	157.8	hr	57.23	A	9,032.90	47,500.0
= B1020.40	Sky Roof	1,493.4	sf	44.02	A	65,738.72	60,000.0
+ 05121.42.0	Erect Steel Beams - W12x26	124.2	lf	37.55	A	4,664.10	15,000.0
+ 05121.47.0	Erect Steel Beams - W14x30	38.0	If	42.06	A	1,598.36	15,000.0
+ 07810.11.0	Fireproofing Steel Beams	325.8	sf	1.44	A	470.40	15,000.0
+ 08451.00.0	Sky Roof Intallation	1,493.4	sf	39.51	A	59,005.87	15,000.0

1	1
,	~

۱Л

C


de	Description	Unit	Unit Cost	Total Price	TargetCost
- B1020.09	Roof Deck (One Way)	sf	11.81	A 33,454.37	25,000.00
+ 03111.62.0	Forming/Prep Slab	sf	9.04	A 25,585.70	6,250.00
+ 03211.61.0	Reinforcing Slab (#4 to #7)	ton	1,626.79	4 2,879.04	6,250.00
+ 03310.61.0	Pouring Slab (Pumped)	су	136.74	A 3,585.15	6,250.00
+ 03352.93.0	Finishing Concrete, Broom Finish	hr	57.23	A 1,404.48	6,250.00
- B1020.10	Roof Deck	sf	18.95	Δ 213,590.30	190,000.00
+ 03111.62.0	Forming/Prep Slab	sf	11.97	A 134,899.12	47,500.00
+ 03211.32.0	Reinforcing Roof Deck	ton	1,626.79	A 31,024.60	47,500.00
+ 03310.32.0	Pouring Roof Deck	су	136.74	A 38,633.68	47,500.00
03350 44 0	Finishing Poof Deck	br	57 23		47,500.00
- B1020.40	Sky Roof	sf	44.02	<u>▲</u> 65,738.72	60,000.00
+ 05121.42.0	Erect Steel Beams - W12x26	lf	37.55	A 4,664.10	15,000.00
+ 05121.47.0	Erect Steel Beams - W14x30	If	42.06	A 1,598.36	15,000.00
+ 07810.11.0	Fireproofing Steel Beams	sf	1.44	A 470.40	15,000.00
+ 08451.00.0	Sky Roof Intallation	sf	39.51	59,005.87	15,000.00
B2010	Exterior Walls	-	979,718.96	A 979,718.96	440,000.00
B2020	Exterior Windows	ea	0.00	0.00	440,000.00
B2030	Exterior Doors	-	0.00	0.00	440,000.00
	Roof Coverings	-	325,114.36	A 325,114.36	440,000.00
B3010	Roof Coverings				
B3010	Interiors	-	513,357.28	<u>▲</u> 513,357.28	1,275,000.00




NΛ

C

-	M	Doodiption	11-2 01110	Unit Cost	T	ar Fried	Targotooot
- I	31020	Roof Construction	-	253,180.41	A	253,180.41	275,000.00
ŀ	B1020.09	Roof Deck (One Way)	sf	13.20	A	24,926.00	25,000.00
4	1 00111.02.0	Forming/Prop Olab	of .	0.01	٠	17,057.20	0,250.00
ĺ	+ 03211.61.0	Reinforcing Slab (#4 to #7)	ton	1,626.79	A	2,879.07	6,250.00
	+ 03310.61.0	Pouring Slab (Pumped)	су	136.74	A	3,585.19	6,250.00
	03352.93.0	Finishing Concrete, Broom Finish	hr	57.23	A	1,404.48	6,250.00
ŀ	B1020.10	Roof Deck	sf	15.12	A	188,623.83	190,000.00
÷	1 03111.02.0	Torming/Trop Sido	31	7.30	٠	JJ,J000.71	47,500.00
ĺ	+ 03211.32.0	Reinforcing Roof Deck	ton	1,626.79	A	35,239.00	47,500.00
ĺ	+ 03310.32.0	Pouring Roof Deck	су	136.74	A	43,881.70	47,500.00
	+ 03350.14.0	Finishing Roof Deck	hr	57.23	A	9,994.73	47,500.00
ŀ	B1020.40	Sky Roof	sf	41.35	A	39,630.58	60,000.00
÷	T 00121.42.0	LIECT Steel Deallis - WIZAZO	11	37.00	À	1,040.01	10,000,00
ĺ	÷ 05121.47.0	Erect Steel Beams - W14x30	lf	0.00	•	0.00	15,000.00
ı	+ 07810.11.0	Fireproofing Steel Beams	sf	1.44	A	123.13	15,000.00
	♦ 08451.00.0	Sky Roof Intallation	sf	39.51	A	37,866.84	15,000.00
ŀ I	32010	Exterior Walls	-	979,718.96	A	979,718.96	440,000.00
ŀ I	32020	Exterior Windows	ea	0.00	•	0.00	440,000.00
ŀ	32030	Exterior Doors	-	0.00	•	0.00	440,000.00
ŀ	33010	Roof Coverings	-	330,937.90	A	330,937.90	440,000.00




Target Value Design Final Cost, 5/5/2011












Target Value Design Final Cost, 5/5/2011

A Substructure	\$413,700.00	6%
B Shell	\$2,571,800.00	35%
C Interior	\$1,243,000.00	17%
D Services (MEP)	\$1,698,000.00	23%
F Special Construction	\$82,500.00	1%
G Building Sitework	\$225,800.00	3%
I Soft Costs	\$1,125,000.00	15%
Totals	<u>\$7,359,800.00</u>	100.00%


Α


atlantic team

Target Value Design Final Cost, 5/5/2011




\$7,360,000






BIM Modeling Coordinating Multiple Model Iterations




BIM Modeling

Coordinating Multiple Model Iterations





atlantic team

Project Evolution Multiple Iterations





Architectural Models
















Structural Models

atlantic team


BIM Modeling Multiple Iterations




Final Design
















Structural Models



Project Evolution Multiple Iterations




Final Design




















Over 30 Architectural Models And 20 Structural Models






Structural Models



IPD Process Evolution




F	4	
F	-	

	_		1
	1		<u>'</u>
	2	1	J
	-	-	5
	-	=	٠
1	٢		1
	7		7
	(=)
	_		
	g	_	ų
ı	r	τ)
		1	
	-	i	7
	1		S
			_

Need ID#	-	Needs	From Who	~	For Whom	Meeting Reques ▼	Needed By: ▼	Received (Yes/No)
	1	Local Materials Research	KIM				1/28/2011	YES
	2	size and pozition of the building	Maria				1/27/2011	YES
		Floor Plan with Dimensions	Maria				2/4/2011	YES
	4	Updated structural SketchUp Model	Colin				2/9/2011	YES
	5	max length of members (colums etc	SE, MEP					YES
	6	weigth of members	SE, MEP					YES
	7	foundation depth	SE		CM			YES
	8	Rough Lateral Design	SE's		CM	2/15/2011	1/17/2011	YES
	9	Rough Foundation Design	SE's		CM	2/15/2011	1/17/2011	YES
	10	Rough Column Design	SE's		CM	2/15/2011	1/17/2011	YES
	11	Dewatering Cost	CM			2/23/2011	3/4/2011	YES
	12	Excavation Cost	CM			2/23/2011	3/4/2011	YES
	13	Basement Insulation	MEP			2/23/2011	3/4/2011	Yes
	14	Basement Waterproofing	CM			2/23/2011	3/4/2011	YES
	15	Flood Control	CM			2/23/2011	3/4/2011	YES
	16	groundwater pumping requirement	CM		MEP		3/3/2011	YES
	17	Floor plans	Α		MEP		3/2/2011	No
	18	Beams dimensions	SE		MEP		3/1/2011	No
	19	Floor to floor dimensions	Α		MEP		3/1/2011	No
	20	Beam positions	SE		MEP		3/2/2011	No
	21	Material quantity/types in the cost es	CM		MEP		3/2/2011	No
	22	Revised C1 Structural Quantities	SE's		CM		3/3/2011	No
	23	First C2 Strucutral Quantities	SE's		CM		3/4/2011	No
		A MODEL C2	Α		SE		3/4/2011	YES
	25	C1 Revit Model	Α		CM		3/6/2011	YES

ID#	Activity	Deliverable 	By Whom	Need ID#	
ENG-38	LATERAL SYSTEM C2 STEEL	LATERAL SYS	RIAM, TRAVIS	24	
ENG-39	LATERAL SYSTEM C2 CONCRETE	LATERAL SYS	RIAM, TRAVIS	24	

IPD Process Evolution




		v	
-7	Α	۸	
7			V
		ĸ.	١


Need ID#	-	Needs	From	Who 🔻	For Whom	₩	Meeting Reques ▼	Needed Bv: ▼	Received (Yes/No
		Local Materials Research	KIM				mooning rioquot	1/28/2011	
	2	size and pozition of the building	Maria					1/27/2011	YES
		Floor Plan with Dimensions	Maria					2/4/2011	
	4	Updated structural SketchUp Model						2/9/2011	YES
		max length of members (colums etc		EP					YES
		weigth of members	SE, M	EP					YES
		foundation depth	SE		CM				YES
		Rough Lateral Design	SE's		CM		2/15/2011	1/17/2011	YES
		Rough Foundation Design	SE's		CM		2/15/2011	1/17/2011	YES
		Rough Column Design	SE's		CM		2/15/2011	1/17/2011	YES
		Dewatering Cost	CM				2/23/2011	3/4/2011	YES
		Excavation Cost	CM				2/23/2011	3/4/2011	YES
	13	Basement Insulation	MEP				2/23/2011	3/4/2011	Yes
	14	Basement Waterproofing	CM				2/23/2011	3/4/2011	YES
		Flood Control	CM				2/23/2011	3/4/2011	YES
	16	groundwater pumping requirement	CM		MEP			3/3/2011	YES
	17	Floor plans	Α		MEP			3/2/2011	No
	18	Beams dimensions	SE		MEP			3/1/2011	No
	19	Floor to floor dimensions	Α		MEP			3/1/2011	No
	20	Beam positions	SE		MEP			3/2/2011	No
	21	Material quantity/types in the cost e	st CM		MEP			3/2/2011	No
	22	Revised C1 Structural Quantities	SE's		CM			3/3/2011	No
	23	First C2 Strucutral Quantities	SE's		CM			3/4/2011	No
		A MODEL C2	Α		SE			3/4/2011	YES
	25	C1 Revit Model	Α		CM			3/6/2011	YES

By Whom	Need ID #	✓ Stort Dote	Finish/Due Date	V	otal Work Hours to Omplete	Actual Work Hours to Date	Status _▼	% Complete	
RIAM, TRAVIS	24	3/5/2011	3/6/2011		5	1	In Progress	\$\to\$ 20%	
RIAM, TRAVIS	24	3/5/2011	3/6/2011		5	0.5	In Progress	↓ 10%	

IPD Process Evolution Workflow Diagram









Momentum

Changes From Winter Quarter Progression of Momentum With Time


Cyber Presentation Fishbowl


Time






Complete Chaos







Complete Chaos




Some Order




Where are the Most Recent Floor Plans?







Complete Chaos

Some Order










Some Order

Complete Chaos

Some Order










Complete Chaos

Some Order




Where Shall We Place the Building on the Site?







Complete Chaos

Some Order




And Site Access.







Complete Chaos

Some Order




What About the Neighboring Buildings...







Complete Chaos

Some Order








Other Disciplines





Disciplines

Other Disciplines




Disciplines






atlantic team

Communication


















Most Effective Communication Software For Us



No Email Policy

Communication






Most Effective Communication Occurred When Co-Located



Communication






What am I supposed to do?...Let's meet.

atlantic team

Communication






What am I supposed to do?...Let's meet.



And now we will talk...and talk...


Communication




A

IV






And now we will talk...and talk...





Lessons Learned



- A global team is only as fast as its slowest network speed
- Nobody's done until everybody's done
- Even if you are still learning don't forget to educate your team
- An enemy isn't really an enemy

"I choose my friends for their good looks, my acquaintances for their good characters, and my enemies for their good intellects. A man cannot be too careful in the choice of his enemies. I have not got one who is a fool. They are all men of some intellectual power, and consequently they all appreciate me."

-Henry Wotton, The Picture of Dorian Gray

-	Josh Odelson

Glenn Katz

All the Mentors

Martin Dembski

Tine Logonder

David Bendet

Thank You!

Willem Kymmel

Lauren Scammell

Eric Borchers

Ivo Zagar

Prof. Miranda

Marko Balant

Prof. Borja

Renate

Michael Pearson

Prof. Krawinkler

Greg Luth

Prof. Nelson