Chapter 4: Sections 4.1-4.5: Valence

© 2003 CSLI Publications

Valence: Background

- Attempting to model English with CFG led to problems with the granularity of categories, e.g.
 - Need to distinguish various subtypes of verbs
 - Need to identify properties common to all verbs
- Response: break down categories into feature structures, construct a hierarchy of types
- This allows us to
 - state rules more generally
 - make cross-categorial generalizations
 - still making fine distinctions where necessary

But it's still not quite right...

- Too much redundancy in the rules.
- Rules and features encode the same information in different ways.

Head-Complement Rule 1:



Solution: More Elaborate Valence Feature Values

- The rules just say: "heads combine with whatever their lexical entries say they can/must combine with"
- Head-specific information is encoded in list-valued valence features.
 - The elements of the lists are themselves feature structures
 - The elements are "cancelled" off the lists once heads combine with their complements and specifiers.

Complements

Head-Complement Rule:

 $\begin{bmatrix} phrase \\ VAL \quad \begin{bmatrix} COMPS & \langle \rangle \end{bmatrix} \end{bmatrix} \rightarrow \mathbf{H} \begin{bmatrix} word \\ VAL \quad \begin{bmatrix} COMPS & \langle 1, \dots, n \rangle \end{bmatrix} \begin{bmatrix} 1, \dots, n \end{pmatrix}$

- This allows for arbitrary numbers of complements, but only applies when there is at least one.
 - [Note: heads in English probably never have more than 3 complements]
- This covers lots of cases not covered by the old Head-Complement Rules 1-3. (Examples?)
- Allows that a head word could stipulate lexically exactly what its complement(s) have to be. (Examples?)

Complement Selection

Head-Complement Rule:

$$\begin{bmatrix} phrase \\ VAL \quad \begin{bmatrix} COMPS & \langle \rangle \end{bmatrix} \end{bmatrix} \rightarrow \mathbf{H} \begin{bmatrix} word \\ VAL \quad \begin{bmatrix} COMPS & \langle 1, \dots, n \rangle \end{bmatrix} \begin{bmatrix} 1, \dots, n \end{pmatrix}$$

- Allows that a head word could stipulate lexically precisely what one or more of its complements have to be. Examples?
 - *wreak*? (havoc/damage/??)
 - What can you *crane*?
 - Certain verbs only occur with particles, e.g. *bandy* (with *about*)
 - Certain heads require complements **headed** by particular words, e.g. *fond* (PP headed by *of*), *rely* (PP headed by *on* or *upon*)
- Much selection is arguably semantic, e.g. *diagonalize* or *devein*
- Much more on such selection later in the course

Question: How would the grammar change if English had postpositions, instead of prepositions? Head-Complement Rule

 $\begin{bmatrix} phrase \\ VAL & \begin{bmatrix} COMPS & \langle \rangle \end{bmatrix} \end{bmatrix} \rightarrow \mathbf{H} \begin{bmatrix} word \\ HEAD & verb \mid adj \mid noun \\ VAL & \begin{bmatrix} COMPS & \langle 1, \dots, n \rangle \end{bmatrix} \begin{bmatrix} 1, \dots, n \end{bmatrix}$

PP Rule

 $\begin{bmatrix} phrase \\ VAL & \begin{bmatrix} COMPS & \langle \\ \rangle \end{bmatrix} \end{bmatrix} \rightarrow 1, \dots, n \quad H \begin{bmatrix} word \\ HEAD & prep \\ VAL & \begin{bmatrix} COMPS & \langle 1, \dots, n \end{pmatrix} \end{bmatrix}$

- Does English have any postpositions?
- Does this mean we need the PP rule, too?

Specifiers

Head-Specifier Rule (Version I)



- Combines the rules expanding S and NP.
- In principle also generalizes to other categories.
- Note that the type of the head is not specified (as *word* or *phrase*). Why not?

Specifier Selection

Head-Specifier Rule (Version I)



- Allows that a verb or noun could stipulate lexically precisely what its specifier has to be. Example?
 - e.g. *behoove* subject must be *it*

Question:

Why are these rightbranching? That is, what formal property of our grammar forces the COMPS to be lower in the tree than the SPR?



Another Question...

What determines the VAL value of phrasal nodes?

ANSWER: The Valence Principle

Unless the rule says otherwise, the mother's values for the VAL features (SPR and COMPS) are identical to those of the head daughter.

More on the Valence Principle

- Intuitively, the VAL features list the contextual requirements that haven't yet been found.
- This way of thinking about it (like talk of "cancellation") is bottom-up and procedural.
- But formally, the Valence Principle (like most of the rest of our grammar) is just a well-formedness constraint on trees, without inherent directionality.

Mathematical Afterthoughts

• As noted earlier, some languages have constructions provably beyond the descriptive power of CFG

Specifically, CFGs can't deal with unbounded "cross-serial dependencies", i.e., cases like:



Some languages (e.g. Bambara and Swiss German) have been claimed to have such dependencies.

• Analyzing CFG categories into feature structures does not increase the mathematical power of the system, so long as there are still only finitely many categories. Complex Feature Values and CFG Equivalence

- With feature structures in the values of other features, however, we now have the possibility of recursion in feature structures.
- E.g. [COMPS <[COMPS <[COMPS...]>]>]
- This allows for infinite sets of categories, which allows for the description of languages that are not context-free.

Feature Structure Recursion is Limited

- Descriptive linguists using feature structure grammars have not used more than one level of recursion in feature structures.
- A formal restriction along these lines would bring us back to CFG equivalence.
- But the equivalent CFG would have a huge number of categories.