

# Programming Abstractions

CS106B

Cynthia Lee

# Graphs Topics

Graphs!

## 1. Basics

- What are they? How do we represent them?

## 2. Theorems

- What are some things we can prove about graphs?

## 3. Breadth-first search on a graph

- Spoiler: just a very, very small change to tree version

## 4. Dijkstra's shortest paths algorithm


- Spoiler: just a very, very small change to BFS



## 5. A\* shortest paths algorithm



- Spoiler: just a very, very small change to Dijkstra's


## 6. Minimum Spanning Tree


- Kruskal's algorithm















































- 
- E  
4?
  - B  
6?
  - G  
12?




- 
- E  
4?
  - B  
6?
  - G  
12?




- 
- E**  
4?
  - B**  
6?
  - G**  
12?





- 
- B**  
6?
  - G**  
12?




- 
- B**  
6?
  - G**  
12?




- 
- B**  
6?
  - G**  
12?







- 
- B**  
6?
  - H**  
8?
  - F**  
11?
  - G**  
12?




- 
- B**  
6?
  - H**  
8?
  - F**  
11?
  - G**  
12?




- 
- B**  
6?
  - H**  
8?
  - F**  
11?
  - G**  
12?




- 
- B**  
5?
  - H**  
8?
  - F**  
11?
  - G**  
12?



- 
- B  
5?
  - H  
8?
  - F  
11?
  - G  
12?




- 
- B**  
5?
  - H**  
8?
  - F**  
11?
  - G**  
12?




- 
- B**  
5?
  - H**  
8?
  - F**  
11?
  - G**  
12?








- 
- H  
8?
  - F  
11?
  - G  
12?




- 
- H 8?
  - F 11?
  - G 12?






- 
- H 8?
  - C 8?
  - F 11?
  - G 12?




- 
- H 8?
  - C 8?
  - F 11?
  - G 12?




- 
- H 8?
  - C 8?
  - F 11?
  - G 12?


You predict the next queue state:  
 A. H,C,F,G,I  
 B. C,F,G,I  
 C. C,G,F,I  
 D. Other/none/  
 more




- H**  
8?
- C**  
8?
- F**  
11?
- G**  
12?




- 
- C**  
8?
  - F**  
11?
  - G**  
12?




- 
- C 8?
  - F 11?
  - G 12?




- 
- C 8?
  - F 11?
  - G 12?




- 
- C 8?
  - F 11?
  - G 12?
  - I 13?




- 
- C 8?
  - F 11?
  - G 12?
  - I 13?



- 
- C 8?
  - F 11?
  - G 12?
  - I 13?



- 
- C 8?
  - F 11?
  - G 10?
  - I 13?






**C**  
8?

**F**  
11?


**G**  
10?

**I**  
13?







- 
- C  
8?
  - G  
10?
  - F  
11?
  - I  
13?




- 
- C 8?
  - G 10?
  - F 11?
  - I 13?





- 
- C 8?
  - G 10?
  - F 11?
  - I 13?





- 
- C  
8?
  - G  
10?
  - F  
11?
  - I  
13?


























- 
- F  
9?
  - G  
10?
  - I  
13?




- 
- F  
9?
  - G  
10?
  - I  
13?



- 
- G  
10?
- I  
13?




- 
- G  
10?
  - I  
13?





---

**G**  
10?


**I**  
13?



- 
- G  
10?
  - I  
13?





- 
- G  
10?
  - I  
13?





---

**G**  
10?


**I**  
13?







---

I  
13?





---

I  
13?





---


I  
13?





---

I  
13?







# Dijkstra's Algorithm

- Split nodes apart into three groups:
  -  Green nodes, where we already have the shortest path;
  -  Gray nodes, which we have never seen; and
  -  Yellow nodes that we still need to process.
- Dijkstra's algorithm works as follows:
  - Mark all nodes gray except the start node, which is yellow and has cost 0.
  - Until no yellow nodes remain:
    - Choose the yellow node with the lowest total cost.
    - Mark that node green.
    - Mark all its gray neighbors yellow and with the appropriate cost.
    - Update the costs of all adjacent yellow nodes by considering the path through the current node.

## An Important Note

- The version of Dijkstra's algorithm I have just described is *not* the same as the version described in the course reader.
- This version is more complex than the book's version, but is much faster.
- THIS IS THE VERSION YOU MUST USE ON YOUR TRAILBLAZER ASSIGNMENT!

## Dijkstra's: SPIN analysis (shoutout to GSB students)

- **Situation:**
  - Dijkstra's algorithm works by incrementally computing the shortest path to intermediary nodes in the graph *in case* they prove to be useful.
- **Problem:**
  - No big-picture conception of how to get to the destination – the algorithm explores outward in all directions, “in case.”
- **Implication:**
  - Most of these explored nodes will end up being in completely the wrong direction.
- **Need:**
  - **Could we give the algorithm a “hint” of which direction to go?**

# A\* and Dijkstra's

Close cousins

# Heuristics


- In the context of graph searches, a **heuristic function** is a function that guesses the distance from some known node to the destination node.
- The guess doesn't have to be correct, but it should try to be as accurate as possible.
- Examples: For Google Maps, a heuristic for estimating distance might be the straight-line “as the crow flies” distance.

## Admissible Heuristics

- A heuristic function is called an **admissible heuristic** if it never overestimates the distance from any node to the destination.
- In other words:
  - ***predicted-distance  $\leq$  actual-distance***

# Why Heuristics Matter

- We can modify Dijkstra's algorithm by introducing heuristic functions.
- Given any node  $u$ , there are two associated costs:



- The actual distance from the start node  $s$ .
- The heuristic distance from  $u$  to the end node  $t$ .
- Key idea: Run Dijkstra's algorithm, but use the following priority in the priority queue:
  - $priority(u) = distance(s, u) + heuristic(u, t)$
- This modification of Dijkstra's algorithm is called the **A\* search algorithm**.

## A\* Search

- As long as the heuristic is admissible (and satisfies one other technical condition), A\* will always find the shortest path from the source to the destination node.
- Can be *dramatically* faster than Dijkstra's algorithm.
- Focuses work in areas likely to be productive.
- Avoids solutions that appear worse *until* there is evidence they may be appropriate.


## Dijkstra's Algorithm

- Mark all nodes as gray.
- Mark the initial node  $s$  as yellow and at candidate distance  $0$ .
- Enqueue  $s$  into the priority queue with priority  $0$ .
- While not all nodes have been visited:
  - Dequeue the lowest-cost node  $u$  from the priority queue.
  - Color  $u$  green. The candidate distance  $d$  that is currently stored for node  $u$  is the length of the shortest path from  $s$  to  $u$ .
  - If  $u$  is the destination node  $t$ , you have found the shortest path from  $s$  to  $t$  and are done.
  - For each node  $v$  connected to  $u$  by an edge of length  $L$ :
    - If  $v$  is gray:
      - Color  $v$  yellow.
      - Mark  $v$ 's distance as  $d + L$ .
      - Set  $v$ 's parent to be  $u$ .
      - Enqueue  $v$  into the priority queue with priority  $d + L$ .
    - If  $v$  is yellow and the candidate distance to  $v$  is greater than  $d + L$ :
      - Update  $v$ 's candidate distance to be  $d + L$ .
      - Update  $v$ 's parent to be  $u$ .
      - Update  $v$ 's priority in the priority queue to  $d + L$ .


## A\* Search

- Mark all nodes as gray.
- Mark the initial node  $s$  as yellow and at candidate distance  $0$ .
- Enqueue  $s$  into the priority queue with priority  $h(s,t)$ .
- While not all nodes have been visited:
  - Dequeue the lowest-cost node  $u$  from the priority queue.
  - Color  $u$  green. The candidate distance  $d$  that is currently stored for node  $u$  is the length of the shortest path from  $s$  to  $u$ .
  - If  $u$  is the destination node  $t$ , you have found the shortest path from  $s$  to  $t$  and are done.
  - For each node  $v$  connected to  $u$  by an edge of length  $L$ :
    - If  $v$  is gray:
      - Color  $v$  yellow.
      - Mark  $v$ 's distance as  $d + L$ .
      - Set  $v$ 's parent to be  $u$ .
      - Enqueue  $v$  into the priority queue with priority  $d + L + h(v,t)$ .
    - If  $v$  is yellow and the candidate distance to  $v$  is greater than  $d + L$ :
      - Update  $v$ 's candidate distance to be  $d + L$ .
      - Update  $v$ 's parent to be  $u$ .
      - Update  $v$ 's priority in the priority queue to  $d + L + h(v,t)$ .


**A\* on two points where the heuristic is slightly misleading  
due to a wall blocking the way**




A\* starts with start node yellow, other nodes grey.




A\*: dequeue start node, turns green.




A\*: enqueue neighbors with candidate distance + heuristic distance as the priority value.



A\*: dequeue min-priority-value node.







What goes in the **???** ?

- A.  $2 + 5?$
- B.  $1 + 6?$
- C.  $2 + 4?$
- D. Other/none/more

A\*: enqueue neighbors.







Now we're done with the green "1" node's turn.

**What is the next node to turn green?** (and what would it be if this were Dijkstra's?)


A\*: dequeue next lowest priority value node. Notice we are making a straight line right for the end point, not wasting time with other directions.



A\*: enqueue neighbors—uh-oh, wall blocks us from continuing forward.



A\*: eventually figures out how to go around the wall, with some waste in each direction.



## For Comparison: What Dijkstra's Algorithm Would Have Searched

8	7	6	5	4	5	6	7	8	9?				
7	6	5	4	3	4	5	6	7	8	9?			
6	5	4	3	2	3	4	5	6	7	8	9?		
5	4	3	2	1	2	3		7	8	9?			
4	3	2	1	★	1	2		8	★				
5	4	3	2	1	2	3		7	8	9?			
6	5	4	3	2	3	4	5	6	7	8	9?		
7	6	5	4	3	4	5	6	7	8	9?			
8	7	6	5	4	5	6	7	8	9?				

## Dijkstra's Algorithm

- Mark all nodes as gray.
- Mark the initial node  $s$  as yellow and at candidate distance  $0$ .
- Enqueue  $s$  into the priority queue with priority  $0$ .
- While not all nodes have been visited:
  - Dequeue the lowest-cost node  $u$  from the priority queue.
  - Color  $u$  green. The candidate distance  $d$  that is currently stored for node  $u$  is the length of the shortest path from  $s$  to  $u$ .
  - If  $u$  is the destination node  $t$ , you have found the shortest path from  $s$  to  $t$  and are done.
  - For each node  $v$  connected to  $u$  by an edge of length  $L$ :
    - If  $v$  is gray:
      - Color  $v$  yellow.
      - Mark  $v$ 's distance as  $d + L$ .
      - Set  $v$ 's parent to be  $u$ .
      - Enqueue  $v$  into the priority queue with priority  $d + L$ .
    - If  $v$  is yellow and the candidate distance to  $v$  is greater than  $d + L$ :
      - Update  $v$ 's candidate distance to be  $d + L$ .
      - Update  $v$ 's parent to be  $u$ .
      - Update  $v$ 's priority in the priority queue to  $d + L$ .


## A\* Search

- Mark all nodes as gray.
- Mark the initial node  $s$  as yellow and at candidate distance  $0$ .
- Enqueue  $s$  into the priority queue with priority  $h(s,t)$ .
- While not all nodes have been visited:
  - Dequeue the lowest-cost node  $u$  from the priority queue.
  - Color  $u$  green. The candidate distance  $d$  that is currently stored for node  $u$  is the length of the shortest path from  $s$  to  $u$ .
  - If  $u$  is the destination node  $t$ , you have found the shortest path from  $s$  to  $t$  and are done.
  - For each node  $v$  connected to  $u$  by an edge of length  $L$ :
    - If  $v$  is gray:
      - Color  $v$  yellow.
      - Mark  $v$ 's distance as  $d + L$ .
      - Set  $v$ 's parent to be  $u$ .
      - Enqueue  $v$  into the priority queue with priority  $d + L + h(v,t)$ .
    - If  $v$  is yellow and the candidate distance to  $v$  is greater than  $d + L$ :
      - Update  $v$ 's candidate distance to be  $d + L$ .
      - Update  $v$ 's parent to be  $u$ .
      - Update  $v$ 's priority in the priority queue to  $d + L + h(v,t)$ .

# Minimum Spanning Tree

A **spanning tree** in an undirected graph is a set of edges with no cycles that connects all nodes.

A **minimum spanning tree** (or **MST**) is a spanning tree with the least total cost.



**How many distinct minimum spanning trees are in this graph?**

- A. 0-1
- B. 2-3
- C. 4-5

- D. 6-7
- E. >7

## Kruskal's algorithm


Remove all edges from graph

Place all edges in a PQ based on length/weight

While !PQ.isEmpty():

- Dequeue edge
- If the edge connects previous disconnected nodes or groups of nodes, keep the edge
- Otherwise discard the edge

# Kruskal's algorithm




# The Good Will Hunting Problem

## Video Clip

<https://www.youtube.com/watch?v=N7b0cLn-wHU>

“Draw all the homeomorphically irreducible trees with  $n=10$ .”



“Draw all the homeomorphically irreducible trees with  $n=10$ .”

In this case “**trees**” simply means **graphs with no cycles**  
“with  $n = 10$ ” (i.e., has **10 nodes**)

“homeomorphically irreducible”

- **No nodes of degree 2 allowed in your solutions**
  - › For this problem, nodes of degree 2 are useless in terms of tree structure—they just act as a blip on an edge—and are therefore banned
- Have to be actually different
  - › Ignore superficial changes in rotation or angles of drawing