

CS 106B, Lecture 10





Recursion and Fractals

Plan for Today

- Introduction to **fractals**, a powerful tool used in graphics

Fractals

- **fractal:** A self-similar mathematical set that can often be drawn as a recurring graphical pattern.
 - Smaller instances of the same shape or pattern occur within the pattern itself.
 - When displayed on a computer screen, it can be possible to infinitely zoom in/out of a fractal.




Fractals in nature

- Many natural phenomena generate fractal patterns:
 - earthquake fault lines
 - animal color patterns
 - clouds
 - mountain ranges
 - snowflakes
 - crystals
 - DNA
 - shells
 - ...




Example fractals


- **Sierpinski triangle:** equilateral triangle contains smaller triangles inside it (your next homework)



- **Koch snowflake:** a triangle with smaller triangles poking out of its sides



- **Mandelbrot set:** circle with smaller circles on its edge




Coding a fractal

- Many fractals are implemented as a function that accepts x/y coordinates, size, and a *level* parameter.
 - The *level* is the number of recurrences of the pattern to draw.
 - The *position* and *size* change in the recursive call; *level* decreases by 1

- Example, Koch snowflake:

`snowflake(window, x, y, size, 1);`




`snowflake(window, x, y, size, 2);`



`snowflake(window, x, y, size, 3);`



Boxy fractal



- Where should the following lines be inserted in order to get the figure at right?

```
gw.setFillColor("gray");  
gw.fillRect(x, y, size, size);
```


```
void boxyFractal(GWindow& gw, int x, int y, int size, int order) {  
    if (order >= 1) {  
        // A  
        boxyFractal(gw, x - size / 2, y - size / 2, size / 2, order - 1);  
        // B  
        boxyFractal(gw, x + size / 2, y + size / 2, size / 2, order - 1);  
        // C  
        boxyFractal(gw, x + size / 2, y - size / 2, size / 2, order - 1);  
        // D  
        boxyFractal(gw, x - size / 2, y + size / 2, size / 2, order - 1);  
        // E  
    }  
}
```

Stanford graphics lib

```
#include "gwindow.h"
```

| | |
|--|---|
| <code>gw.drawLine(x1, y1, x2, y2);</code> | draws a line between the given two points |
| <code>gw.drawPolarLine(x, y, r, t);</code> | draws line from (x,y) at angle t of length r ; returns the line's end point as a GPoint |
| <code>gw.getPixel(x, y)</code> | returns an RGB int for a single pixel |
| <code>gw.setColor("color");</code> | sets color with a color name string like "red", or #RRGGBB string like "#ff00cc", or RGB int |
| <code>gw.setPixel(x, y, rgb);</code> | sets a single RGB pixel on the window |
| <code>gw.drawOval(x, y, w, h);</code> <code>gw.fillRect(x, y, w, h); ...</code> | other shape and line drawing functions (see online docs for complete member list) |

```
GWindow gw(300, 200);  
gw.setTitle("CS 106X Fractals");  
gw.drawLine(20, 20, 100, 100);
```



Cantor Set


- The **Cantor Set** is a simple fractal that begins with a line segment.
 - At each *level*, the middle third of the segment is removed.
 - In the next *level*, the middle third of each third is removed.



- Write a function **cantorSet** that draws a Cantor Set with a given number of levels (lines) at a given position/size.
 - Place CANTOR_SPACING of vertical space between levels.
- How is this fractal *self-similar*?
- What is the *minimum amount of work* to do at each level?
- What's a good stopping point (base case)?

Cantor Set solution

```
void cantorSet(GWindow& window, int x, int y,
              int width, int levels) {
    if (levels > 0) {
        // recursive case: draw line, then repeat by thirds
        window.drawLine(x, y, x + width, y);
        cantorSet(window, x, y + 20, width/3, levels-1);
        cantorSet(window, x + 2*width/3, y + 20, width/3, levels-1);
    }
    // else, base case: 0 levels, do nothing
}
```







Cantor Set animated

Q: Which way does the drawing animate? *(How could we change it?)*

```
void cantorSet(GWindow& window, int x, int y,  
              int width, int levels) {  
    if (levels > 0) {  
        // recursive case: draw line, then repeat by thirds  
        pause(250);  
        window.drawLine(x, y, x + width, y);  
        cantorSet(window, x, y + 20, width/3, levels-1);  
        cantorSet(window, x + 2*width/3, y + 20, width/3, levels-1);  
    }  
}
```

A. **B.** **C.** **D.**




Announcements

- Homework 2 due today at **5PM**
- Homework 1 grades will be released by your section leader soon!
- Tyler does not have OH today (or tomorrow, since there is no class)

Koch snowflake


- **Koch snowflake:** A fractal formed by pulling a triangular "bend" out of each side of an existing triangle at each level.



- Start with an equilateral triangle, then:
 - Divide each of its 3 line segments into 3 parts of equal length.
 - Draw an eq.triangle with middle segment as base, pointing outward.
 - Remove the middle line segment.


Line segment replace

- Replace each line segment as follows:




Multiple levels

- How is this fractal self-similar?




Polar lines

```
//           x   y   r   theta  
window.drawPolarLine(20, 20, 113, -45);
```




Triangle in polar


• Segment 1:



Segment 2:




Segment 3:



Segment in polar

- Think of a triangle side as 4 polar line segments, as below.
 - What are their angles, relative to the angle of this triangle side?



Snowflake solution

```
GPoint ksLine(GWindow& gw, GPoint pt, int size, int t, int levels) {
    if (levels == 1) {
        return gw.drawPolarLine(pt, size, t);
    } else {
        pt = ksLine(gw, pt, size/3, t, levels - 1);
        pt = ksLine(gw, pt, size/3, t + 60, levels - 1);
        pt = ksLine(gw, pt, size/3, t - 60, levels - 1);
        return ksLine(gw, pt, size/3, t, levels - 1);
    }
}

void kochSnowflake(GWindow& gw, int x, int y, int size, int levels) {
    GPoint pt(x, y);
    pt = ksLine(gw, pt, size, 0, levels);
    pt = ksLine(gw, pt, size, -120, levels);
    pt = ksLine(gw, pt, size, 120, levels);
}
```


Fibonacci exercise



crawl

- Write a recursive function **fib** that accepts an integer N and returns the N th Fibonacci number.
 - The first two Fibonacci numbers are defined to be 1.
 - Every other Fibonacci number is the sum of the two before it.

```
fib(1) => 1
fib(2) => 1
fib(3) => 2
fib(4) => 3
fib(5) => 5
fib(6) => 8
fib(7) => 13
fib(8) => 21
fib(9) => 34
...
```




Bad fib solution

```
// Returns the nth Fibonacci number.  
int fib(int n) {  
    if (n <= 2) {  
        return 1;  
    } else {  
        return fib(n - 1) + fib(n - 2);  
    }  
}
```

```
// what does the call stack look like?
```

Bad fib solution

FIGURE 7-2 Steps in the calculation of fib(5)



Memoization

- **memoization**: Caching results of previous expensive function calls for speed so that they do not need to be re-computed.
 - Often implemented by storing call results in a collection.

- Pseudocode template:

```
cache = {}.          // empty
```

```
function f(args):
```

```
    if I have computed f(args) before:
```

```
        Look up f(args) result in cache.
```

```
    else:
```

```
        Actually compute f(args) result.
```

```
        Store result in cache.
```

```
    Return result.
```

Wrapper Functions

- We don't want the user to have to worry about the cache!
 - Alternative to the default parameters we saw yesterday
- Some recursive functions need extra arguments to implement the recursion
- A **wrapper function** is a function that does some initial prep work, then fires off a recursive call with the right arguments.
- The recursion is done in the **helper** function

Memoized fib solution

```
// Returns the nth Fibonacci number.
// This version uses memoization.
int fib(int n) { // wrapper function
    Map<int, int> cache;
    return fibHelper(n, cache);
}

int fibHelper(int n, Map<int, int> &cache) {
    if (n <= 2) {
        return 1;
    } else if (cache.containsKey(n)) {
        return cache[n];
    } else {
        int result = fibHelper(n - 1) + fibHelper(n - 2);
        cache[n] = result;
        return result;
    }
}
```