
Streams

Ali Malik malikali@stanford.edu

Game Plan



Recap

Purpose of Streams

Output Streams

Input Streams

Stringstream (maybe)

Announcements

Recap

```
#include <iostream>
int main() {
    std::cout << "Hello, world!" << std::endl;
    return 0;
}</pre>
```

```
#include <iostream>
int main() {
    std::cout << "Hello, world!" << std::endl;
    return 0;
}</pre>
```

These can get annoying to write for common names like cout, endl, string etc.

```
#include <iostream>
using std::cout;
using std::endl;
int main() {
    std::cout << "Hello, world!" << std::endl;
    return 0;
}</pre>
```

```
#include <iostream>
using std::cout;
using std::endl;

int main() {
    std::cout << "Hello, world!" << std::endl;
return 0;
}</pre>
Whenever you use cout,
the compiler will assume
you mean std::cout
```

```
#include <iostream>
using std::cout;
using std::endl;

int main() {
    std::cout << "Hello, world!" << std::endl;
return 0;
}</pre>
Whenever you use cout,
the compiler will assume
you mean std::cout
```

```
#include <iostream>
using std::cout;
using std::endl;


int main() {
   cout << "Hello, world!" << endl;
   return 0;
}</pre>
Whenever you use cout,
the compiler will assume
you mean std::cout
```

```
#include <iostream>
using std::cout;
using std::endl;

int main() {
   cout << "Hello, world!" << endl;
   return 0;
}</pre>
Whenever you use cout,
the compiler will assume
you mean std::cout
```

The using namespace std directive is a bazooka version of this.

Streams



"Designing and implementing a general input/output facility for a programming language is notoriously difficult"


- Bjarne Stroustrup

A stream is an abstraction for input/output.


A stream is an abstraction for input/output.



A stream is an abstraction for input/output.



A stream is an abstraction for input/output.



You can write data of multiple types to stream objects.

```
cout << "Strings work!" << endl;
cout << 1729 << endl;
cout << 3.14 << endl;
cout << "Mixed types - " << 1123 << endl;</pre>
```

In particular, any primitive type can be inserted into a stream! For other types, you need to explicitly tell C++ how to do this.

How does this work?

Idea:

- Input from user is in text form (string)
- Output to user is in text form (string)
- Intermediate computation needs to be done on object type

Streams allow a C++ programmer to convert between the string representation of data, and the data itself.

Types of Streams

Output Streams

Can only receive data.

- The std::cout stream is an example of an output stream.
- All output streams are of type std::ostream.

Send data using stream insertion operator: <<

Insertions converts data to string and sends to stream.

Output Streams

We can use a std::ostream for more than just printing to a console.

You can send the data to a file using a std::ofstream, which is a special type of std::ostream.

Output Stream Example

(output.cpp)

Quick test!

How familiar is this:

```
int x;
std::cin >> x;
```

Can only give you data.

- The std::cin stream is an example of an input stream.
- All input streams are of type std::istream.

Pull out data using stream extraction operator: >>

Extraction gets data from stream as a string and converts it into the appropriate type.


Just like with std::ostream, we can use a std::istream for more than just console IO.

You can read data from a file using a std::ifstream.


Input Stream Example

(input.cpp)


To understand a std::istream, think of it as a sequence of characters.




Extracting an integer will read as many characters as possible from the stream.



Extracting again will skip over any whitespace when reading the next integer.



When no more data is left, the fail bit will be set to true and input.fail() will return true.



More Input Stream Examples

(input.cpp)

Reading Data From a File

There are some quirks with extracting a string from a stream.

Reading into a string using >> will only read a single word, not the whole line.

To read a whole line, use

```
getline(istream& stream, string& line);
```

More Input Stream Examples

(input.cpp)

Think carefully when mixing >> and getline!

Using >> can have some weird bugs so next lesson we will talk about a way to avoid it by using getline and string streams.

Some Questions to Ponder

What happens if you read into the wrong type?

Can you extract user defined types (e.g. classes) from a stream?

Can you control how output stream output the data we give them?

Is there a stream that might be both an input and output stream?

Find out next time!

Next Time

Streams - The Details