# CS107, Lecture 23 Managing The Heap, Take II

Reading: B&O 9.9 and 9.11


Ed Discussion: <a href="https://edstem.org/us/courses/28214/discussion/2166253">https://edstem.org/us/courses/28214/discussion/2166253</a>

- It would be nice if we could jump *just between free blocks*, rather than all blocks, to find a block to reuse.
- Idea: let's modify each header to add a pointer to the previous free block and a pointer to the next free block.


0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60	0x68	
8		8		56								
Free		Used		Free								2

2

- It would be nice if we could jump *just between free blocks*, rather than all blocks, to find a block to reuse.
- Idea: let's modify each header to add a pointer to the previous free block and a pointer to the next free block.



- It would be nice if we could jump *just between free blocks*, rather than all blocks, to find a block to reuse.
- Idea: let's modify each header to add a pointer to the previous free block and a pointer to the next free block.



4

- It would be nice if we could jump *just between free blocks*, rather than all blocks, to find a block to reuse.
- **Idea:** let's modify each header to add a pointer to the previous free block and a pointer to the next free block. *This is inefficient / complicated.*
- Where can we put these pointers to the next/previous free block?
- Idea: In a separate data structure?


- It would be nice if we could jump *just between free blocks*, rather than all blocks, to find a block to reuse.
- **Idea:** let's modify each header to add a pointer to the previous free block and a pointer to the next free block. *This is inefficient / complicated.*
- Where can we put these pointers to the next/previous free block?
- **Idea:** In a separate data structure? *More difficult to access in a separate place prefer storing near blocks on the heap itself.*

- **Key Insight:** the payloads of the free blocks aren't being used, because they're free.
- **Idea:** since we only need to store these pointers for free blocks, let's store them in the <u>first 16 bytes of each free block's payload!</u>

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60	0x68
16			24				32				
Free			Used				Free				

7

- **Key Insight:** the payloads of the free blocks aren't being used, because they're free.
- **Idea:** since we only need to store these pointers for free blocks, let's store them in the <u>first 16 bytes of each free block's payload!</u>



- **Key Insight:** the payloads of the free blocks aren't being used, because they're free.
- **Idea:** since we only need to store these pointers for free blocks, let's store them in the <u>first 16 bytes of each free block's payload!</u>
- This means each payload must be big enough to store 2 pointers (16 bytes). So, we must require that for every free block and every allocated one as well.



### **Explicit Free List Allocator**

- This design builds on the implicit allocator, but also stores pointers to the next and previous free block inside each free block's payload.
- When we allocate a block, we look through just the free blocks using our linked list to find a free one, and we update its header and the linked list to reflect its allocated size and that it is now allocated.
- When we free a block, we update its header to reflect it is now free and update the linked list.

This **explicit** list of free blocks increases request throughput, with some costs (design and internal fragmentation)

#### **Explicit Free List: List Design**

How do you want to organize your explicit free list? (compare utilization/throughput)

- A. Address-order (each block's address is less than successor block's address)
- B. Last-in first-out (LIFO)/like a stack, where newly freed blocks are at the beginning of the list
- C. Other (e.g., by size, etc.)

Up to you!

Better memory utilization, Linear-time free

Constant free (push recent block onto stack)

(more at end of lecture)

#### **Explicit free list design**


Up to you!

First free


block

How do you want to organize your explicit free list?(utilization/throughput)

A. Address-order Better memory util, linear free



B. Last-in first-out (LIFO) Constant free (push recent block onto stack)



C. Other (e.g., by size, etc.) (see textbook)

#### Implicit vs. Explicit: So Far

#### **Implicit Free List**

• 8B header for size + alloc/free status

- Allocation requests are worst-case linear in total number of blocks
- Implicitly address-order

#### **Explicit Free List**

- 8B header for size + alloc/free status
- Free block payloads store prev/next free block pointers
- Allocation requests are worst-case linear in number of free blocks
- Can choose block ordering

#### **Revisiting Our Goals**

#### Can we do better?

- 1. Can we avoid searching all blocks for free blocks to reuse? Yes! We can use a doubly-linked list.
- 2. Can we merge adjacent free blocks to keep large spaces available?
- 3. Can we avoid always copying/moving data during realloc?

#### **Revisiting Our Goals**

#### Can we do better?

- 1. Can we avoid searching all blocks for free blocks to reuse? Yes! We can use a doubly-linked list.
- 2. Can we merge adjacent free blocks to keep large spaces available?
- 3. Can we avoid always copying/moving data during realloc?

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
    0x10
            0x18
                   0x20
                          0x28
                                 0x30
                                        0x38
                                                0x40
                                                       0x48
                                                              0x50
      64
     Free
```

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Used	a <del>1</del>	- pad	40 Free					

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Used	a <del>1</del>	⊦ pad	16 Used	b +	⊦ pad	16 Free		

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Used	a <del>1</del>	⊦ pad	16 Used	b +	- pad	16 Used		С

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Used	a <del>1</del>	⊦ pad	16 Free	b -	⊦ pad	16 Used		С

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Free	a <del>1</del>	- pad	16 Free	b -	⊦ pad	16 Used		С

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

We have enough memory space, but it is fragmented into free blocks sized from earlier requests!

We'd like to be able to merge adjacent free blocks back together. How can we do this?

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
16 Free	a <del>1</del>	- pad	16 Free	b +	- pad	16 Used		С

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
       Hey, look! I have a free
         neighbor. Let's be
             friends! ©
             JX18
     0x10
                    0x20
                            0x28
                                    0x30
                                            0x38
                                                    0x40
                                                            0x48
                                                                    0x50
       16
                              16
                                                      16
                a + pad
                                        b + pad
                                                                  C
                                                     Used
      Free
                             Free
```

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
       Hey, look! I have a free
         neighbor. Let's be
             friends! ©
             JX18
     0x10
                    0x20
                            0x28
                                    0x30
                                           0x38
                                                   0x40
                                                           0x48
                                                                   0x50
      40
                                                     16
                                                                 C
                                                    Used
      Free
```

```
void *a = malloc(8);
void *b = malloc(8);
void *c = malloc(16);
free(b);
free(a);
void *d = malloc(32);
```

The process of combining adjacent free blocks is called *coalescing*.

For your explicit heap allocator, you should coalesce, if possible, when a block is freed. You only need to coalesce the most immediate right neighbor.

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50
40 Free						16 Used		С

# **Practice 1: Explicit (coalesce)**

For the following heap layout, what would the heap look like after the following request is made, assuming we are using an **explicit** free list allocator with a **first-fit** approach and **coalesce on free**?

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58
24 Used		В		16 Free			16 Used		Α

free(b);

# **Practice 1: Explicit (coalesce)**

For the following heap layout, what would the heap look like after the following request is made, assuming we are using an **explicit** free list allocator with a **first-fit** approach and **coalesce on free**?



### **Revisiting Our Goals**

#### Can we do better?

- 1. Can we avoid searching all blocks for free blocks to reuse? Yes! We can use a doubly-linked list.
- 2. Can we merge adjacent free blocks to keep large spaces available? Yes! We can coalesce on free().
- 3. Can we avoid always copying/moving data during realloc?

### **Revisiting Our Goals**

#### Can we do better?


- 1. Can we avoid searching all blocks for free blocks to reuse? Yes! We can use a doubly-linked list.
- 2. Can we merge adjacent free blocks to keep large spaces available? Yes! We can coalesce on free().
- 3. Can we avoid always copying/moving data during realloc?

#### Realloc

- For the implicit allocator, we didn't worry too much about realloc. We always moved data when they requested a different amount of space.
  - Note: realloc can grow or shrink the data size.
- But sometimes we may be able to keep the data in the same place. How?
  - Case 1: size is growing, but we added padding to the block and can use that
  - Case 2: size is shrinking, so we can use the existing block
  - Case 3: size is growing, and current block isn't big enough, but adjacent blocks are free.

```
void *a = malloc(42);
...
void *b = realloc(a, 48);
```


a's earlier request was too small, so we added padding. Now they are requesting a larger size we can satisfy with that padding! So realloc can return the same address.



```
void *a = malloc(42);
...
void *b = realloc(a, 16);
```

If a realloc is requesting to shrink, we can still use the same starting address.

If we can, we should try to recycle the now-freed memory into another freed block.



```
void *a = malloc(42);
...
void *b = realloc(a, 16);
```


If a realloc is requesting to shrink, we can still use the same starting address.

If we can, we should try to recycle the now-freed memory into another freed block.

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58
16 Used		a	24 Free		a		16 Free		

```
void *a = malloc(42);
...
void *b = realloc(a, 72);
```


Even with the padding, we don't have enough space to satisfy the larger size. But we have an adjacent neighbor that is free – let's team up!



```
void *a = malloc(42);
...
void *b = realloc(a, 72);
```

Even with the padding, we don't have enough space to satisfy the larger size. But we have an adjacent neighbor that is free – let's team up!

Now we can still return the same address.



```
void *a = malloc(8);
...
void *b = realloc(a, 72);
```

For your project, you should combine with your *right* neighbors as much as possible until we get enough space, or until we know we cannot get enough space.

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58
16 Used	a +	pad	16 Free			24 Free			

#### **Realloc: Growing In Place**

```
void *a = malloc(8);
...
void *b = realloc(a, 72);
```


For your project, you should combine with your *right* neighbors as much as possible until we get enough space, or until we know we cannot get enough space.

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58
40 Used			а			24 Free			

#### **Realloc: Growing In Place**

```
void *a = malloc(8);
...
void *b = realloc(a, 72);
```

For your project, you should combine with your *right* neighbors as much as possible until we get enough space, or until we know we cannot get enough space.



# **Practice 1: Explicit (realloc)**

For the following heap layout, what would the heap look like after the following request is made, assuming we are using an **explicit** free list allocator with a **first-fit** approach and **coalesce on free + realloc in-place**?

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
16 Used		A	32 Free					16 Used		В

realloc(A, 24);

# **Practice 1: Explicit (realloc)**

	0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
	16 Used		Α	32 Free					16 Used		В
ľ	reallo	oc(A,	24);								
	0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
	24 Used		А		24 Free				16 Used		В

# **Practice 2: Explicit (realloc)**

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
16 Used		A	32 Free					16 Used		В

```
realloc(A, 56);
```

#### **Practice 2: Explicit (realloc)**

0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
16 Used		A	32 Free					16 Used		В
reallo	oc(A,	<b>56</b> );								
0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
56		<u> </u>			<u> </u>			16		

# **Practice 3: Explicit (realloc)**


0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
16 Used		A	32 Free					16 Used		В

```
realloc(A, 48);
```

# **Practice 3: Explicit (realloc)**


0x10	0x18	0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60
16 Used		A	32 Free					16 Used		В
reallo	oc(A,	48);								
reallo	OC(A, 0x18	<b>48);</b> 0x20	0x28	0x30	0x38	0x40	0x48	0x50	0x58	0x60

# **Practice 3: Explicit (realloc)**




#### Going beyond: Explicit list w/size buckets

- Explicit lists are much faster than implicit lists.
- However, a first-fit placement policy is still linear in total # of free blocks.
- What about an explicit free list sorted by size (e.g., as a tree)?



#### In the wild: glibc allocator

https://sourceware.org/glibc/wiki/MallocInternals



Footer/Boundary tag (see textbook)

# Final Assignment: Explicit Allocator

- Must have headers that track block information like in implicit (size, status inuse or free) you can copy from your implicit version
- Must have an explicit free list managed as a doubly-linked list, using the first 16 bytes of each free block's payload for next/prev pointers.
- **Must have** a malloc implementation that searches the explicit list of free blocks.
- **Must** coalesce a free block in free() whenever possible with its immediate right neighbor.
- Must do in-place realloc when possible. Even if an in-place realloc is not possible, you should still absorb adjacent right free blocks as much as possible until you either can realloc in place or can no longer absorb and must realloc elsewhere.

# **Final Project Tips**



#### Read B&O textbook.

- Offers some starting tips for implementing your heap allocators.
- Make sure to cite any design ideas you discover.

#### **Honor Code/collaboration**

- All non-textbook code is off-limits.
- Please do not discuss discuss code-level specifics with others.
- Your code should be designed, written, and debugged by you independently.

#### **Helper Hours**

- We will provide good debugging techniques and strategies!
- Come and discuss design tradeoffs!