



# Deep Learning

Chris Piech  
CS109, Stanford University

# A Journey From Pure Math to Skin Cancer Detection

Logistic Regression is like the Harry Pottery Sorting Hat




$$P(Y = 1) = 0.91$$

**X**

Logistic Regression is like the Harry Pottery Sorting Hat




# Logistic Regression




$$P(Y = 1 | X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression




$$P(Y = 1 | X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression




$$P(Y = 1|X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression




$$P(Y = 1|X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression




$$P(Y = 1 | X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression



$$P(Y = 1|X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Logistic Regression



$$P(Y = 1|X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

# Math for Logistic Regression

1

Make logistic regression assumption

$$P(Y = 1|X = \mathbf{x}) = \sigma(\theta^T \mathbf{x})$$

$$P(Y = 0|X = \mathbf{x}) = 1 - \sigma(\theta^T \mathbf{x})$$

Often call this  
 $\hat{y}$

2

Calculate the log likelihood for all data

$$LL(\theta) = \sum_{i=0}^n y^{(i)} \log \sigma(\theta^T \mathbf{x}^{(i)}) + (1 - y^{(i)}) \log[1 - \sigma(\theta^T \mathbf{x}^{(i)})]$$

3

Get derivative of log likelihood with respect to thetas

$$\frac{\partial LL(\theta)}{\partial \theta_j} = \sum_{i=0}^n \left[ y^{(i)} - \sigma(\theta^T \mathbf{x}^{(i)}) \right] x_j^{(i)}$$

# Logistic Regression Training

Initialize:  $\theta_j = 0$  for all  $0 \leq j \leq m$

Repeat many times:

gradient[j] = 0 for all  $0 \leq j \leq m$


For each training example  $(\mathbf{x}, y)$ :

For each parameter  $j$ :


$$\text{gradient}[j] += x_j \left( y - \frac{1}{1 + e^{-\theta^T \mathbf{x}}} \right)$$

$\theta_j += \eta * \text{gradient}[j]$  for all  $0 \leq j \leq m$



# Training



Dataset likelihood:





# Artificial Neurons



# Biological Basis for Neural Networks


- A neuron



- Your brain



Actually, it's probably someone else's brain



Core idea behind the revolution in AI

# Alpha GO




# Self Driving Cars



# Computers Making Art



# Detecting Skin Cancer



Esteva, Andre, et al. "Dermatologist-level classification of skin cancer with deep neural networks." *Nature* 542.7639 (2017): 115-118.

(aka Neural Networks)




**Deep learning** is (at its core) many logistic regression pieces stacked on top of each other.



# Digit Recognition Example

Let's make feature vectors from pictures of numbers



$$\mathbf{x}^{(i)} = [0, 0, 0, 0, \dots, 1, 0, 0, 1, \dots 0, 0, 1, 0]$$
$$y^{(i)} = 0$$




$$\mathbf{x}^{(i)} = [0, 0, 1, 1, \dots, 0, 1, 1, 0, \dots 0, 1, 0, 0]$$
$$y^{(i)} = 1$$

# Computer Vision



# Vision in your Brain





Hundreds of millions of neurons [1]

Visual neurons make up up 30% of your cortex [1]


[1] <http://discovermagazine.com/1993/jun/thevisionthingma227>

# Logistic Regression




This means it predicts a 0




# Logistic Regression



# Logistic Regression




# Not So Good




This means it predicts a 1

# We Can Put Neurons Together




# We Can Put Neurons Together




Look at a single “hidden” neuron

# We Can Put Neurons Together




Look at another “hidden” neuron

# We Can Put Neurons Together




# We Can Put Neurons Together




Look at another neuron



# We Can Put Neurons Together




# We Can Put Neurons Together




# We Can Put Neurons Together




# We Can Put Neurons Together



# We Can Put Neurons Together



# Demonstration



<http://scs.ryerson.ca/~aharley/vis/conv/>



Deep learning gets its  
*intelligence* from its  
thetas (aka its parameters)



How do we train?

MLE of Thetas!

First: Learning Goals...

# 1. Understand Chain Rule as ♥ of Deep Learning


## 2. Demystify: Deep Learning is MLE

3. Become experts of  
logistic regression


Math worth knowing:

# New Notation


Layer  $x$




Layer  $h$



Layer  $\hat{y}$




# New Notation




# New Notation


Layer  $\mathbf{x}$



Layer  $\mathbf{h}$



Layer  $\hat{\mathbf{y}}$




$\theta_j^{(\hat{\mathbf{y}})}$


$$\hat{\mathbf{y}} = \sigma \left( \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{\mathbf{y}})} \right)$$

# Forward Pass


Layer  $x$




Layer  $h$




Layer  $\hat{y}$



# Forward Pass



# Forward Pass






$$\mathbf{h}_j = \sigma \left( \sum_{i=0}^{m_x} \mathbf{x}_i \theta_{i,j}^{(h)} \right)$$

# Forward Pass

Layer  $x$

Layer  $h$

Layer  $\hat{y}$




$$LL(\theta) = y \log \hat{y}$$

$$+ (1 - y) \log[1 - \hat{y}]$$


$$\hat{y} = \sigma \left( \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{y})} \right)$$

$$\mathbf{h}_j = \sigma \left( \sum_{i=0}^{m_x} \mathbf{x}_i \theta_{i,j}^{(h)} \right)$$

# All Together



# Sanity Check 1



$$|\mathbf{x}| = 40$$

$$|\mathbf{h}| = 20$$

How many parameters in  $\theta^{(\hat{y})}$  ?


a) 2

b) 20

c) 40

d) 800

# Sanity Check 2



$$|\mathbf{x}| = 40$$

$$|\mathbf{h}| = 20$$

How many parameters in  $\theta^{(h)}$  ?


a) 2

b) 20

c) 40

d) 800

# Sanity Check 3



$$|\mathbf{x}| = 40$$

$$|\mathbf{h}| = 20$$

How many parameters in total?

a) 800

b) 20

c) 820


d) 16000

# Today: Do Something Brave




# Forward Pass


Layer  $x$




Layer  $h$



800 parameters  
need setting



Layer  $\hat{y}$



20 parameters  
need setting



# Only Have to Do Three Things

- 1 Make deep learning assumption
- 2 Calculate the log probability for all data
- 3 Get partial derivative of log likelihood with respect to each theta

# Sanity Check

- 3 Get partial derivative of log likelihood with respect to each theta

Why?

# Why We Calculate Partial Derivatives

A deep learning model gets its **intelligence** by having **useful thetas**.

We can find **useful thetas**, by searching for ones that **maximize likelihood** of our training data

We can **maximize likelihood** using **optimization techniques** (such as gradient ascent).

In order to use **optimization techniques**, we need to calculate the **partial derivative** of likelihood with respect to thetas.


Basically MLE is hard because  
it has so many details





Okay gang, let's see what deep learning really is.

Thanks to Keith Eicher



Convex Optimization??

# Only Have to Do Three Things

1 Make deep learning assumption

$$P(Y = 1|X = \mathbf{x}) = \hat{y}$$

$$P(Y = 0|X = \mathbf{x}) = 1 - \hat{y}$$

2 Calculate the log probability for all data

# Same Assumption, Same LL

$$P(Y = 1|X = \mathbf{x}) = \hat{y} \quad \hat{y} = \sigma \left( \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{y})} \right) \quad \mathbf{h}_j = \sigma \left( \sum_{i=0}^{m_x} \mathbf{x}_i \theta_{i,j}^{(h)} \right)$$

---

For one datum

$$P(Y = y|\mathbf{X} = \mathbf{x}) = (\hat{y})^y (1 - \hat{y})^{1-y}$$

Feel the Bern!

$$Y \sim \text{Bern}(\hat{y})$$

For IID data

$$\begin{aligned} L(\theta) &= \prod_{i=1}^n P(Y = y^{(i)} | X = \mathbf{x}^{(i)}) \\ &= \prod_{i=1}^n (\hat{y}^{(i)})^{y^{(i)}} \cdot \left[ 1 - (\hat{y}^{(i)}) \right]^{(1-y^{(i)})} \end{aligned}$$

Take the log

$$LL(\theta) = \sum_{i=1}^n y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log[1 - \hat{y}^{(i)}]$$

# Only Have to Do Three Things

1 Make deep learning assumption

$$P(Y = 1|X = \mathbf{x}) = \hat{y}$$

$$P(Y = 0|X = \mathbf{x}) = 1 - \hat{y}$$

2 Calculate the log probability for all data

$$LL(\theta) = \sum_{i=0}^n y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log[1 - \hat{y}^{(i)}]$$

3 Get partial derivative of log likelihood with respect to each theta


# Derivative Goals

Loss with respect to  
output layer params

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}}$$

Loss with respect to  
hidden layer params

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}}$$



# Bad Approach


$$LL(\theta) = y \log \hat{y} + (1 - y) \log[1 - \hat{y}]$$

---


$$\hat{y} = \sigma \left( \sum_{i=0}^{m_h} \mathbf{h}_i \theta_i^{(\hat{y})} \right)$$

Math bug

$$= \sigma \left( \sum_{i=0}^{m_h} \left[ \sigma \left( \sum_{j=0}^{m_x} \mathbf{x}_j \theta_{i,j}^{(\mathbf{h})} \right) \right] \theta_i^{(\hat{y})} \right)$$



# Derivatives Without Tears



# Big Idea #1: Chain Rule

Woah Mr Blanton, you were right.  
Chain rule is useful!

$$\frac{\partial f(z)}{\partial x} = \frac{\partial f(z)}{\partial z} \cdot \frac{\partial z}{\partial x}$$

First use:

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}}$$

# Big Idea #2: Sigmoid Derivative

True fact about sigmoid functions

$$\frac{\partial}{\partial z} \sigma(z) = \sigma(z)[1 - \sigma(z)]$$

Errata: (fixed) typo on similar slide from last class

# Big Idea #3: Derivative of Sum

$$LL(\theta) = \sum_{i=0}^n y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log[1 - \hat{y}^{(i)}]$$

---

We only need to calculate the gradient for one training example!

$$\frac{\partial}{\partial x} \sum f(x) = \sum \frac{\partial}{\partial x} f(x)$$

We will pretend we only have one example

$$LL(\theta) = y \log \hat{y} + (1 - y) \log[1 - \hat{y}]$$

We can sum up the gradients of each example to get the correct answer

Warmup

# Warmup

Compute:

$$\frac{\partial}{\partial \theta_j} \sigma(z)$$

Assume you can easily calculate:

$$\frac{\partial}{\partial \theta_j} z$$

Future Chris: Write this on the board 😊 – Thanks, Past Chris



This is ~~Sparta~~!!!!

↑  
Stanford


# Derivative Goals

Loss with respect to  
output layer params

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}}$$

Loss with respect to  
hidden layer params


$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}}$$



# Chain Rule Example 1

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}}$$

Goal




$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}}$$

Decomposition

# Chain Rule Example 2

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}}$$

Goal



Network

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \mathbf{h}_j} \cdot \frac{\partial \mathbf{h}_j}{\partial \theta_{i,j}^{(h)}}$$


Decomposition

# Decomposition

# Gradient of output layer params

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}}$$

---



# Gradient of output layer params

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}}$$

---

$$LL(\theta) = y \log \hat{y} + (1 - y) \log[1 - \hat{y}]$$

$$\frac{\partial LL(\theta)}{\partial \hat{y}} = \frac{y}{\hat{y}} + \frac{(1 - y)}{(1 - \hat{y})} \cdot \frac{\partial(1 - \hat{y})}{\partial \hat{y}}$$

$$\frac{\partial LL(\theta)}{\partial \hat{y}} = \frac{y}{\hat{y}} - \frac{(1 - y)}{(1 - \hat{y})}$$

# Gradient of output layer params

$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}}$$

---

$$\hat{y} = \sigma \left( \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{y})} \right) = \sigma(z) \quad \text{where} \quad z = \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{y})}$$

$$\frac{\partial \hat{y}}{\partial \theta_i^{(\hat{y})}} = \hat{y}[1 - \hat{y}] \cdot \frac{\partial}{\partial \theta_i^{(\hat{y})}} \sum_{j=0}^{m_h} \mathbf{h}_j \theta_j^{(\hat{y})}$$

$$= \hat{y}[1 - \hat{y}] \cdot h_i$$

What! That's not scary!

# Make it Simple


$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}} = \text{[Yellow Box] - [Turtle]}$$

$$\text{[Yellow Box]} = \frac{y}{\hat{y}} - \frac{(1 - y)}{(1 - \hat{y})}$$

$$\text{[Turtle]} = \hat{y}[1 - \hat{y}] \cdot h_i$$

Boom!


$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}}$$



# Gradient of hidden layer params

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \mathbf{h}_j} \cdot \frac{\partial \mathbf{h}_j}{\partial \theta_{i,j}^{(h)}}$$

---



# Gradient of hidden layer params

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \mathbf{h}_j} \cdot \frac{\partial \mathbf{h}_j}{\partial \theta_{i,j}^{(h)}}$$

---

$$\hat{y} = \sigma \left( \sum_{i=0}^{m_h} \mathbf{h}_i \theta_i^{(\hat{y})} \right)$$

$$\frac{\partial \hat{y}}{\partial \mathbf{h}_j} = \hat{y} [1 - \hat{y}] \theta_j^{(\hat{y})}$$

Wait is it over?

# Gradient of hidden layer params

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}} = \frac{\partial LL}{\partial \hat{y}} \cdot \frac{\partial \hat{y}}{\partial \mathbf{h}_j} \cdot \frac{\partial \mathbf{h}_j}{\partial \theta_{i,j}^{(h)}}$$

---

$$\mathbf{h}_j = \sigma \left( \sum_{k=0}^{m_x} \mathbf{x}_k \theta_{k,j} \right)$$

$$\frac{\partial \mathbf{h}_j}{\partial \theta_{i,j}^{(h)}} = \mathbf{h}_j [1 - \mathbf{h}_j] \mathbf{x}_j$$

That one too?

# Make it Simple

$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}} = \begin{array}{|c|c|c|} \hline \img alt="Angry Birds icon" data-bbox="425 171 533 316"/> \img alt="Mushroom icon" data-bbox="535 171 643 316"/> \img alt="Pterodactyl icon" data-bbox="645 171 753 316"/> \\ \hline \end{array}$$

$$\begin{array}{|c|} \hline \img alt="Angry Birds icon" data-bbox="292 358 403 505"/> \\ \hline \end{array} = \frac{y}{\hat{y}} - \frac{(1-y)}{(1-\hat{y})}$$

$$\begin{array}{|c|} \hline \img alt="Mushroom icon" data-bbox="292 569 403 716"/> \\ \hline \end{array} = \hat{y}[1-\hat{y}]\theta_j^{(\hat{y})}$$

$$\begin{array}{|c|} \hline \img alt="Pterodactyl icon" data-bbox="300 759 411 907"/> \\ \hline \end{array} = \mathbf{h}_j[1-\mathbf{h}_j]\mathbf{x}_j$$



Congrats. You now know  
Backpropagation

Moment of silence


# Summary: Simple Calculations For

Loss with respect to  
output layer params


$$\frac{\partial LL(\theta)}{\partial \theta_i^{(\hat{y})}}$$

Loss with respect to  
hidden layer params


$$\frac{\partial LL(\theta)}{\partial \theta_{i,j}^{(h)}}$$



# What Would You Do Here?



# What If You Had a Neural Network Like This?



$$g = \text{sigmoid}(\theta_1 \cdot x)$$

$$h = \text{sigmoid}(\theta_2 \cdot x)$$

$$\hat{y} = \text{sigmoid}(\theta_3 \cdot g + \theta_4 \cdot h)$$



$$LL(\theta) = \sum_{i=1}^n y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log(1 - \hat{y}^{(i)})$$

1. Calculate partial derivative for one data instance
2. Use chain rule!
3. Sigmoid derivatives come out simple if you use the right decomp.
4. You don't need to give the most reduced answer

Chain rule:  
Game changer for  
artificial intelligence

# Neural Networks Can Learn Complex Functions

- Some data sets/functions are not separable



- These are classifiers learned by neural networks

<http://cs.stanford.edu/people/karpathy/convnetjs/demo/classify2d.html>


Some Extra Ideas!

# Multiple Outputs

Draw your number here



0 1 2 3 4 5 6 7 8 9



Downsampled drawing:

First guess: 3

Second guess: 3

8

Layer visibility

Input layer	Show
Convolution layer 1	Show
Downsampling layer 1	Show
Convolution layer 2	Show



# Multiple Output Classification?



**Softmax** is a generalization of the sigmoid function that squashes a  $K$ -dimensional vector  $\mathbf{z}$  of arbitrary real values to a  $K$ -dimensional vector  $\text{softmax}(\mathbf{z})$  of real values in the range  $[0, 1]$  that add up to 1.


$$P(Y = j | \mathbf{X} = \mathbf{x}) = \text{softmax}(f(\mathbf{x}))_j$$







# Shared Weights?




**Convolution** it turns out if you want to force some of your weights to be shared for different neurons, the math isn't that much harder. This is used a lot for vision (CNN).



# Works for any number of layers




# GoogLeNet Brain



1 Trillion Artificial Neurons

# GoogLeNet Brain



22 layers deep



# The Cat Neuron



Top stimuli from the test set



Optimal stimulus  
by numerical optimization

**Hire the smartest people in the world**



**Invent cat detector**

# Best Neuron Stimuli

Neuron 1



Neuron 2



Neuron 3



Neuron 4



Neuron 5



# Best Neuron Stimuli

Neuron 6



Neuron 7



Neuron 8



Neuron 9



# Best Neuron Stimuli

Neuron 10



Neuron 11



Neuron 12



Neuron 13



# ImageNet Classification

22,000 categories

14,000,000 images

Hand-engineered features (SIFT, HOG, LBP),  
Spatial pyramid, SparseCoding/Compression

# 22,000 is a lot!

...

smoothhound, smoothhound shark, *Mustelus mustelus*

American smooth dogfish, *Mustelus canis*

Florida smoothhound, *Mustelus norrisi*

whitetip shark, reef whitetip shark, *Triaenodon obseus*

Atlantic spiny dogfish, *Squalus acanthias*

Pacific spiny dogfish, *Squalus suckleyi*

hammerhead, hammerhead shark

smooth hammerhead, *Sphyrna zygaena*

smalleye hammerhead, *Sphyrna tudes*

shovelhead, bonnethead, bonnet shark, *Sphyrna tiburo*

angel shark, angelfish, *Squatina squatina*, monkfish

electric ray, crampfish, numbfish, torpedo

smalltooth sawfish, *Pristis pectinatus*

guitarfish

rougtail stingray, *Dasyatis centroura*

butterfly ray

eagle ray

spotted eagle ray, spotted ray, *Aetobatus narinari*

cownose ray, cow-nosed ray, *Rhinoptera bonasus*

manta, manta ray, devilfish

Atlantic manta, *Manta birostris*

devil ray, *Mobula hypostoma*

grey skate, gray skate, *Raja batis*

little skate, *Raja erinacea*

...

## Stingray



## Mantaray



0.005%

Random guess

1.5%

Pre Neural Networks

?

GoogLeNet

0.005%

Random guess

1.5%

Pre Neural Networks



43.9%

GoogLeNet

How many parameters  
is too many?

# Good ML = Generalization

- Goal of machine learning: build models that *generalize* well to predicting new data
  - “Overfitting”: fitting the training data too well, so we lose generality of model




- Polynomial on the right fits training data perfectly!
- Which would you rather use to predict a new data point?


# Prevent Overfitting?



**Dropout** when your model is training, randomly turn off your neurons with probability 0.5. It will make your network more robust.



(a) Standard Neural Net



(b) After applying dropout.



Not everything is classification


# Making Decisions?



**Deep Reinforcement Learning**  
Instead of having the output of a model be a probability you can make it an expectation.




# Deep Reinforcement Learning



<http://cs.stanford.edu/people/karpathy/convnetjs/demo/rldemo.html>


# Deep Reinforcement Learning

$R$  is a reward and  $A_i$  is a legal action



Interpret outputs as expected reward for a given action





# Deep Mind Atari Games




Score compared to best human



# In a Computer Near You



- (32) ball x bounce
- (33) ball top off
- (34) ball right off
- (35) ball left off
- (36) paddle bounce wrong
- (37) paddle bounce off
- (38) paddle bounce hard-coded
- (39) ball miss at paddle y
- (40) ball stays after miss
- (41) sticky paddle
- (42) one corner fail
- (43) two corner fail
- (44) 3 corner fail
- (45)  $v_y \neq -v_y$  bounce
- (46) double collision wrong
- (47) single collision wrong
- (48) brick not removed
- (49) brick sometimes not removed
- (50) paddle removed
- (51) no replay
- (52)  $< 3$  lives
- (53) does not stop after 3 lives
- (54) bricks reset always
- (55) ball not random direction
- (56) no win condition
- (57) sometimes win condition
- (58) doesn't stop animation



■ Correct ■ Incorrect



# Ethics in AI