

## Section #2

Adapted for Winter 2020 by Alex Tsun

### 1 Linearity of Expectation: Hat-Check

**Preamble:** Typically, it is easier to use linearity of expectation for sums of random variables, then to manually compute the PMF and apply the definition.

**Problem:**  $n$  people go to a party and drop off their hats to a hat-check person. When the party is over, a different hat-check person is on duty, and returns the  $n$  hats randomly back to each person. Let  $X$  be the random variable representing the number of people who get their own hat back.

- a. For  $n = 3$ , find  $E[X]$  by first computing the probability mass function  $p_X$ , and then applying the definition of expectation.
- b. Find a general formula for  $E[X]$ , for any positive integer  $n$ .

### 2 Taking Expectation: Breaking Vegas

**Preamble:** When a random variable fits neatly into a family we've seen before (e.g. Binomial), we get its expectation for free. When it does not, we have to use the definition of expectation.

**Problem:** If you bet on "Red" in Roulette, there is  $p = 18/38$  that you will win  $\$Y$  and a  $(1 - p)$  probability that you lose  $\$Y$ . Consider this algorithm for a series of bets:

- |                    |   |
|--------------------|---|
| 1. Let $Y = \$1$ . | 3. If you win, then stop.                           |
| 2. Bet $Y$ .       | 4. If you lose, set $Y$ to be $2Y$ , goto step (2). |

What are your expected winnings when you stop? It will help to recall that the sum of a geometric series  $a^0 + a^1 + a^2 + \dots = \frac{1}{1-a}$  if  $0 < a < 1$ . Vegas breaks you: Why doesn't everyone do this?

### 3 Binomial Distribution: Sending Bits to Space

When sending binary data to satellites (or really over any noisy channel) the bits can be flipped with high probabilities. In 1947 Richard Hamming developed a system to more reliably send data. By using Error Correcting Hamming Codes, you can send a stream of 4 bits with 3 redundant bits. If zero or one of the seven bits are corrupted, using error correcting codes, a receiver can identify the original 4 bits.

Let's consider the case of sending a signal to a satellite where each bit is independently flipped with probability  $p = 0.1$

- If you send 4 bits, what is the probability that the correct message was received (i.e. none of the bits are flipped).
- If you send 4 bits, with 3 Hamming error correcting bits, what is the probability that a correctable message was received?
- Instead of using Hamming codes, you decide to send 100 copies of each of the four bits. If for every single bit, more than 50 of the copies are not flipped, the signal will be correctable. What is the probability that a correctable message was received?

## 4 Conditional Probabilities: Corrupt Hot-Dog-Eating Contest Judges

**Preamble:** We have three big tools for manipulating conditional probabilities:

- Definition of conditional probability:  $P(EF) = P(E|F)P(F)$
- Law of Total Probability:  $P(E) = P(EF) + P(EF^C) = P(E|F)P(F) + P(E|F^C)P(F^C)$
- Bayes Rule:  $P(E|F) = \frac{P(F|E)P(E)}{P(F)} = \frac{P(F|E)P(E)}{P(F|E)P(E) + P(F|E^C)P(E^C)}$

This is a good time to commit these three to memory and start thinking about when each of them is useful.

**Problem:** Corrupted by their power, the judges running the popular game show America's Next Top Hot Dog Eater have been taking bribes from many of the contestants. During each of two episodes, a given contestant is either allowed to stay on the show or is kicked off. If the contestant has been bribing the judges, she will be allowed to stay with probability 1. If the contestant has not been bribing the judges, she will be allowed to stay with probability 1/3, independent of what happens in earlier episodes. Suppose that 1/4 of the contestants have been bribing the judges. The same contestants bribe the judges in both rounds.

- If you pick a random contestant, what is the probability that she is allowed to stay during the first episode?
- If you pick a random contestant, what is the probability that she is allowed to stay during both episodes?
- If you pick a random contestant who was allowed to stay during the first episode, what is the probability that she gets kicked off during the second episode?
- If you pick a random contestant who was allowed to stay during the first episode, what is the probability that she was bribing the judge?