

Semantic Role Labeling CS 224N, Spring 2008 Dan Jurafsky

Slides mainly from a tutorial from **Scott Wen-tau Yih** and **Kristina Toutanova** (Microsoft Research) with additional slides from **Sameer Pradhan** (BBN) as well as **Chris Manning** and myself

1


Syntactic Variations versus Semantic Roles

Yesterday, Kristina hit Scott with a baseball
 Scott was hit by Kristina yesterday with a baseball
 Yesterday, Scott was hit with a baseball by Kristina
 With a baseball, Kristina hit Scott yesterday
 Yesterday Scott was hit by Kristina with a baseball
 The baseball with which Kristina hit Scott yesterday was hard
 Kristina hit Scott with a baseball yesterday

Agent, hitter Patient, Thing hit Instrument Temporal adjunct

2

Syntactic Variations (as trees)



3

Semantic Role Labeling – Giving Semantic Labels to Phrases

- [AGENT John] broke [THEME the window]
- [THEME The window] broke
- [AGENT Sotheby's] .. offered [RECIPIENT the Dorrance heirs] [THEME a money-back guarantee]
- [AGENT Sotheby's] offered [THEME a money-back guarantee] to [RECIPIENT the Dorrance heirs]
- [THEME a money-back guarantee] offered by [AGENT Sotheby's]
- [RECIPIENT the Dorrance heirs] will [ARM-NEG not] be offered [THEME a money-back guarantee]

4

What is SRL good for? Question Answering


Q: What was the name of the first computer system that defeated Kasparov?

A: [PATIENT Kasparov] was defeated by [AGENT Deep Blue] [TIME in 1997].

Q: When was Napoleon defeated?

Look for: [PATIENT Napoleon] [PRED defeat-synset] [ARGM-TMP *ANS*]

More generally:



- Who hit Scott with a baseball?
- Whom did Kristina hit with a baseball?
- What did Kristina hit Scott with?
- When did Kristina hit Scott with a baseball?

5

What is SRL good for? Applications as a simple meaning rep'n

- Machine Translation

English (SVO)	Farsi (SOV)	
[AGENT The little boy]	[AGENT pesar koocholo]	boy-little
[PRED kicked]	[THEME toop germez]	ball-red
[THEME the red ball]	[ARGM-MNR moqtam]	hard-adverb
[ARGM-MNR hard]	[PRED zaad-e]	hit-past
- Document Summarization
 - Predicates and Heads of Roles summarize content
- Information Extraction
 - SRL can be used to construct useful rules for IE

6

Application: Semantically precise search

Query: *afghans destroying opium poppies*

Results 1 - 10 of about 829 for **afghans destroying opium poppies**. (0.07 seconds)

Japan Today - News - Afghans threaten to grow more opium poppies ...
Afghans threaten to grow more opium poppies ... 30 IST ISLAMABAD — Growers of opium poppies in Afghanistan's ... cultivation if compensation for destroying the most ...
[www.japantoday.com/story/news/238942.html](#) - 19k - Cached - Similar pages

MSNBC - Afghans on losing side of the drug war
Afghans on losing side of the drug war ... makes a lot more sense to grow poppies and opium instead of ... The government has a modest goal of destroying 30 percent of ...
[mshbc.msn.com/id44891545/-41k](#) - Cached - Similar pages

NewsHour Extra: Afghans Vote in First Democratic Election ...
Afghans now farm poppy for economic ... role in the manufacture and sale of opium ... only centralizing the Afghan economy, destroying our agriculture ...
[www.pbs.org/newshour/extra/features/july-dec04/afghanistan_10_25_printout.html](#) - 9k - Cached - Similar pages

prozi: Letters from Afghanistan
File Format: PDF Adobe Acrobat - View as HTML
This weapon is the opium poppy used to produce heroin ... American embassy who fear that the Afghans "are in ... warn that it is no good destroying opium unless there ...
[tdh.ch/cms/ffleadadmin/site_uploads/d/d/d/f/projekt/asia/en/Afghanistan/Letters_from_Afghanistan_17.pdf](#) - Similar pages

Algha.com - Afghan narcotics add to woes
"Provinces that never grew poppies are growing ... in the American embassy who fear that the Afghans "are in ... warn that it is no good destroying opium unless there ...
[www.algha.com/Pdf/printnews&id=0589](#) - 7k - Cached - Similar pages

NewsCentralAsia - Drugs in Afghanistan. Of carts and horses

7

Some typical semantic roles

Thematic Role	Definition
AGENT	The volitional causer of an event
EXPERIENCER	The experiencer of an event
FORCE	The non-volitional causer of the event
THEME	The participant most directly affected by an event
RESULT	The end product of an event
CONTENT	The proposition or content of a propositional event
INSTRUMENT	An instrument used in an event
BENEFICIARY	The beneficiary of an event
SOURCE	The origin of the object of a transfer event
GOAL	The destination of an object of a transfer event

8

Some typical semantic roles

Thematic Role	Example
AGENT	<i>The waiter</i> spilled the soup.
EXPERIENCER	<i>John</i> has a headache.
FORCE	<i>The wind</i> blows debris from the mall into our yards.
THEME	Only after Benjamin Franklin broke <i>the ice</i> ...
RESULT	The French government has built a <i>regulation-size baseball diamond</i> ...
CONTENT	Mona asked " <i>You met Mary Ann</i> at a supermarket?"
INSTRUMENT	He turned to poaching catfish, stunning them <i>with a shocking device</i> ...
BENEFICIARY	Whenever Ann Callahan makes hotel reservations <i>for her boss</i> ...
SOURCE	I flew <i>in from Boston</i> .
GOAL	I drove <i>to Portland</i> .

9

Diathesis alternations

<i>John</i>	<i>broke</i>	<i>the window</i> .	
AGENT		THEME	
<i>John</i>	<i>broke</i>	<i>the window with a rock</i> .	
AGENT		THEME	INSTRUMENT
<i>The rock</i>	<i>broke</i>	<i>the window</i> .	
INSTRUMENT		THEME	
<i>The window</i>	<i>broke</i> .		
THEME			
<i>The window</i>	<i>was broken</i>	<i>by John</i> .	
THEME		AGENT	
		<i>Doris</i>	<i>gave the book to Cary</i> .
		AGENT	THEME GOAL
		<i>Doris</i>	<i>gave Cary the book</i> .
		AGENT	GOAL THEME

10

Problems with those semantic roles

- It's very hard to produce a formal definition of a role
- There are all sorts of arbitrary role splits
- Intermediary instruments (1-2) vs. enabling instruments (3-4):
 - The cook opened the jar with the new gadget
 - The new gadget opened the jar
 - Sally ate the sliced banana with a fork
 - *The fork ate the sliced banana

11

Solutions to the difficulty of defining semantic roles

- Ignore semantic role labels, and just mark arguments of individual verbs as 0, 1, 2
 - PropBank
- Define semantic role labels for a particular semantic domain
 - FrameNet

12

Proposition Bank (PropBank) [Palmer et al. 05]

- Transfer sentences to propositions
 - Kristina* hit *Scott* → hit(*Kristina*,*Scott*)
- Penn TreeBank → PropBank
 - Add a semantic layer on Penn TreeBank
 - Define a set of semantic roles for each verb
 - Each verb's roles are numbered

...[A0 the company] to ... offer [A1 a 15% to 20% stake] [A2 to the public]
 ...[A0 Sotheby's] ... offered [A2 the Dorrance heirs] [A1 a money-back
 guarantee]
 ...[A1 an amendment] offered [A0 by Rep. Peter DeFazio] ...
 ...[A2 Subcontractors] will be offered [A1 a settlement] ...

13

PropBank

- A corpus of labeled sentences
- The arguments of each verb are labeled with numbers rather than names

(19.29) **agree.01**
 Arg0: Agreeer
 Arg1: Proposition
 Arg2: Other entity agreeing
 Ex1: [Arg0 The group] *agreed* [Arg1 it wouldn't make an offer unless it had Georgia Giff's consent].
 Ex2: [ArgM-TMP Usually] [Arg0 John] *agrees* [Arg2 with Mary] [Arg1 on everything].

(19.30) **fall.01**
 Arg1: Logical subject, patient, thing falling
 Arg2: Extent, amount fallen
 Arg3: start point
 Arg4: end point, end state of arg1
 Ex1: [Arg1 Sales] *fell* [Arg4 to \$251.2 million] [Arg3 from \$278.7 million].
 Ex2: [Arg1 The average junk bond] *fell* [Arg2 by 4.2%].

14

Application of PropBank labels

(19.31) **increase.01** “go up incrementally”
 Arg0: causer of increase
 Arg1: thing increasing
 Arg2: amount increased by, EXT, or MNR
 Arg3: start point
 Arg4: end point

[Arg0 Big Fruit Co.] increased [Arg1 the price of bananas].

[Arg1 The price of bananas] was increased again [Arg0 by Big Fruit Co.

[Arg1 The price of bananas] increased [Arg2 5%].

15

Proposition Bank (PropBank) Define the Set of Semantic Roles

- It's difficult to define a general set of semantic roles for all types of predicates (verbs).
- PropBank defines semantic roles for each verb and sense in the frame files.
- The (core) arguments are labeled by numbers.
 - A0 – Agent; A1 – Patient or Theme
 - Other arguments – no consistent generalizations
- Adjunct-like arguments – **universal** to all verbs
 - AM-LOC, TMP, EXT, CAU, DIR, PNC, ADV, MNR, NEG, MOD, DIS


16

Proposition Bank (PropBank) Frame Files

- hit.01** “strike”
 - A0: agent, hitter; A1: thing hit; A2: instrument, thing hit by or with
 - [A0 *Kristina*] *hit* [A1 *Scott*] [A2 *with a baseball*] *yesterday*.
- look.02** “seeming”
 - A0: seemer; A1: seemed like; A2: seemed to
 - [A0 *I*] *looked* [A2 *to her*] *like* [A1 *he deserved this*].
- deserve.01** “deserve”
 - A0: deserving entity; A1: thing deserved; A2: in-exchange-for
 - It looked to her like* [A0 *he*] *deserved* [A1 *this*].

17

Proposition Bank (PropBank) Add a Semantic Layer



18

Proposition Bank (PropBank) Add a Semantic Layer – Continued

"The worst thing about him , said Kristina , is his laziness ."

[_{A1} The worst thing about him] said [_{A0} Kristina] [_{C-A1} is his laziness].

19

Proposition Bank (PropBank) Final Notes

- Current release (Mar 4, 2005): Proposition Bank I
 - Verb Lexicon: 3,324 frame files
 - Annotation: ~113,000 propositions
http://www.cis.upenn.edu/~mpalmer/project_pages/ACE.htm
- Alternative format: CoNLL-04,05 shared task
 - Represented in table format
 - Has been used as standard data set for the shared tasks on semantic role labeling
<http://www.isi.upc.es/~srconll/soft.html>

20

Other Corpora

- Chinese PropBank <http://www.cis.upenn.edu/~chinese/cpb/>
 - Similar to PropBank, it adds a semantic layer onto Chinese Treebank
- NomBank <http://nlp.cs.nyu.edu/meyers/NomBank.html>
 - Label arguments that co-occur with nouns in PropBank
 - [_{A0} Her] [_{REL} gift] of [_{A1} a book] [_{A2} to John]

21

- lie("he",...)
- leak("he", "information obtained from ... he supervised")
- obtain(X, "information", "from a wiretap he supervised")
- supervise("he", "a wiretap")

We	-	(A0*)	(A0*)	*	*
is	-	*	*	*	*
also	-	*	*	*	*
accused	-	*	*	*	*
of	-	*	*	*	*
lying	lie	(V*)	*	*	*
under	-	(AM-LOC*)	*	*	*
each	-	*	*	*	*
and	-	*	*	*	*
of	-	*	*	*	*
leaking	leak	*	(V*)	*	*
information	-	*	(A1*)	(A1*)	*
obtained	obtain	*	(V*)	*	*
from	-	*	*	*	*
a	-	*	(A2*)	(A1*)	*
wiretap	-	*	*	*	*
he	-	*	*	(A0*)	*
supervised	supervise	*	*	(V*)	*
.	-	*	*	*	*

22

Problem with PropBank Labels

- Propbank has no nouns
- Nombank adds nouns, but
- We'd like to also get similar meanings in these cases using
 - Increase (verb)
 - Rose (verb)
 - Rise (noun)

[_{Arg1} The price of bananas] increased [_{Arg2} 5%].

[_{Arg1} The price of bananas] rose [_{Arg2} 5%].

There has been a [_{Arg2} 5%] rise [_{Arg1} in the price of bananas].

23

FrameNet [Fillmore et al. 01]

Frame: Hit_target (hit, pick off, shoot)

Agent	Means
Target	Place
Instrument	Purpose
Manner	Subregion
	Time

Core: Agent, Target, Instrument, Manner

Non-Core: Means, Place, Purpose, Subregion, Time

Lexical units (LUs): Words that evoke the frame (usually verbs)

Frame elements (FEs): The involved semantic roles

[_{Agent} Kristina] hit [_{Target} Scott] [_{Instrument} with a baseball] [_{Time} yesterday].

24

FrameNet

- A frame is a semantic structure based on a set of participants and events
- Consider the “change_position_on_scale” frame

25

Roles in this frame

Core Roles	
ATTRIBUTE	The ATTRIBUTE is a scalar property that the ITEM possesses.
DIFFERENCE	The distance by which an ITEM changes its position on the scale.
FINAL.STATE	A description that presents the ITEM's state after the change in the ATTRIBUTE's value as an independent predication.
FINAL.VALUE	The position on the scale where the ITEM ends up.
INITIAL.STATE	A description that presents the ITEM's state before the change in the ATTRIBUTE's value as an independent predication.
INITIAL.VALUE	The initial position on the scale from which the ITEM moves away.
ITEM	The entity that has a position on the scale.
VALUE.RANGE	A portion of the scale, typically identified by its end points, along which the values of the ATTRIBUTE fluctuate.
Some Non-Core Roles	
DURATION	The length of time over which the change takes place.
SPEED	The rate of change of the VALUE.
GROUP	The GROUP in which an ITEM changes the value of an ATTRIBUTE in a specified way.

26

Examples from this frame

- (19.38) [ITEM Oil] *rose* [ATTRIBUTE in price] [DIFFERENCE by 2%].
 (19.39) [ITEM It] has *increased* [FINAL.STATE to having them 1 day a month].
 (19.40) [ITEM Microsoft shares] *fell* [FINAL.VALUE to 7 5/8].
 (19.41) [ITEM Colon cancer incidence] *fell* [DIFFERENCE by 50%] [GROUP among men].
 (19.42) a steady *increase* [INITIAL.VALUE from 9.5] [FINAL.VALUE to 14.3] [ITEM in dividends]
 (19.43) a [DIFFERENCE 5%] [ITEM dividend] *increase*...

VERBS:	dwindle	move	soar	escalation	shift
	advance	edge	mushroom	swell	explosion
	climb	explode	plummet	swing	fall
	decline	fall	reach	triple	fluctuation
	decrease	fluctuate	rise	tumble	gain
	diminish	gain	rocket		growth
	dip	grow	shift	NOUNS:	hike
	double	increase	skyrocket	decline	increase
	drop	jump	slide	decrease	rise
					ADVERBS:
					increasingly

27

Problems with FrameNet

- Example sentences are chosen by hand
 - Not randomly selected
 - Complete sentences not labeled
- Since TreeBank wasn't used
 - No perfect parses for each sentence
- Still ongoing (that's good and bad)

28

Some History

- Fillmore 1968: The case for case
 - Proposed semantic roles as a shallow semantic representation
- Simmons 1973:
 - Built first automatic semantic role labeler
 - Based on first parsing the sentence

29

Methodology for FrameNet

While (remaining funding > 0) do

1. Define a frame (eg DRIVING)
2. Find some sentences for that frame
3. Annotate them

- Corpora
 - FrameNet I – British National Corpus only
 - FrameNet II – LDC North American Newswire corpora
- Size
 - >8,900 lexical units, >625 frames, >135,000 sentences

<http://framenet.icsi.berkeley.edu>

30

FrameNet vs PropBank -1

FRAMENET ANNOTATION:

[Buyer Chuck] *bought* [Goods a car] [Seller from Jerry] [Payment for \$1000].

[Seller Jerry] *sold* [Goods a car] [Buyer to Chuck] [Payment for \$1000].

PROPBANK ANNOTATION:

[Arg0 Chuck] *bought* [Arg1 a car] [Arg2 from Jerry] [Arg3 for \$1000].

[Arg0 Jerry] *sold* [Arg1 a car] [Arg2 to Chuck] [Arg3 for \$1000].

31

FrameNet vs PropBank -2

FRAMENET ANNOTATION:

[Goods A car] was *bought* [Buyer by Chuck].

[Goods A car] was *sold* [Buyer to Chuck] [Seller by Jerry].

[Buyer Chuck] was *sold* [Goods a car] [Seller by Jerry].

PROPBANK ANNOTATION:

[Arg1 A car] was *bought* [Arg0 by Chuck].

[Arg1 A car] was *sold* [Arg2 to Chuck] [Arg0 by Jerry].

[Arg2 Chuck] was *sold* [Arg1 a car] [Arg0 by Jerry].

32

Information Extraction versus Semantic Role Labeling

Characteristic	IE	SRL
Coverage	narrow	broad
Depth of semantics	shallow	shallow
Directly connected to application	sometimes	no

33

Overview of SRL Systems

- Definition of the SRL task
 - Evaluation measures
- General system architectures
- Machine learning models
 - Features & models
 - Performance gains from different techniques

34

Subtasks

- Identification:** $\mathcal{Z}\{1,2,\dots,m\} \mapsto \{NONE, ARG\}$
 - Very hard task: to separate the argument substrings from the rest in this exponentially sized set
 - Usually only 1 to 9 (avg. 2.7) substrings have labels ARG and the rest have NONE for a predicate
- Classification:** $\mathcal{Z}\{1,2,\dots,m\} \mapsto L \setminus \{NONE\}$
 - Given the set of substrings that have an ARG label, decide the exact semantic label
- Core argument semantic role labeling: (easier)**
 - Label phrases with core argument labels only. The modifier arguments are assumed to have label NONE.

35

Evaluation Measures

Correct: [A₀ The queen] **broke** [A₁ the window] [AM-TMP yesterday]
 Guess: [A₀ The queen] broke the [A₁ window] [AM-LOC yesterday]

Correct	Guess
{The queen} → A0	{The queen} → A0
{the window} → A1	{window} → A1
{yesterday} → AM-TMP	{yesterday} → AM-LOC
all other → NONE	all other → NONE

- Precision, Recall, F-Measure $\{tp=1, fp=2, fn=2\} p=r=f=1/3$
- Measures for subtasks
 - Identification (Precision, Recall, F-measure) $\{tp=2, fp=1, fn=1\} p=r=f=2/3$
 - Classification (Accuracy) $acc = .5$ (labeling of correctly identified phrases)
 - Core arguments (Precision, Recall, F-measure) $\{tp=1, fp=1, fn=1\} p=r=f=1/2$


36

What's the problem with these evaluations?

- Approximating human evaluations is dangerous
 - Humans don't always agree
 - Not clear if it's good for anything
 - Sometimes called the "match-a-linguist" task
- What's a better evaluation?

37


Basic Architecture of a Generic SRL System



38

SRL architecture: Walk the tree, labeling each parse tree node

- Given a parse tree t , label the nodes (phrases) in the tree with semantic labels



Alternative approach: labeling chunked sentences..

[_{NP}Yesterday] , [_{NP}Kristina] [_{VP}hit] [_{NP}Scott] [_{PP}with] [_{NP}a baseball]. 39

39

Why this parse-tree architecture?

Semantic role chunks tend to correspond to syntactic constituents

Propbank:

- 96% of arguments = 1 (gold) parse tree constituent
- 90% of arguments = 1 (Charniak) parse tree constituent

Simple rules can recover missing 4-10%

FrameNet,

- 87% of arguments = 1 (Collins) parse tree constituent

Why?

- they were labeled from parse trees
- by humans trained in syntax

40

Parsing Algorithm


- Use a syntactic parser to parse the sentence
- For each predicate (non-copula verb)
 - For each node in the syntax tree
 - Extract a feature vector relative to the predicate
 - Classify the node
 - Do second-pass informed by global info

Slide from Sameer Pradhan

41

Baseline Features [Gildea & Jurafsky, 2000]

- Predicate (verb)
- Path from constituent to predicate
- Phrase type (syntactic)
- Position (before/after)
- Voice (active/passive)
- Head Word
- Sub-categorization



Slide from Sameer Pradhan

42


Pradhan et al. (2004) Features

- Predicate cluster
- Noun head and POS of PP constituent
- Verb sense
- Partial path
- Named entities in constituent (7) [Surdeanu et al., 2003]
- Head word POS [Surdeanu et al., 2003]
- First and last word in constituent and their POS
- Parent and sibling features
- Constituent tree distance
- Ordinal constituent position
- Temporal cue words in constituent
- Previous 2 classifications

Slide from Sameer Pradhan

43


Predicate cluster, automatic or WordNet



Slide from Sameer Pradhan

44


Noun Head and POS of PP



Sameer Pradhan

45

Partial Path




Sameer Pradhan

46

Named Entities and Head Word POS


[Surdeanu et al., 2003]



Sameer Pradhan

47


First and Last Word and POS



Sameer Pradhan

48


Parent and Sibling features



Sameer Pradhan

49


Constituent tree distance



Sameer Pradhan

50

Ordinal constituent position



Sameer Pradhan

51

Temporal Cue Words (~50)

time	years;ago
recently	night
days	hour
end	decade
period	late

Sameer Pradhan


52

Previous 2 classifications

Sameer Pradhan

53

Combining Identification and Classification Models



Sameer Pradhan

54

Combining Identification and Classification Models – Continued

$-P(l|c, t, p) = P_{ID}(Id(l)|\Phi(c, t, p)) * P_{CLS}(l|Id(l), \Phi(c, t, p))$
 or
 $-P(l|c, t, p) = P(l|\Phi(c, t, p))$

One Step. Simultaneously identify and classify using $P(l|c, t, p)$

55

Joint Scoring Models

- These models have scores for a whole labeling of a tree (not just individual labels)
 - Encode some dependencies among the labels of different nodes

$$P_{JOINT}(l_1, \dots, l_n | n, t, p) = \prod_i P(l_i | n_i, t, p)$$

56

Combining Local and Joint Scoring Models

- Tight integration of local and joint scoring in a **single probabilistic model** and exact search [Cohn&Blunsom 05] [Marquez et al. 05], [Thompson et al. 03]
 - When the joint model makes strong independence assumptions
- Re-ranking** or approximate search to find the labeling which maximizes a combination of local and a joint score [Gildea&Jurafsky 02] [Pradhan et al. 04] [Toutanova et al. 05]
 - Usually exponential search required to find the exact maximizer
- Exact search for **best assignment by local model satisfying hard joint constraints**
 - Using Integer Linear Programming [Punyakanok et al 04, 05] (worst case NP-hard)

57

Joint Scoring: Enforcing Hard Constraints

- Constraint 1: Argument phrases do not overlap**
 - By $[A_1 \text{ working } [A_1 \text{ hard }] \text{ he}] \text{ said } \text{ you can achieve a lot.}$
 - Pradhan et al. (04) – greedy search for a best set of non-overlapping arguments
 - Toutanova et al. (05) – exact search for the best set of non-overlapping arguments (dynamic programming, linear in the size of the tree)
 - Punyakanok et al. (05) – exact search for best non-overlapping arguments using integer linear programming
- Other constraints** ([Punyakanok et al. 04, 05])
 - no repeated core arguments (good heuristic)
 - phrases do not overlap the predicate

58

Joint Scoring: Integrating Soft Preferences

- There are many statistical tendencies for the sequence of roles and their syntactic realizations
 - When both are before the verb, AM-TMP is usually before AO
 - Usually, there aren't multiple temporal modifiers
 - Many others which can be learned automatically

59

Joint Scoring: Integrating Soft Preferences


- Gildea and Jurafsky (02) – a smoothed relative frequency estimate of the probability of frame element multi-sets:

$$P(\{AO, AM_{TMP}, A1, AM_{TMP}\} | hit)$$
 - Gains relative to local model 59.2 → 62.9 FrameNet automatic parses
- Pradhan et al. (04) – a language model on argument label sequences (with the predicate included)

$$P(AO, AM_{TMP}, hit, A1, AM_{TMP})$$
 - Small gains relative to local model for a baseline system 88.0 → 88.9 on core arguments PropBank correct parses
- Toutanova et al. (05) – a joint model based on CRFs with a rich set of joint features of the sequence of labeled arguments
 - Gains relative to local model on PropBank correct parses 88.4 → 91.2 (24% error reduction); gains on automatic parses 76.2 → 80.0
- Also tree CRFs [Cohn & Brunson] have been used

60

Semantic roles: joint models boost results [Toutanova et al. 2005]



61

System Properties

- Features
 - Most modern systems use the standard set of Gildea, Pradhan, and Surdeanu features listed above
 - *Lots of features important for building a good system*
- Learning Methods
 - SNoW, MaxEnt, AdaBoost, SVM, CRFs, etc.
 - *The choice of learning algorithms is less important.*

62

System Properties – Continued

- Syntactic Information
 - Charniak's parser, Collins' parser, clauser, chunker, etc.
 - Top systems use Charniak's parser or some mixture
 - *Quality of syntactic information is important*
- System/Information Combination
 - Greedy, Re-ranking, Stacking, ILP inference
 - *Combination of systems or syntactic information is a good strategy to reduce the influence of incorrect syntactic information!*

63

Per Argument Performance CoNLL-05 Results on WSJ-Test

	Best F ₁		Freq.	
A0	88.31	25.58%		
A1	79.91	35.36%		
A2	70.26	8.26%		
A3	65.26	1.39%		
A4	77.25	1.09%		

	Best F ₁		Freq.	
TMP	78.21	6.86%		
ADV	59.73	3.46%		
DIS	80.45	2.05%		
MNR	59.22	2.67%		
LOC	60.99	2.48%		
MOD	98.47	3.83%		
CAU	64.62	0.50%		
NEG	98.91	1.36%		

Arguments that need to be improved

Data from Carreras&Marquez's slides (CoNLL 2005) ⁶⁴

Summary

- Semantic role labeling
 - An important attempt at shallow semantic extraction
- Relatively successful in terms of approximating
 - Human FrameNet labels
 - Human PropBank labels
- Are these good for anything?
 - We don't know yet

65