
Semantic Role Labeling

CS 224N

Christopher Manning

Slides mainly from a tutorial from **Scott Wen-tau Yih** and **Kristina Toutanova** (Microsoft Research), with additional slides from **Sameer Pradhan** (BBN) as well as **Dan Jurafsky** and myself.

Syntactic Variations versus Semantic Roles

Yesterday, Kristina hit Scott with a baseball

Scott was hit by Kristina yesterday with a baseball

Yesterday, Scott was hit with a baseball by Kristina

With a baseball, Kristina hit Scott yesterday

Yesterday Scott was hit by Kristina with a baseball

The baseball with which Kristina hit Scott yesterday was hard

Kristina hit Scott with a baseball yesterday



Agent, hitter

Patient, Thing hit

Instrument

Temporal adjunct

Syntactic Variations (as trees)



Semantic Role Labeling – *Giving Semantic Labels to Phrases*

- [AGENT John] **broke** [THEME the window]
- [THEME The window] **broke**
- [AGENT Sotheby's] .. **offered** [RECIPIENT the Dorrance heirs]
[THEME a money-back guarantee]
- [AGENT Sotheby's] **offered** [THEME a money-back guarantee] to
[RECIPIENT the Dorrance heirs]
- [THEME a money-back guarantee] **offered** by [AGENT Sotheby's]
- [RECIPIENT the Dorrance heirs] will [ARM-NEG not]
be **offered** [THEME a money-back guarantee]

Some typical semantic roles

Thematic Role	Definition
AGENT	The volitional causer of an event
EXPERIENCER	The experiencer of an event
FORCE	The non-volitional causer of the event
THEME	The participant most directly affected by an event
RESULT	The end product of an event
CONTENT	The proposition or content of a propositional event
INSTRUMENT	An instrument used in an event
BENEFICIARY	The beneficiary of an event
SOURCE	The origin of the object of a transfer event
GOAL	The destination of an object of a transfer event

Some typical semantic roles

Thematic Role	Example
AGENT	<i>The waiter</i> spilled the soup.
EXPERIENCER	<i>John</i> has a headache.
FORCE	<i>The wind</i> blows debris from the mall into our yards.
THEME	Only after Benjamin Franklin broke <i>the ice</i> ...
RESULT	The French government has built a <i>regulation-size baseball diamond</i> ...
CONTENT	Mona asked “ <i>You met Mary Ann at a supermarket?</i> ”
INSTRUMENT	He turned to poaching catfish, stunning them <i>with a shocking device</i> ...
BENEFICIARY	Whenever Ann Callahan makes hotel reservations <i>for her boss</i> ...
SOURCE	I flew in <i>from Boston</i> .
GOAL	I drove <i>to Portland</i> .

What is SRL good for?

Question Answering


Q: What was the name of the first computer system that defeated Kasparov?

A: [PATIENT Kasparov] was defeated by [AGENT Deep Blue] [TIME in 1997].

Q: When was Napoleon defeated?

Look for: [PATIENT Napoleon] [PRED defeat-synset] [ARGM-TMP *ANS*]

More generally:



- Who hit Scott with a baseball?
- Whom did Kristina hit with a baseball?
- What did Kristina hit Scott with?
- When did Kristina hit Scott with a baseball?

What is SRL good for?

Applications as a simple meaning rep'n

- Machine Translation

English (SVO)

[AGENT **The little boy**]

[PRED **kicked**]

[THEME the red ball]

[ARGM-MNR **hard**]

Farsi (SOV)

[AGENT **pesar koocholo**] boy-little

[THEME toop germezi] ball-red

[ARGM-MNR **moqtam**] hard-adverb

[PRED **zaad-e**] hit-past

- Document Summarization


- Predicates and Heads of Roles summarize content

- Information Extraction

- SRL can be used to construct useful rules for IE

Application: Semantically precise search

Query: *afghans destroying opium poppies*



The screenshot shows a Google search interface with the query "afghans destroying opium poppies" entered in the search box. The search results are displayed under the "Web" tab, showing the first 10 results out of approximately 829. The results include news articles from Japan Today, MSNBC, NewsHour Extra, and Afgha.com, as well as a PDF document from tdh.ch. Each result includes a brief description of the content and a link to the full page.

Web Results 1 - 10 of about 829 for **afghans destroying opium poppies**. (0.07 seconds)

[Japan Today - News - Afghans threaten to grow more opium poppies ...](#)
Afghans threaten to grow more **opium poppies**. ... 30 JST ISLAMABAD — Growers of **opium poppies** in Afghanistan's ... cultivation if compensation for **destroying** the most ...
www.japantoday.com/gidx/news228842.html - 10k - [Cached](#) - [Similar pages](#)

[MSNBC - Afghans on losing side of the drug war](#)
... **Afghans** on losing side of the drug war. ... makes a lot more sense to grow **poppies** and **opium** instead of ... The government has a modest goal of **destroying** 30 percent of ...
msnbc.msn.com/id/4891545/ - 41k - [Cached](#) - [Similar pages](#)

[NewsHour Extra: Afghans Vote in First Democratic Election ...](#)
... About 7 million **Afghans** now farm **poppy** for economic ... role in the manufacture and sale of **opium**. ... only criminalizing the Afghan economy, **destroying** our agriculture ...
www.pbs.org/newshour/extra/features/july-dec04/afghanistan_10-25_printout.html - 9k - [Cached](#) - [Similar pages](#)

[\[PDF\] Letters from Afghanistan](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
... This weapon is the **opium poppy**, used to produce heroin ... American embassy who fear that the **Afghans** "are in ... warn that it is no good **destroying opium** unless there ...
tdh.ch/cms/fileadmin/site_uploads/d/pdf/projekte/asien/Afghanistan/Letters_from_Afghanistan_17.pdf - [Similar pages](#)

[Afgha.com - Afghan narcotics add to woes](#)
... "Provinces that never grew **poppies** are growing ... in the American embassy who fear that the **Afghans** "are in ... warn that it is no good **destroying opium** unless there ...
www.afgha.com/?af=printnews&sid=40568 - 7k - [Cached](#) - [Similar pages](#)

[NewsCentralAsia - Drugs in Afghanistan: Of carts and horses](#)

Diathesis alternations

John broke the window.

AGENT THEME

John broke the window with a rock.

AGENT THEME INSTRUMENT

The rock broke the window.

INSTRUMENT THEME

The window broke.

THEME

The window was broken by John.

THEME AGENT

Doris gave the book to Cary.

AGENT THEME GOAL

Doris gave Cary the book.

AGENT GOAL THEME

Problems with semantic roles

- It's very hard to produce a formal definition of a role
- There are all sorts of arbitrary role splits
- Intermediary instruments (1-2) vs. enabling instruments (3-4):
 1. The cook opened the jar with the new gadget
 2. The new gadget opened the jar
 3. Sally ate the sliced banana with a fork
 4. *The fork ate the sliced banana

Solutions to the difficulty of defining semantic roles

- Ignore semantic role labels, and just mark arguments of individual verbs as 0, 1, 2
 - PropBank
- Define semantic role labels for a particular semantic domain
 - FrameNet

PropBank

- A corpus of labeled sentences (Penn Treebank *WSJ*)
- The arguments of each verb are labeled with numbers rather than names, though there are verb frame files:

(19.29) **agree.01**

Arg0: Agreeer

Arg1: Proposition

Arg2: Other entity agreeing

Ex1: [Arg0 The group] *agreed* [Arg1 it wouldn't make an offer unless it had Georgia Gulf's consent].

Ex2: [ArgM-TMP Usually] [Arg0 John] *agrees* [Arg2 with Mary] [Arg1 on everything].

(19.30) **fall.01**

Arg1: Logical subject, patient, thing falling

Arg2: Extent, amount fallen

Arg3: start point

Arg4: end point, end state of arg1

Ex1: [Arg1 Sales] *fell* [Arg4 to \$251.2 million] [Arg3 from \$278.7 million].

Ex2: [Arg1 The average junk bond] *fell* [Arg2 by 4.2%].

Proposition Bank (PropBank) Frame Files

- hit.01 “strike”

- ❖ A0: agent, hitter; A1: thing hit;
A2: instrument, thing hit by or with

[_{A0} *Kristina*] **hit** [_{A1} *Scott*] [_{A2} *with a baseball*] *yesterday*.

AM-TMP
Time

- look.02 “seeming”

- ❖ A0: seemer; A1: seemed like; A2: seemed to

[_{A0} *It*] **looked** [_{A2} *to her*] *like* [_{A1} *he deserved this*].

- deserve.01 “deserve”


- ❖ A0: deserving entity; A1: thing deserved;
A2: in-exchange-for

It looked to her like [_{A0} *he*] **deserved** [_{A1} *this*].

Proposition:
A sentence and
a target verb

Proposition Bank (PropBank)


Add a Semantic Layer



[_{A0} *Kristina*] **hit** [_{A1} *Scott*] [_{A2} *with a basebal*] [_{AM-TMP} *yesterday*].

Proposition Bank (PropBank)

Add a Semantic Layer – Continued



[_{A1} *The worst thing about him*] **said** [_{A0} *Kristina*] [_{C-A1} *is his laziness*].

Proposition Bank (PropBank) Final Notes

- Current release (Mar 4, 2005): Proposition Bank I
 - Verb Lexicon: 3,324 frame files
 - Annotation: ~113,000 propositions

http://www.cis.upenn.edu/~mpalmer/project_pages/ACE.htm
- Alternative format: CoNLL-04,05 shared task
 - Represented in table format
 - Has been used as standard data set for the shared tasks on semantic role labeling

<http://www.lsi.upc.es/~srlconll/soft.html>

CoNLL format


1. lie("he",...)
2. leak("he", "information obtained from ... he supervised")
3. obtain(X, "information", "from a wiretap he supervised")
4. supervise("he", "a wiretap")

He	-	(AO*)	(AO*)	*	*
is	-	*	*	*	*
also	-	*	*	*	*
accused	-	*	*	*	*
of	-	*	*	*	*
lying	lie	(V*)	*	*	*
under	-	(AM-LOC*)	*	*	*
oath	-	*	*	*	*
and	-	*	*	*	*
of	-	*	*	*	*
leaking	leak	*	(V*)	*	*
information	-	*	(A1*)	(A1*)	*
obtained	obtain	*	*	(V*)	*
from	-	*	*	*	*
a	-	*	*	(A2*)	(A1*)
wiretap	-	*	*	*	*
he	-	*	*	*	(AO*)
supervised	supervise	*	*	*	(V*)
.	-	*	*	*	*

Other Corpora

- Chinese PropBank <http://www.cis.upenn.edu/~chinese/cpb/>
 - Similar to PropBank, it adds a semantic layer onto Chinese Treebank
- NomBank <http://nlp.cs.nyu.edu/meyers/NomBank.html>
 - Label arguments that co-occur with nouns in PropBank
 - [A0 **Her**] [REL **gift**] of [A1 **a book**] [A2 **to John**]

FrameNet [Fillmore et al. 01]



[Agent *Kristina*] **hit** [Target *Scott*] [Instrument *with a baseball*] [Time *yesterday*].

<http://framenet.icsi.berkeley.edu>

FrameNet

- A frame is a semantic structure based on a set of participants and events
- Consider the “change_position_on_scale” frame

VERBS:	dwindle	move	soar	escalation	shift
advance	edge	mushroom	swell	explosion	tumble
climb	explode	plummet	swing	fall	
decline	fall	reach	triple	fluctuation	ADVERBS:
decrease	fluctuate	rise	tumble	gain	increasingly
diminish	gain	rocket		growth	
dip	grow	shift	NOUNS:	hike	
double	increase	skyrocket	decline	increase	
drop	jump	slide	decrease	rise	

Roles in this frame

Core Roles	
ATTRIBUTE	The ATTRIBUTE is a scalar property that the ITEM possesses.
DIFFERENCE	The distance by which an ITEM changes its position on the scale.
FINAL_STATE	A description that presents the ITEM's state after the change in the ATTRIBUTE's value as an independent predication.
FINAL_VALUE	The position on the scale where the ITEM ends up.
INITIAL_STATE	A description that presents the ITEM's state before the change in the ATTRIBUTE's value as an independent predication.
INITIAL_VALUE	The initial position on the scale from which the ITEM moves away.
ITEM	The entity that has a position on the scale.
VALUE_RANGE	A portion of the scale, typically identified by its end points, along which the values of the ATTRIBUTE fluctuate.
Some Non-Core Roles	
DURATION	The length of time over which the change takes place.
SPEED	The rate of change of the VALUE.
GROUP	The GROUP in which an ITEM changes the value of an ATTRIBUTE in a specified way.

Examples / Quiz question

- [ITEM Oil] *rose* [ATTRIBUTE in price] [DIFFERENCE by 2%].
- [ITEM It] has *increased* [FINAL_STATE to having them 1 day a month].
- [ITEM Microsoft shares] *fell* [FINAL_VALUE to 7 5/8].

- [Colon cancer incidence] *fell* [by 50%] [among men].
- a steady *increase* [from 9.5] [to 14.3] [in dividends]
- a [5%] [dividend] *increase*

- Give the roles for the 3 items with blanks
 - Core: Attribute, Difference, Final_State, Final_Value, Initial_State, Initial_Value, Item, Value_Range
 - An Item has a scalar Attribute which moves in the Value_Range portion of a scale
 - Some Non-Core: Duration, Speed, Group
 - The Item changes its Attribute within a Group for a certain Duration or at a Speed

Problems with FrameNet

- Example sentences are chosen by hand
 - Not randomly selected
 - Complete sentences not labeled
- Since TreeBank wasn't used
 - No perfect parses for each sentence
- Still ongoing (that's good and bad)

Some History

- Fillmore 1968: The case for case
 - Proposed semantic roles as a shallow semantic representation



- Simmons 1973:
 - Built first automatic semantic role labeler
 - Based on first parsing the sentence

FrameNet vs PropBank -1

FRAMENET ANNOTATION:

[Buyer Chuck] *bought* [Goods a car] [Seller from Jerry] [Payment for \$1000].

[Seller Jerry] *sold* [Goods a car] [Buyer to Chuck] [Payment for \$1000].

PROPBANK ANNOTATION:

[Arg0 Chuck] *bought* [Arg1 a car] [Arg2 from Jerry] [Arg3 for \$1000].

[Arg0 Jerry] *sold* [Arg1 a car] [Arg2 to Chuck] [Arg3 for \$1000].

FrameNet vs PropBank -2

FRAMENET ANNOTATION:

[Goods A car] was *bought* [Buyer by Chuck].

[Goods A car] was *sold* [Buyer to Chuck] [Seller by Jerry].

[Buyer Chuck] was *sold* [Goods a car] [Seller by Jerry].

PROPBANK ANNOTATION:

[Arg1 A car] was *bought* [Arg0 by Chuck].

[Arg1 A car] was *sold* [Arg2 to Chuck] [Arg0 by Jerry].

[Arg2 Chuck] was *sold* [Arg1 a car] [Arg0 by Jerry].

Information Extraction versus Semantic Role Labeling

Characteristic	IE	SRL
Coverage	narrow	broad
Depth of semantics	shallow	shallow
Directly connected to application	sometimes	no

- The goal of SRL is to provide a general capability for semantic relation and argument identification, not custom ones for particular applications

Overview of SRL Systems

- Definition of the SRL task
 - Evaluation measures
- General system architectures
- Machine learning models
 - Features & models
 - Performance gains from different techniques

Subtasks

- **Identification:** $2^{\{1,2,\dots,m\}} \mapsto \{NONE, ARG\}$
 - Very hard task: to separate the argument substrings from the rest in this exponentially sized set
 - Usually only 1 to 9 (avg. **2.7**) substrings have labels ARG and the rest have NONE for a predicate
- **Classification:** $2^{\{1,2,\dots,m\}} \mapsto L \setminus \{NONE\}$
 - Given the set of substrings that have an ARG label, decide the exact semantic label
- **Core argument** semantic role labeling: (easier)
 - Label phrases with core argument labels only. The modifier arguments are assumed to have label NONE.

Evaluation Measures

Correct: [_{A0} The queen] **broke** [_{A1} the window] [_{AM-TMP} yesterday]

Guess: [_{A0} The queen] broke the [_{A1} window] [_{AM-LOC} yesterday]


Correct	Guess
{The queen} → A0 {the window} → A1 {yesterday} → AM-TMP all other → NONE	{The queen} → A0 {window} → A1 {yesterday} → AM-LOC all other → NONE

- Precision, Recall, F-Measure $\{tp=1, fp=2, fn=2\} p=r=f=1/3$
- Measures for subtasks
 - Identification (Precision, Recall, F-measure) $\{tp=2, fp=1, fn=1\} p=r=f=2/3$
 - Classification (Accuracy) $acc = .5$ (labeling of correctly identified phrases)
 - Core arguments (Precision, Recall, F-measure) $\{tp=1, fp=1, fn=1\} p=r=f=1/2$

What's the problem with these evaluations?

- Approximating human evaluations is dangerous
 - Humans don't always agree
 - Not clear if it's good for anything
 - Sometimes called the "match-a-linguist" task
- What's a better evaluation?


Basic Architecture of a Generic SRL System



SRL architecture:

Walk the tree, labeling each parse tree node


- Given a parse tree t , label the nodes (phrases) in the tree with semantic labels



Alternative approach: labeling chunked sentences..

[_{NP}Yesterday] , [_{NP}Kristina] [_{VP}hit] [_{NP}Scott] [_{PP}with] [_{NP}a baseball].

Why this parse-tree architecture?



Semantic role chunks tend to correspond to syntactic constituents

Propbank:

96% of arguments = 1 (gold) parse tree constituent

90% of arguments = 1 (Charniak) parse tree constituent

Simple rules can recover missing 4-10%

FrameNet,

87% of arguments = 1 (Collins) parse tree constituent

Why?

they were labeled from parse trees


by humans trained in syntax

Parsing Algorithm

- Use a syntactic parser to parse the sentence
- For each predicate (non-copula verb)
 - For each node in the syntax tree
 - Extract a feature vector relative to the predicate
 - Classify the node
 - Do second-pass informed by global info

Baseline Features [Gildea & Jurafsky, 2000]


- Predicate (verb)
- Path from constituent to predicate
- Phrase type (syntactic)
- Position (before/after)
- Voice (active/passive)
- Head Word
- Sub-categorization




Pradhan et al. (2004) Features

- Predicate cluster
- Noun head and POS of PP constituent
- Verb sense
- Partial path
- Named entities in constituent (7) [Surdeanu et al., 2003]
- Head word POS [Surdeanu et al., 2003]
- First and last word in constituent and their POS
- Parent and sibling features
- Constituent tree distance
- Ordinal constituent position
- Temporal cue words in constituent
- Previous 2 classifications


Predicate cluster, automatic or WordNet



Noun Head and POS of PP




Partial Path




Named Entities and Head Word POS


[Surdeanu et al., 2003]




First and Last Word and POS



Parent and Sibling features



Constituent tree distance



Temporal Cue Words (~50)

time years;ago

recently night



days hour

end decade


period late

Previous 2 classifications



Combining Identification and Classification Models




Step 1. Pruning.
Using a hand-specified filter.




Step 2. Identification.
Identification model (filters out candidates with high probability of NONE)



Step 3. Classification.
Classification model assigns one of the argument labels to selected nodes (or sometimes possibly NONE)




Combining Identification and Classification Models – Continued





$$-P(l|c, t, p) = P_{ID}(Id(l)|\Phi(c, t, p)) * P_{CLS}(l|Id(l), \Phi(c, t, p))$$

or

$$-P(l|c, t, p) = P(l|\Phi(c, t, p))$$




Joint Scoring Models



- These models have scores for a whole labeling of a tree (not just individual labels)
 - Encode some dependencies among the labels of different nodes


$$P_{JOINT}(l_1, \dots, l_n | n, t, p) \neq \prod_i P(l_i | n_i, t, p)$$

Combining Local and Joint Scoring Models



- Tight integration of local and joint scoring in a **single probabilistic model** and exact search [Cohn&Blunsom 05] [Màrquez et al. 05],[Thompson et al. 03]
 - When the joint model makes strong independence assumptions
- **Re-ranking** or approximate search to find the labeling which maximizes a combination of local and a joint score [Gildea&Jurafsky 02] [Pradhan et al. 04] [Toutanova et al. 05]
 - Usually exponential search required to find the exact maximizer
- Exact search for **best assignment by local model satisfying hard joint constraints**
 - Using Integer Linear Programming [Punyakankok et al 04,05] (worst case NP-hard)

Joint Scoring: Enforcing Hard Constraints





- **Constraint 1: Argument phrases do not overlap**

*By [_{A1} working [_{A1} hard], he] **said** , you can achieve a lot.*


- Pradhan et al. (04) – greedy search for a best set of non-overlapping arguments
 - Toutanova et al. (05) – exact search for the best set of non-overlapping arguments (dynamic programming, linear in the size of the tree)
 - Punyakanok et al. (05) – exact search for best non-overlapping arguments using integer linear programming
- **Other constraints** ([Punyakanok et al. 04, 05])
 - no repeated core arguments (good heuristic)
 - phrases do not overlap the predicate

Joint Scoring: Integrating Soft Preferences



- There are many statistical tendencies for the sequence of roles and their syntactic realizations
 - When both are before the verb, AM-TMP is usually before A0
 - Usually, there aren't multiple temporal modifiers
 - Many others which can be learned automatically

Joint Scoring: Integrating Soft Preferences



- Gildea and Jurafsky (02) – a smoothed relative frequency estimate of the probability of frame element multi-sets:

$$P(\{A0, AM_{TMP}, A1, AM_{TMP}\} | hit)$$

- Gains relative to local model 59.2 → 62.9 FrameNet automatic parses

- Pradhan et al. (04) – a language model on argument label sequences (with the predicate included)

$$P(A0, AM_{TMP}, hit, A1, AM_{TMP})$$

- Small gains relative to local model for a baseline system 88.0 → 88.9 on core arguments PropBank correct parses


- Toutanova et al. (05) – a joint model based on CRFs with a rich set of joint features of the sequence of labeled arguments

- Gains relative to local model on PropBank correct parses 88.4 → 91.2 (24% error reduction); gains on automatic parses 78.2 → 80.0

- Also tree CRFs [Cohn & Brunson] have been used

Semantic roles: joint models boost results [Toutanova et al. 2005]

Accuracies of local and joint models on core arguments



Error reduction from best published result:

44.6% on Integrated **52%** on Classification

System Properties

- Features
 - Most modern systems use the standard set of Gildea, Pradhan, and Surdeanu features listed above
 - *Lots of features important for building a good system*
- Learning Methods
 - SNoW, MaxEnt, AdaBoost, SVM, CRFs, etc.
 - *The choice of learning algorithms is less important.*

System Properties – Continued

- Syntactic Information
 - Charniak's parser, Collins' parser, clauser, chunker, etc.
 - Top systems use Charniak's parser or some mixture
 - *Quality of syntactic information is important*
- System/Information Combination
 - Greedy, Re-ranking, Stacking, ILP inference
 - *Combination of systems or syntactic information is a good strategy to reduce the influence of incorrect syntactic information!*

Per Argument Performance

CoNLL-05 Results on WSJ-Test

- Core Arguments (Freq. ~70%)

	Best F_1	Freq.
A0	88.31	25.58%
A1	79.91	35.36%
A2	70.26	8.26%
A3	65.26	1.39%
A4	77.25	1.09%

- Adjuncts (Freq. ~30%)

	Best F_1	Freq.
TMP	78.21	6.86%
ADV	59.73	3.46%
DIS	80.45	2.05%
MNR	59.22	2.67%
LOC	60.99	2.48%
MOD	98.47	3.83%
CAU	64.62	0.50%
NEG	98.91	1.36%

Arguments that need to be improved

Summary

- Semantic role labeling
 - An important attempt at a general approach to shallow semantic extraction
- Relatively successful in terms of approximating
 - Human FrameNet labels
 - Human PropBank labels
- Are these good for anything?
 - We don't know for sure yet