


CS250/EE386 - LECTURE 10- LIST DECODING!

AGENDA


- ① RECAP on SHANNON'S THM
- ② LIST DECODING
- ③ LIST DECODING CAPACITY
- ④ JOHNSON BOUND

TODAY'S ANT FACT

Some ants are farmers! They farm aphids, herding them to tasty plants, protecting them from predators, and bringing them into their nests at night and in the winter. In return, the ants get to "milk" the aphids: by stroking an aphid with its antennae, an ant can get the aphid to secrete a tasty sugary syrup, which the ants eat.




- ⑤ The Story So Far: last time we had this graph.



That is, if I want to handle random errors, I can handle WAY MORE than if the errors were adversarial.

As $q \rightarrow \infty$, the picture looks similar:



NOTE: We only stated Shannon's Thm for the BSC_p , but it also holds for the q SC_p (the " q -ary symmetric channel")* with $1 - H_q(p)$ instead of $1 - H_2(p)$.

* The q -ary symmetric channel q SC_p is given by:


$$P\{x|y\} = \begin{cases} 1-p & x=y \\ p/q & \text{else} \end{cases}$$

we have this really big gap for low-rate codes.

Almost 100% of random errors is cool, but 50% adversarial errors is not cool.

WHY IS THERE SUCH A BIG DIFFERENCE?


Here is a geometric explanation:



- Suppose c is the "correct" codeword, and there is $> s/2$ error.
- If the errors are adversarial, the adversary might choose y , which would confuse us.
- However, if the errors are random, then z is just as likely as y , and in fact c still is the closest codeword to z . So that would be fine!


The intuition is that we can come up with codes so that these "in between" spaces have a lot of mass.

It's way more likely to end up here than there.



Question for today:

How can we take advantage of this intuition in the worst-case model?



- Suppose we received y , and we know there was a p -fraction of adversarial errors.
- Then y may have originated from any codeword in the shaded circle: either c or c' .
- If we have the intuition (from before) that "most of the mass is in the in-between spaces" then there should not be that many codewords in the shaded circle: mostly it just captures empty space.

This discussion motivates LIST DECODING.

We may not know which of c, c' was the right answer, but at least we have a pretty short list.

① LIST DECODING

DEF. A code $\mathcal{C} \subseteq \Sigma^n$ is (p, L) -LIST-DECODABLE if $\forall y \in \Sigma^n$,

$$|\{c \in \mathcal{C} : \delta(c, y) \leq p\}| \leq L.$$

So if \mathcal{C} is (p, L) -list-decodable and there are a p -fraction of adversarial errors, we can narrow down the possibilities to L possible messages.





Fig 1. Not the most compelling application of list decoding.

Why might this be a good thing?

- In communication, if Bob can get some side information and/or use some crypto assumptions, he can narrow the list down.
- We see many other applications later.



Nonetheless, this is obviously only interesting in L is small.

So the question is:

WHAT IS THE BEST TRADE-OFF BETWEEN R, p, L ?

② LIST-DECODING CAPACITY THEOREM

THM (List-decoding Capacity) Let $q \geq 2$, $0 \leq p \leq 1 - \frac{1}{q}$, $\varepsilon > 0$. Then:

(1) If $R \leq 1 - H_q(p) - \varepsilon$, there exists a family of q -ary codes that are $(p, O(\varepsilon))$ -List-Decodable.

(2) If $R > 1 - H_q(p) + \varepsilon$, then every (p, L) -list-decodable code of length n has $L \geq q^{-\Omega(n)}$.

This should look very familiar! Just like Shannon's thm for the BSC!

proof. (sketch)

(1) Use a random code! Let $\text{ENC}: \Sigma^k \rightarrow \Sigma^n$ be completely random.

Fix $\Lambda \subseteq \Sigma^k$, $|\Lambda| = L+1$, and pick $y \in \Sigma^n$.

$$\Pr \left\{ \text{ENC}(\Lambda) \subseteq B_q(y, p) \right\} = \left(\frac{\text{Vol}_q(p^n, n)}{q^n} \right)^{L+1} \leq 2^{-n(1 - H_q(p))(L+1)}$$

Now union bound:

$$\Pr \left\{ \exists \Lambda, \exists y \text{ s.t. } \text{ENC}(\Lambda) \subseteq B_q(y, p) \right\} \leq \binom{q^k}{L+1} \cdot q^n \cdot q^{-n(1 - H_q(p))(L+1)}$$

$$\leq q^{k(L+1) + n - n(1 - H_q(p))(L+1)}$$

$$= q^n \left[[R + 1 - H_q(p)](L+1) + 1 \right]$$

$$= q^n (1 - \varepsilon(L+1)) = q^{-\Omega(n)} \text{ if } L \approx 1/\varepsilon.$$

Choose $R = 1 - H_q(p) - \varepsilon$

So then $\mathcal{C} = \text{Im}(\text{ENC})$ is (p, L) list-decodable w.h.p.

ctd.

pf. ctd.

- (2) Suppose we have a code \mathcal{C} that has rate $R > 1 - H_q(p) + \epsilon$.
We need to show $\exists y$ s.t. $|\mathcal{C} \cap B_q(p, y)|$ is large.

IDEA: Pick a random y .

For a fixed $c \in \mathcal{C}$, we have

$$\mathbb{P}\{c \in B_q(p, y)\} \geq \frac{\text{Vol}_q(p^n, n)}{q^n} \approx q^{-n(1 - H_q(p))}$$

So the expected number of codewords in a ball is

$$\begin{aligned} \mathbb{E}_y |\mathcal{C} \cap B(p, y)| &= \sum_{c \in \mathcal{C}} \mathbb{E} \mathbb{I}_{\{c \in B(p, y)\}} \\ &\geq |\mathcal{C}| \cdot q^{-n(1 - H_q(p))} \\ &= q^{k - n(1 - H_q(p))} \\ &\geq q^{n(1 - H_q(p) + \epsilon) - n(1 - H_q(p))} \\ &= q^{\epsilon n} \end{aligned}$$

assm.
on R

which is what we claimed. □

Thus, LIST-DECODING gives us a worst-case way to achieve $R = 1 - H_q(p)!$


But as usual we have some questions.

1. Efficient Algorithms?
2. Explicit Constructions?
3. Small alphabet sizes?

ASIDE 1:

ALGORITHMIC LIST-DECODING

There's been lots of progress, but still there are many open questions.



By now we can get :

- Explicit constructions over constant-sized alphabets and constant list sizes and efficient algorithms. [Kopparty, Ron-Zewi, Saraf, W. 2019]
[Guo, Ron-Zewi, 2021]

(see also [Gopakumar, Harsha, Kumer, Shankar '23]
[Chan, Zheng '25] for recent exciting results over large alphabet sizes).

Still Open :

- The "correct" constant-sized lists ($1/\varepsilon$) for $|\mathcal{E}|=O(1)$
We can do this for larger alphabet size! [Chan, Zheng '25]
- Binary codes — we don't even have explicit constructions!

/end(ASIDE)

ASIDE 2: A more refined capacity thm: The GENERALIZED SINGLETON BOUND

The list-decoding capacity theorem works as L gets large.

What about small finite L , like 2 or 3?

The following Thm generalizes the Singleton bound for any L :

Thm (Generalized Singleton Bound; [Shengquan-Tamo 2023])

- If $C \subseteq \Sigma^n$ is (p, L) -list-decodable, $|C| \leq L \cdot q^{n - \lfloor \frac{L+1}{L} \cdot p n \rfloor}$
- Further, if C is linear over \mathbb{F}_q w/ $q > L$, then $|C| \leq q^{n - \lfloor \frac{L+1}{L} \cdot p n \rfloor}$

In either case, the theorem says that a (p, L) -list-decodable code has rate

$$R \leq 1 - (1 + \frac{1}{L}) \cdot p + \underbrace{o(1)}_{\text{as } n \rightarrow \infty}$$

In particular, this implies that $L = O(1/\varepsilon)$ is the best we can do if we want rate $R = 1 - p - O(\varepsilon)$ [for constant p], which matches the possibility part of the list-decoding capacity thm when q is large.

Back to the main story!

Let's start trying to answer Questions 1 and 2.

First try:

We have codes with good distance!
Isn't that enough?

③ JOHNSON BOUND

Suppose we have a code with good pairwise distance. That should say SOMETHING about list-decoding, right?

THM (JOHNSON BOUND)

$$\text{Let } J_q(s) = \left(1 - \frac{1}{q}\right) \left(1 - \sqrt{1 - \frac{q^s}{q-1}}\right)$$

Let $C \subseteq \Sigma^n$ (w/ $|\Sigma| = q$) be a code with relative distance s .

If $p < J_q(s)$, then C is $(p, q \cdot s \cdot n^2)$ -LIST-DECODABLE.

There are many different versions of the Johnson bound.

You'll prove one on your homework

For a few more, check out "EXTENSIONS to the JOHNSON BOUND" (Guruswami, Sudan, 2001) which is posted on the website.

In class, let's just try to understand the statement. That $J_q(s)$ term is GROSS!

Let's start with $q=2$. How does the JB compare to capacity?

LIST-DECODING CAPACITY THM

If $R < 1 - H_2(p) - \epsilon$, then a random binary code of rate R is (p, L) -list-decodable for reasonable L

vs.

JOHNSON BOUND

If $p < J_2(s) = \frac{1}{2} \left(1 - \sqrt{1 - 2s}\right)$ then any code of distance s is (p, L) -list-decodable for reasonable L .

In order to compare these we need some way to compare R and S .
 Since this is a positive result (" \exists a code s.t..."), let's use the GV bound.

So for any δ , we know there \exists a code of rate $R = \overbrace{1 - H_2(S)}^{\text{aka } S = H_2^{-1}(1-R)}$ and dist. δ .
 With this, we have:

LIST-DECODING CAPACITY THM

If $R < 1 - H_2(p) - \epsilon$, then a random binary code of rate R is (p, L) - list-decodable for reasonable L

vs.


JOHNSON BOUND

If $p < J_2(\delta) = \frac{1}{2}(1 - \sqrt{1 - 2\delta})$ then any code of distance δ is (p, L) - list-decodable for reasonable L .

If $p < \frac{1}{2}(1 - \sqrt{1 - 2H_2^{-1}(1-R)})$ then there exists a code of rate R that is (p, L) - list-decodable.

Solving for p gives: $R < 1 - H_2(2p(1-p))$

We can plot these two trade-offs:



So the Johnson Bound is **WORSE** than the List-decoding Capacity Thm...
 BUT it does let us get $p \rightarrow \frac{1}{2}$ with positive rate.

And now we can do the same exercise for large q .

When q is really big, $J_q(\delta) = (1 - \frac{1}{q})(1 - \sqrt{1 - \frac{q\delta}{q-1}}) \approx 1 - \sqrt{1 - \delta}$

Moreover, $1 - H_q(p) \approx 1 - p$.

Again, we need some way to convert δ to R so let's use the SINGLETON BOUND and set $R = 1 - \delta$ in the Johnson Bound.

LIST-DECODING CAPACITY THM

If $R < 1 - p^{\text{list}}$, then a random q -ary code of rate R is (p, L) -list-decodable for reasonable L .

vs.


JOHNSON BOUND

If $p < J_2(\delta) \approx 1 - \sqrt{1 - \delta}$ then any code of distance δ is (p, L) -list-decodable for reasonable L .



If $p < 1 - \sqrt{R}$ (aka, $R < (1-p)^2$), there exists a code of rate R that is (p, L) -list-decodable for reasonable L .

Now, the picture looks like:



IN BOTH CASES ($q=2$, $q \rightarrow \infty$), the Johnson bound establishes that codes with good distance CAN be list decoded up to $1 - \frac{1}{q}$ (instead of $\frac{1-p}{2}$, which is where unique decoding breaks).

However, the trade-off that we get isn't quite as good as list-decoding capacity.

QUESTIONS to PONDER

- ① What does the Johnson bound say about RS codes?
- ② Is it possible to prove that any code with good enough distance achieves list-decoding capacity?
a non-vacuous statement of the form
- ③ Today we waved our hands about the connection between list-decoding and the Shannon model. Can you make this connection less hand-wavey?