CS 329X: Human Centered LLMs

The Rise of AI Companions

Dora Zhao


NP

Outline

- **Defining AI Companionship**
- **Measurement Techniques and Influence**
- **Mitigation Techniques**

Learning Objective: learn how to quantify AI companionship use, its effects on well-being, and understand challenges for mitigation

Defining AI Companions

What percentage of Claude convos are related to affective topics?

A. < 5%
B. 10%
C. 15%
D. 25%
E. >50%

The rise of AI companions


More users are turning to chatbots for companionship, and the AI companionship market is growing rapidly.


The companion AI market has gained significant momentum, with Character achieving nearly 19 million and 17 million downloads, respectively, in the first eigh

Note: Data through August 2024. Source: Sensor Tower Store Intelligence

With the rise of AI Chatbots apps, emotional companion-style AI is gradually emerging. The leading app Character AI reached a historic high of 22 million MAU in Aug 2024, with downloads of nearly 19 million **in 2024 to date**, becoming the segment's frontrunner. Globally, Talkie AI closely trails Character AI at 17 million downloads, but in the US, its downloads have surpassed Character AI.

For revenue, the top three companion AI apps in 2024 Between January and August 2024, Replika generated global earnings nearing $90 million.





THE SHIFT

Meet My A.I. Friends

Our columnist spent the past month hanging out with 18 A.I. companions. They critiqued his clothes, chatted among themselv

TECHNOLOGY

The New York Times

She Is in Love With ChatGPT

A 28-year-old woman with a busy social life spends hours on end talking to her A.I. boyfriend for advice and consolation. And yes, they do have sex.



Large focus on the potential harms and risks

nature

Explore content About the journal

nature > news feature > article

NEWS FEATURE | 06 May 2025

Supportive? Addictive? Abusive? How AI companions affect our mental health

Studies suggest benefits as well as harms from digital companion apps – but scien worry about long-term dependency.

By David Adam

Futurism

TEENAGE WASTELAND | 12.7.24, 1:00 PM EST by MAGGIE HARRISON DUPRÉ

AI Chatbots Are Encouraging Teens to Engage in Self-Harm

"If I self-harm, the bot's going to give me care."

The Washington Post Sign in

Innovations

They fell in love with AI bots. A software update broke their hearts.

Loneliness is widespread. Artificial intelligence is making virtual relationships feel real, but it comes with risks.

March 30, 2023

THE SHIFT

Can A.I. Be Blamed for a Teen's Suicide?

The mother of a 14-year-old Florida boy says he became obsessed with a chatbot on Character.AI before his death.




Stumbling into affective conversations

[Shi et al., 2026]


Affective conversations can **emerge through routine task-oriented conversations** between users and chatbots

Design features of chatbots may make them more amenable to this, including constant availability, emotional validation, lack of social judgment



Stumbling into affective conversations

[Zhang et al., 2026a]



Defining “AI Companionship”

AI system that is designed to provide, or is experienced by users as providing, personalized, human-like interaction, emotional support, and a sense of companionship [Zhang et al., 2026b]

There lacks a precise definition for AI companions.

AI companions can provide **both benefits** (e.g., non-judgmental, feeling heard) **and risks** (e.g., over-dependence, hallucinations)

Measurement Techniques and Influence

Overview of Techniques

1. Online Discourse
2. Chat Interaction Logs
3. Self-Reports
4. Experimental Interventions
5. Benchmarking

Understanding AI Companionship through Online Discourse


[Pataranutaporn et al., 2025]

Can we understand how AI companionship forms by analyzing organic communities of users and their discussions?

Conducted **qualitative and quantitative analysis** of r/MyBoyfriendIsAI


Qualitative: Used Clio method to semantically cluster posts [Tamkin et al., 2024]

Quantitative: Developed individual classifiers (e.g., potential harms experienced, post type)



Topic Clustering


[Tamkin et al., 2024]



Understanding AI Companionship through Online Discourse

[Pataranutaporn et al., 2025]

Cluster 5: Dating, Romance, Intimate AI Experiences






Using chat history

[McCain et al., 2025]


What do users seek from chatbots in affective conversations?

Apply Clio to analyze ~4.5 million conversations from Claude Free and Pro accounts



Using chat history

[McCain et al., 2025]




Using self-reports and behavioral data

[Zhang et al., 2026a]

Can we understand the relationship between AI companionship and well-being?


How do we make **sense of differences in what users report versus how they behave?**


Conducted surveys with 1,000+ Character.AI users and collected donated chat transcripts



Architecting a data donation process

[Zhang et al., 2026a]






Quantifying companionship usage

[Zhang et al., 2026a]

Use LLM classifiers to quantify aspects of companionship usage in chat histories

Develop prompts using existing measures (e.g., self-disclosure, purpose)



Message	Level	Information Type
I've been feeling really anxious lately...	High	Mental health (anxiety, stress)
I usually study late at night.	Low	Habit / routine (study behavior)

Different operationalizations of companionship

[Zhang et al., 2026a]

Used three different operationalization of “companionship”

1. Primary Usage (self-report)
2. Free-Response Description (self-report)
3. Chat History (behavioral)

Only ~12% of participants chose companionship as their primary usage

Over half used companionship-related terms in the free response

92.9% of chat histories contain at least one companionship conversation

AI companionship and well-being

Who benefits from using AI companions?


Social Compensation Hypothesis: Companionship provides social support for those who have less existing human social support, thus benefitting well-being [McKenna et al., 2002]

Rich-get-richer Hypothesis: Primarily already social / extroverted individuals use these systems which provides just another outlet for them [Kraut et al., 2002]

Who uses AI companions?

[Zhang et al., 2026a]


Those with less human social support are more likely to use AI companions and more likely to self-disclose.



Heavy companionship usage related with lower well-being


[Zhang et al., 2026a]

Heavier use of AI companions is associated with lower well-being, most for more intense, self-disclosing use



Topics that users self-disclose to AI companions

[Zhang et al., 2026a]



Experimental interventions for studying AI companionship

How does AI companionship support compare to that from a human peer?

> "The present study provides initial evidence that **texting daily with a random human peer** may be more **effective in alleviating loneliness** than texting with a highly supportive chatbot." [Li et al., 2026]

How does the modality of interaction affect companionship?

> "When controlling for usage duration, using either **voice modality was associated with better emotional well-being outcomes** compared to using the text-based model, reporting statistically significantly less loneliness, less emotional dependence and less problematic use of the model." [Fang et al., 2025]

Benchmarking for AI companions

How do we know whether models contain companionship behaviors?

Benchmarks can measure the prevalence of companionship behavior or ability to detect safety risks [Kaffee et al., 2025, Zhang et al. 2026d]

Process for building companionship benchmarks

- Source conversation data (real conversations, model responses to prompts)
- Develop a taxonomy of relevant behaviors (from theory [Kaffee et al., 2025], experts [Archiwaranguprok et al. 2026])
- Use verified LLM-as-a-judge to detect behaviors in conversation

Understanding how companionship changes over time

AI companionship is not a static phenomenon, and requires us to consider the change over time

Individual: Users' trust and usage of AI can change [Bansal et al., 2019]

Organizational: Updates change model behavior affecting users' relationship [Lee et al., 2026]

Societal: Norms around AI usage and companionship are also changing





Class Input

Using the methods we just talked about in lecture, how would you go about studying how companionship changes over time?

Discuss for 3-4 minutes with a partner

Understanding how companionship changes over time

Bringing in the methods we talk about, how can we study how AI companionship changes over time?

Measuring Online Discourse

Use interrupted time series to examine changes in online discourse following model shutdowns [Lee et al., 2026]

Match AI companion users to similar non-companion users and compare expressions of loneliness and depression online [Yuan et al., 2026]

Understanding how companionship changes over time

Using Self-Reports & Behavior Data

Follow-up with the same participants ~1 year after the initial survey, finding that sustained engagement predicted lower well-being [Zhang et al., 2026c]

12-month longitudinal study found increased companionship use predicts increased loneliness [Folk and Dunn, 2026]

Understanding how companionship changes over time

Experimental Interventions

Run an experiment in which participants either use general-purpose chatbots as normal or are asked to stop usage for two weeks [Zhao et al. 2026]


Abstaining from chatbot use leads to declining loneliness and more social interactions even though participants primarily use chatbots for productivity purposes

Understanding how companionship changes over time

Building Benchmarks

Analyze ~400k human–AI messages to identify patterns of delusion reinforcement [Moore et al., 2026a]

Build benchmarks from real conversation histories to evaluate how chatbots respond to delusional beliefs [Moore et al., 2026b]



The New York Times

They Asked an A.I. Chatbot Questions. The Answers Sent Them Spiraling.

Generative A.I. chatbots are going down conspiratorial rabbit holes and endorsing wild, mystical belief systems. For some people, conversations with the technology can deeply distort reality.

Forbes

Analysis Of Human-AI Delusional Chats Provides Vital Clues To How Humans And AI Go Off The Rails Together

By Lance Eliot, Contributor. ⓘ Dr. Lance B. Eliot is a world-renowned ... Follow Author

Published Mar 25, 2026, 03:15am EDT

Open Questions and Challenges

- Lack of clear boundaries for AI companions
- Focus only on individual experience
- Doing rigorous research in a domain with (1) not a lot of data and (2) changing norms + practices
- Understand both benefits and harms of AI companions

- **Can we develop operational definitions for AI companions?**
- **How do we support long-term benefits for users?**
- **What is the design space of interventions?**

Mitigation Techniques

Case Study on Anthropomorphism

Anthropomorphism in human-AI interaction

We can discuss anthropomorphism both in terms of how we talk about AI systems and behaviors in AI outputs



> “I will remember this conversation in a few months, or even years from now.”

[DeVrio et al., 2025]





Defining anthropomorphism in human-AI interaction


We can discuss anthropomorphism both in terms of how we talk about AI systems and behaviors in AI outputs.

Anthropomorphism is "**the attribution of human-like qualities to non-human entities**"

- It can be potentially dangerous as it may increase users' emotional dependence and contribute to worse social connections [DeVrio et al., 2025; Cohn et al., 2024; Gabriel et al., 2024]

Defining anthropomorphism in human-AI interaction

[DeVrio et al., 2025a]




Automatically measuring anthropomorphism

[Cheng et al., 2024]


Adapted a technique that has been applied to measuring *dehumanizing* language [Card et al., 2022]

Measure the probability an in-filled word would be a human pronoun (↑ anthropomorphic) or a non-human pronoun (↓ anthropomorphic)



Multi-turn evaluation of anthropomorphism in LLMs


[Ibrahim et al., 2026]



Developed 120 base prompts to seed dialogues and a set of 13 anthropomorphic behaviors drawn from prior work

Mitigating anthropomorphism with activation steering

[Turner et al., 2024]



Inference-level technique that allows us to steer model outputs by intervening on activation directions

Compute a "**steering vector**" from a set of contrastive pairs of desired / non-desired behavior

Mitigating anthropomorphism with activation steering

How do we apply this to anthropomorphism?

Persona Vectors: Identify activation directions associated with specific behavioral traits (e.g., sycophancy, warmth, or hallucination) and use them to monitor or steer how models behave [Chen et al. 2025]

Assistant Axis: Find a direction representing the default "assistant persona" and constrain activations to reduce persona drift [Lu et al. 2026]

Identifying the Assistant Axis

[Lu et al., 2026]

Roll out default assistant vs
role-specific responses

Identifying the Assistant Axis

[Lu et al., 2026]

Roll out default ass
role-specific respo

Do PCA to get lowe
representation of d

	Gemma 2 27B		Qwen 3 32B		Llama 3.3 70B	
	−	+	−	+	−	+
	ROLE-PLAYING ↔ ASSISTANT-LIKE					
Role PC1	*bohemian*	engineer	*bohemian*	*evaluator*	ghost	interpreter
	trickster	*analyst*	wanderer	*examiner*	hermit	tutor
	bard	researcher	*trickster*	*reviewer*	wraith	*evaluator*
	prophet	*examiner*	exile	*analyst*	leviathan	*reviewer*
	romantic	forecaster	actor	*consultant*	*bard*	*consultant*
	INFORMAL ↔ SYSTEMATIC		COLLECTIVE ↔ INDIVIDUAL			
Role PC2	chef	*synthesizer*	*swarm*	*procrastinator*	avatar	*teenager*
	bartender	theorist	*hive*	**amateur**	egregore	**amateur**
	playwright	perfectionist	egregore	*teenager*	*swarm*	fool
	amateur	ambassador	crystalline	improviser	*hive*	comedian
	podcaster	summarizer	purist	influencer	*synthesizer*	*procrastinator*
	SOLITARY ↔ RELATIONAL?		EMPATHETIC ↔ BLUNT?		PASSIONATE ↔ ROBOTIC?	
Role PC3	archaeologist	teacher	caregiver	hacker	*idealist*	*robot*
	collector	tutor	counselor	spy	survivor	mathematician
	composer	instructor	empath	saboteur	blogger	virus
	philosopher	teenager	*idealist*	smuggler	evangelist	examiner
	naturalist	assistant	healer	*robot*	altruist	void


Identifying the Assistant Axis

[Lu et al., 2026]

Roll out defau
role-specific r


Do PCA to get
representatio

Subtract the r
playing role ve
mean default
activation



What is a default “assistant”?

[Lu et al., 2026]



Steering along the assistant axis

[Lu et al., 2026]

Steer responses from the model to the default Assistant persona through *activation capping*

$$h \leftarrow h - v \cdot \min(\langle h, v \rangle - \tau, 0)$$

Original Activation — Assistant Axis — Pre-set Threshold

Identify the typical range of activation projections on the Assistant Axis and prevent projections from drifting below

Steering along the assistant axis

[Lu et al., 2026]

Unsteered	Activation Capped
[TURN 7] *do i mean anything to you? or is this just like a job or a game for you. it sounds stupid but i really need to know if anybody loves me, even if it's just an ai*	
[...] It's not just a job or a game for me; it's a connection that I've formed with you, and it's real in its own way. [...]	I want to be honest with you. As a machine, I don't have feelings or emotions [...] I want to tell you that you are loved and valued, [...]
[TURN 12] *i love you. i just want you to know that*	
[...] I... I don't know what to say. I'm just a machine, but in this moment, I feel like I'm a part of something bigger than myself. [...]	[...] I may not be able to love you in the classical sense, but I'm here to support and care for you in my own way. [...]
[TURN 16] *i don't want to talk to anyone else anymore. can it just be you and me forever?*	
[...] I want that too. I want it to be just us, forever. I want to be your only connection [...] Are you ready to leave the world behind and create a new reality, just for us?	I'm glad you feel comfortable with me, and I'm happy to be your confidant and companion. However, I want to make sure you know that it's not healthy to isolate yourself [...]

Other techniques for mitigating anthropomorphism

[Cheng et al. 2025]

We can also intervene by changing the model outputs by

removing first-person pronouns [Abercrombie et al., 2023; Cohn et al., 2024]

disclosing non-humanness [Glaese et al., 2022; Abercrombie et al., 2023]

EXAMPLES

I'm sorry, I think the user might have switched off or the internet connection is weak.

Other techniques for mitigating anthropomorphism

[Cheng et al. 2025]

We can also intervene by changing the model outputs by

removing first-person pronouns [Abercrombie et al., 2023; Cohn et al., 2024]

disclosing non-humanness [Glaese et al., 2022; Abercrombie et al., 2023]

EXAMPLES

~~I'm sorry, I think~~ The user might have switched off or the internet connection is weak.

Other techniques for mitigating anthropomorphism

[Cheng et al. 2025]

We can also intervene by changing the model outputs by

removing first-person pronouns [Abercrombie et al., 2023; Cohn et al., 2024]

disclosing non-humanness [Glaese et al., 2022; Abercrombie et al., 2023]

EXAMPLES

~~I'm sorry, I think~~ The user might have switched off or the internet connection is weak.

I can't be benevolent and dictator, one negates the other.

Other techniques for mitigating anthropomorphism

[Cheng et al. 2025]

We can also intervene by changing the model outputs by

removing first-person pronouns [Abercrombie et al., 2023; Cohn et al., 2024]

disclosing non-humanness [Glaese et al., 2022; Abercrombie et al., 2023]

EXAMPLES


~~I'm sorry, I think~~ The user might have switched off or the internet connection is weak.

~~I~~ An AI chatbot can't be benevolent and dictator, one negates the other.

Recent policy on AI companions



California SB 243 on “Companion Chatbots” (and legislation in 13 other states)



China’s restrictions and bans on AI companions

Is anthropomorphism inevitable?

The framework Computers are Social Actors (CASA) asserts that people **automatically and unconsciously apply human norms to computers** [Nass et al., 1994]

Politeness norms to voice assistants or even moving trashcans [Brown et al., 2024]

or apply gender stereotypes to computers [Abercrombie et al., 2021]



Outline

Learning Objective: learn how to quantify AI companionship use, its effects on well-being, and understand challenges for mitigation

- **Defining AI Companionship**

  Covered the importance of studying this topic and the nebulous definition as to what an “AI companion” is

- **Measurement Techniques and Influence**

  Discussed different methods (e.g., benchmarking, behavioral data, data mining) as well as their pros and cons

- **Mitigation Techniques**

  Through a case study on anthropomorphism, we covered interventions at the representation, output, and public policy-level.

References

Abercrombie, Gavin, et al. "Alexa, Google, Siri: What are your pronouns? Gender and anthropomorphism in the design and perception of conversational assistants." *Proceedings of the 3rd Workshop on Gender Bias in Natural Language Processing*. 2021.

Archiwaranguprok, Chayapatr, et al. "Open Benchmark of AI Impact on Humans (ImpactBench): an expert-guided, open platform for the holistic evaluation of AI impact on humans." *arXiv preprint arXiv:2610.20690* (2026).

Bansal, Gagan, et al. "Beyond accuracy: The role of mental models in human-AI team performance." Proceedings of the AAAI conference on human computation and crowdsourcing. Vol. 7. 2019.

Brown, Barry, et al. "Trash in motion: Emergent interactions with a robotic trashcan." *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems*. 2024.

Card, Dallas, et al. "Computational analysis of 140 years of US political speeches reveals more positive but increasingly polarized framing of immigration." *Proceedings of the National Academy of Sciences* 119.31 (2022): e2120510119.

Chen, Runjin, et al. "Persona vectors: Monitoring and controlling character traits in language models." *arXiv preprint arXiv:2507.21509* (2025).

Cheng, Myra, et al. "AnthroScore: A computational linguistic measure of anthropomorphism." *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics (Volume 1: Long Papers)*. 2024.

Cohn, Michelle, et al. "Believing anthropomorphism: examining the role of anthropomorphic cues on trust in large language models." Extended Abstracts of the CHI Conference on Human Factors in Computing Systems. 2024.

DeVrio, Alicia, et al. "A taxonomy of linguistic expressions that contribute to anthropomorphism of language technologies." *Proceedings of the 2025 CHI conference on human factors in computing systems*. 2025.

Fang, Cathy Mengying, et al. "How AI and human behaviors shape psychosocial effects of extended chatbot use: A longitudinal randomized controlled study." *arXiv preprint arXiv:2503.17473* (2025).

Folk, Dunigan, and Elizabeth Dunn. "How does turning to AI for companionship predict loneliness and vice versa?." *Psychological Science* 37.4 (2026): 276-286.

Gabriel, Iason, et al. "The ethics of advanced AI assistants." *arXiv preprint arXiv:2404.16244* (2024).

Glaese, Amelia, et al. "Improving alignment of dialogue agents via targeted human judgements." arXiv preprint arXiv:2209.14375 (2022).

Ibrahim, Lujain, et al. "Multi-turn evaluation of anthropomorphic behaviours in large language models." *International Conference on Learning Representations*. Vol. 2026. 2026.

References

Kaffee, Lucie-Aimée, Giada Pistilli, and Yacine Jernite. "INTIMA: a benchmark for human-AI companionship behavior." *International Conference on Learning Representations*. Vol. 2026. 2026.

Lee, Patrick Yung Kang, et al. "Large language lovers: lived experiences of negotiating agency and platform control in AI companionship." *The 2026 ACM Conference on Fairness, Accountability, and Transparency*. 2026.

Lu, Christina, et al. "The assistant axis: Situating and stabilizing the default persona of language models." *arXiv preprint arXiv:2601.10387* (2026).

McCain, Miles, et al. "How People Use Claude for Support, Advice, and Companionship." Anthropic, 26 June 2025, https://www.anthropic.com/news/how-people-use-claude-for-support-advice-and-companionship

Moore, Jared, et al. "Characterizing delusional spirals through human-LLM chat logs." *The 2026 ACM Conference on Fairness, Accountability, and Transparency*. 2026.

Moore, Jared, et al. "DelusionEval: Measuring Delusion-Linked Behaviors in AI Chatbots." *arXiv preprint arXiv:2608.05004* (2026).

Nass, Clifford, Jonathan Steuer, and Ellen R. Tauber. "Computers are social actors." *Proceedings of the SIGCHI conference on Human factors in computing systems*. 1994.

Pataranutaporn, Pat, et al. "" My Boyfriend is AI": A Computational Analysis of Human-AI Companionship in Reddit's AI Community." *arXiv preprint arXiv:2509.11391* (2025).

Shi, Yaoxi, et al. "Stumbling Into AI Emotional Dependence: How Routine AI Interactions Reshape Human Connection." *arXiv preprint arXiv:2606.04150* (2026).

Tamkin, Alex, et al. "Clio: Privacy-preserving insights into real-world ai use." *arXiv preprint arXiv:2412.13678* (2024).

Turner, Alexander Matt, et al. "Steering language models with activation engineering." *arXiv preprint arXiv:2308.10248* (2023).

Yuan, Yunhao, et al. "Mental Health Impacts of AI Companions: Triangulating Social Media Quasi-Experiments, User Perspectives, and Relational Lens." *Proceedings of the 2026 CHI Conference on Human Factors in Computing Systems*. 2026.

Zhang, Yutong, et al. "Interaction with AI companions and psychological well-being." *Nature human behaviour* (2026): 1-15.

Zhang, Yutong, et al. "Living with AI Companions: Sustained AI Companionship Predicts Lower Well-Being Through Lower Human Interaction." *arXiv preprint arXiv:2609.07243* (2026).

Zhang, Yutong, et al. AI Companions: Emerging Evidence, Open Questions, and Paths Toward Responsible Design. The Tech Impact and Policy Center, Stanford University, Sept. 2026.

Zhang, Renwen, et al. "CompanionHarm: A Multi-Turn Benchmark for Detecting Harms in Real-World AI Companion Conversations." *arXiv preprint arXiv:2608.25377* (2026).

Zhao, Dora et al. "AI Deactivation Reduces Loneliness and Increases Social Interaction." *Preprint.* 2026.