

***** UDS B3 Eval Form UPDRS *****

Record ID

Site: 39
ADCID

Subject ID: PTID

Form Date: (Y-M-D)

Visit number: 1 (Initial visit), 2 and up (Follow up visit) VISITNUM

Examiner's initials: INITIALS

Administered Status

- 1 Yes
- 95 - No, Physical problem
- 96 - No, Cognitive/behavior problem
- 97 - No, Other problem
- 98 - No, Verbal refusal
- 99 - Not Administered

=====

=====

B3 Eval Form - UPDRS

=====

=====

- 1 [Optional] If the clinician completes the UPDRS examination and determines all items are normal, check this box and end form here

1. Speech

- 0 Normal
- 1 Slight loss of expression, diction and/or volume
- 2 Monotone, slurred but understandable; moderately impaired.
- 3 Marked impairment, difficult to understand.
- 4 Unintelligible.
- 8 Untestable (specify reason):

1. Specify reason:

2. Facial expression

- 0 Normal
- 1 Minimal hypomimia, could be normal "poker face"
- 2 Slight but definitely abnormal diminution of facial expression.
- 3 Moderate hypomimia; lip parted some of the time.
- 4 Masked or fixed facies with severe or complete loss of facial expression; lips parted 1/4 inches or more.
- 8 Untestable (specify reason):

2. Specify reason: _____

3 Tremor at rest

3a. Face, lips, chin

- 0 Absent.
- 1 Slight and infrequently present.
- 2 Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present.
- 3 Moderate in amplitude and present most of the time.
- 4 Marked in amplitude and present most of the time.
- 8 Untestable (specify reason):

3a. Specify reason: _____

3b. Right hand

- 0 Absent.
- 1 Slight and infrequently present.
- 2 Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present.
- 3 Moderate in amplitude and present most of the time.
- 4 Marked in amplitude and present most of the time.
- 8 Untestable (specify reason):

3b. Specify reason: _____

3c. Left hand

- 0 Absent.
- 1 Slight and infrequently present.
- 2 Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present.
- 3 Moderate in amplitude and present most of the time.
- 4 Marked in amplitude and present most of the time.
- 8 Untestable (specify reason):

3c. Specify reason: _____

3d. Right foot

- 0 Absent.
- 1 Slight and infrequently present.
- 2 Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present.
- 3 Moderate in amplitude and present most of the time.
- 4 Marked in amplitude and present most of the time.
- 8 Untestable (specify reason):

3d. Specify reason:

3e. Left foot

- 0 Absent.
 - 1 Slight and infrequently present.
 - 2 Mild an amplitude and persistent; or moderate in amplitude, but only intermittently present.
 - 3 Moderate in amplitude and present most of the time.
 - 4 Marked in amplitude and present most of the time.
 - 8 Untestable (specify reason):
-

3e. Specify reason:

4. Action or postural tremor of hands

4a. Right hand

- 0 Absent.
 - 1 Slight; present with action.
 - 2 Moderate in amplitude, present with action.
 - 3 Moderate in amplitude with posture holding as well as action.
 - 4 Marked in amplitude; interfaces with feeding.
 - 8 Untestable (specify reason):
-

4a. Specify reason:

4b. Left hand

- 0 Absent.
 - 1 Slight; present with action.
 - 2 Moderate in amplitude, present with action.
 - 3 Moderate in amplitude with posture holding as well as action.
 - 4 Marked in amplitude; interfaces with feeding.
 - 8 Untestable (specify reason):
-

4b. Specify reason:

5. Rigidity (Judged on passive movement of major joints with patient relaxed in sitting position; cogwheeling to be ignored)

5a. Neck

- 0 Absent.
 - 1 Slight or detectable only when activated by mirror or other movemnets.
 - 2 Mild to moderate.
 - 3 Marked, but full range of motion easily achieved.
 - 4 Severe; range of motion achieved with difficulty.
 - 8 Untestable (specify reason):
-

5a. Specify reason:

5b. Right upper extremity

- 0 Absent.
- 1 Slight or detectable only when activated by mirror or other movemnets.
- 2 Mild to moderate.
- 3 Marked, but full range of motion easily achieved.
- 4 Severe; range of motion achieved with difficulty.
- 8 Untestable (specify reason):

5b. Specify reason:

5c. Left upper extremity

- 0 Absent.
- 1 Slight or detectable only when activated by mirror or other movemnets.
- 2 Mild to moderate.
- 3 Marked, but full range of motion easily achieved.
- 4 Severe; range of motion achieved with difficulty.
- 8 Untestable (specify reason):

5c. Specify reason:

5d. Right lower extremity

- 0 Absent.
- 1 Slight or detectable only when activated by mirror or other movemnets.
- 2 Mild to moderate.
- 3 Marked, but full range of motion easily achieved.
- 4 Severe; range of motion achieved with difficulty.
- 8 Untestable (specify reason):

5d. Specify reason:

5e. Left lower extremity

- 0 Absent.
- 1 Slight or detectable only when activated by mirror or other movemnets.
- 2 Mild to moderate.
- 3 Marked, but full range of motion easily achieved.
- 4 Severe; range of motion achieved with difficulty.
- 8 Untestable (specify reason):

Specify reason:

6. Finger taps (patient taps thumb with index finger in rapid succession)

6a. Right hand

- 0 Normal
- 1 Mild slowing and/or reduction in amplitude.
- 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
- 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
- 4 Can barely perform the task.
- 8 Untestable (specify reason):

6a. Specify reason:

6b. Left hand

- 0 Normal
 1 Mild slowing and/or reduction in amplitude.
 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 4 Can barely perform the task.
 8 Untestable (specify reason):
-

6b. Specify reason:

7. Hand movements (patient opens and closes hands in rapid succession)

7a. Right hand

- 0 Normal
 1 Mild slowing and/or reduction in amplitude.
 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 4 Can barely perform the task.
 8 Untestable (specify reason):
-

7a. Specify reason:

7b. Left hand

- 0 Normal
 1 Mild slowing and/or reduction in amplitude.
 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 4 Can barely perform the task.
 8 Untestable (specify reason):
-

7b. Specify reason:

8. Rapid alternating movements of hands (pronation-supination movements of hands, vertically and horizontally, with as large an amplitude as possible, both hands simultaneously)

8a. Right hand

- 0 Normal
 1 Mild slowing and/or reduction in amplitude.
 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 4 Can barely perform the task.
 8 Untestable (specify reason):
-

8a. Specify reason:

8b. Left hand

- 0 Normal
 - 1 Mild slowing and/or reduction in amplitude.
 - 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 - 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 - 4 Can barely perform the task.
 - 8 Untestable (specify reason):
-

8b. Specify reason: _____

9. Leg agility (patient taps heel on the ground in rapid succession, picking up entire leg; amplitude should be at least 3 inches)**9a. Right leg**

- 0 Normal
 - 1 Mild slowing and/or reduction in amplitude.
 - 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 - 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 - 4 Can barely perform the task.
 - 8 Untestable (specify reason):
-

9a. Specify reason: _____**9b. Left leg**

- 0 Normal
 - 1 Mild slowing and/or reduction in amplitude.
 - 2 Moderately impaired; definite and early fatiguing; may have occasional arrests in movement.
 - 3 Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement.
 - 4 Can barely perform the task.
 - 8 Untestable (specify reason):
-

9b. Specify reason: _____

10. Arising from chair (patient attempts to rise from a straight-backed chair, with arms folded across chest)

- 0 Normal
 - 1 Slow; or may need more than one attempt.
 - 2 Pushes self up from arms of seat.
 - 3 Tends to fall back and may have to try more than one time, but can get up without help.
 - 4 Unable to arise without help.
 - 8 Untestable (specify reason):
-

10. Specify reason: _____

11. Posture

- 0 Normal
- 1 Not quite erect, slightly stooped posture; could be normal for older person.
- 2 Moderately stooped posture, definitely abnormal; can be slightly leaning to one side.
- 3 Severe stooped posture with kyphosis; can be moderately leaning to one side.
- 4 Marked flexion with extreme abnormality of posture.
- 8 Untestable (specify reason):

11. Specify reason:

12. Gait

- 0 Normal
- 1 Walks slowly; may shuffle with short steps, but no festination (hastening steps) or propulsion.
- 2 Walks with difficulty, but requires little or no assistance; may have some festination, short steps, or propulsion.
- 3 Severe disturbance of gait requiring assistance.
- 4 Cannot walk at all, even with assistance.
- 8 Untestable (specify reason):

12. Specify reason:

13. Posture stability (response to sudden, strong posterior displacement produced by pull on shoulders while patient erect with eyes open and feet slightly apart; patient is prepared)

- 0 Normal erect.
- 1 Retropulsion, but recovers unaided.
- 2 Absence of postural response; would fall if not caught by examiner.
- 3 very unstable, tends to lose balance spontaneously.
- 4 Unable to stand without assistance.
- 8 Untestable (specify reason):

13. Specify reason:

14. Body bradykinesia and hypokinesia (combining slowness, hesitancy, decrease arm swing, small amplitude and poverty of movement in general)

- 0 None
- 1 Minimal slowness, giving movement a deliberate character; could be normal for some persons; possibly reduced amplitude.
- 2 Mild degree of slowness and poverty of movement which is definitely abnormal. Alternatively, some reduced amplitude.
- 3 Moderate slowness, poverty or small amplitude of movement.
- 4 Marked slowness, poverty or small amplitude of movement.
- 8 Untestable (specify reason):

14. Specify reason:
