



Netherlands Environmental Assessment Agency

## Quantitative comparisons of RCPs

Detlef van Vuuren (with contributions from Tom Kram, Jae Edmonds, Nebojsa Nakicenovic Richard Moss, Keywan Riahi, Steve Rose, Allison Thompson)




# Scenarios in climate research



- Scenarios are important in climate research:
  - Consistent, quantified, stories of the future / ‘drivers’ that help answering a certain question
  - More specifically: information flows between research communities
  - Language about possible trends

# Use of scenarios



➤ Scenarios are used for different purposes:

➤ Basis for climate calculations

➤ Basis for impact assessment


➤ Basis for mitigation analysis

RCPs

(Special Issue in Climatic Change!)



# Use of scenarios



➤ Scenarios are used for different **purposes** :

➤ Basis for climate calculations

➤ Basis for impact assessment

➤ Basis for mitigation analysis


What is needed?

Climate impacts depend on:

- Exposure (climate change)
- The subject at risk (f (population, income etc))
- Adaptive capacity (f (technology, income, governance etc))



# Use of scenarios



- Scenarios are used for different purposes:
  - Basis for climate calculations
  - Basis for impact assessment
  - Basis for mitigation analysis


What is needed?

Mitigation depends on:

- Baseline + target
- Assumptions on technology etc.
- Assumptions on climate governance (global cooperation etc)




# Scenarios for impact analysis




# RCPs as first step in scenario process

- RCPs have been selected from the available literature to span the climate range, in order to facilitate **climate modelling**
- They all have been peer reviewed (2x), and each provides a consistent description of socio-economics, emissions, radiative forcing and land use

Span RF scenarios



Represent 10-90<sup>th</sup> emissions



# What do the RCPs provide?

Crucial questions:

- *Can information of the **RCPs be directly** used as input for socio-economic storylines?*
- *how strong is the **correlation** between assumptions on socio-economics and the RF/emission outcomes used for RCPs !*
- *Can we based on this come up with **proposals**?*

consistent set of assumptions and outcomes, based on: the target set (model run condition)

climate model run

Climate

Information mitigation studies





# Explore relationship between socio-economic assumptions and RF

For the questions, we use available data from:



- **AR4** Scenario database (a large number of scenarios categorised for RCP RF levels)
- More recent published material (**EMF-22**) (Clarke et al., 2009)
- Material provided by **RCP groups**
  - For simplicity, we will only look at the **global data**;
  - We look into population; income; energy use; land use;
  - We look into these factors in **isolation!**
  - Note that we use available information; mostly based “full participation”; but not all (don't think it will influence results much).

# Population



- There seems to be no correlation between pop. assumptions and radiative forcing levels (scenarios exist with high and low population for each level)
- Rather narrow population range considered in current scenario studies
- Most RCPs cluster within the range of intermediate assumptions (with no logical order), except for RCP8.5



# GDP



- Range of GDP assumptions in literature for low RF-scenarios is slightly more constrained than for the other levels (but only few studies)
- Order of GDP assumptions in RCPs is for a set somewhat counterintuitive (RCP3 highest)



# GDP (EMF-22)




For nearly all individual models, lower GDP for lower RF levels (impact of mitigation of GDP)

As other assumptions influence GDP more than climate policy, results for basically the same GDP range for every level.







# GDP (consistent sets from the RCP teams)






Position is determined by scenario assumptions – not by the RF level (2.6 can have a high – GCAM, IMAGE; or low GDP)

# Primary energy (EJ)




There is some relationship between energy consumption and radiative forcing level.

# CO<sub>2</sub> emissions



As expected, position is determined by RF level (climate policy) much less by model specific assumptions!

# Forest area



MESSAGE: major expansion of agriculture area (high population scenario)

GCAM-4.5: major reforestation programme as result of consistent C-price

IMAGE-2.6: some loss of forest to bio-energy

AIM: More-or-less stable forest area

4 interesting stories, that are mostly model dependent, not RF level dependent


# Overall conclusions of analysis



- There are scenarios reaching each RF level
  - *independent of population assumption*
  - *independent of income assumption*
- Each scenario underlying the RCPs provides consistent combination of population, GDP, energy, RF; however as a set they provide no logic ordering (not selected for that) nor do they always cover the full range of possible outcomes



# What else is new?



*Similar future GHG emissions can result from very different socio-economic developments, and similar developments of driving forces can result in different future emissions (SRES).*



So → turn to third question: can we create useful storylines for IAV/mitigation work in accordance with RCPs


The 2 main observations (socio-economic assumptions are more-or-less independent of RCP level and the current set as a whole does not add much) allows considering alternative socio-economic assumptions

# So, maybe try to design scenarios in a different way



This will above all be joint-community process as information is needed about many different drivers, at different scales, and for different purposes (IAM groups, IAV community).

Useful starting point proposal made in Tsukuba and elaborated by our group in Washington




But even if we accept the framework still many open questions

# Suggested use of RCPs in IAV research




- If the intention of the impact analysis is to map out all possibilities → analysis shows that it is safe to assume (some) decoupling of climate change and socio-economic assumptions
- Impacts =  $f$  (Exposure, Sensitivity, Adaptive Capacity)



# Suggested use of RCPs in IAV research



- If the intention of the impact analysis is to map out all possibilities → analysis shows that it is safe to assume (some) decoupling of climate change and socio-economic assumptions
- Impacts = f (Climate Change, Vulnerability)



**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research



Columns could just represent classification heuristic (IM2.6 for instance c Mid scenario)

Columns could also form the basis of formulating preferred cases

This can be combined:

First fill up database with model runs that focus on RCPs (different models, invite to look into different socio-economics)

Later select within each column more likely cases

Climate signal



6		AIM6.0	
8.5			MES8.5

**IMPACT = Exposure + Vulnerability!**




# Suggested use of RCPs in IAV research



How many columns: 2, 3?

Preferred model runs (like Climate modelling community)




**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research



How many columns should one use: 2, 3?

Should we identify preferred model runs (like climate modelling community)




**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research



How many columns: 2, 3?

Preferred model runs (like Climate modelling community)




**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research



How many columns: 2, 3?

Preferred model runs (like Climate modelling community)




**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research




Elaborating other factors determining vulnerability: Maybe use storylines?



**IMPACT = Exposure + Vulnerability!**

# Suggested use of RCPs in IAV research



**IMPACT = Climate + Vulnerability!**

# Use of even richer storylines




	<i>SRES</i>	<i>Millennium Ecosystem Assessment</i>	<i>GEO3/GEO4</i>	<i>Global Scenario Group</i>
<i>Economic optimism</i>	A1		Markets first	Market forces
<i>Reformed markets</i>	[A1T/A1-policy]	Global Orchestration	Policy first	Policy reform
<i>Sustainable development</i>	B1	Technogarden	Sustainability first	New sustainability Paradigm
<i>Regional sustainability</i>	[B2]	Adapting mosaic		Eco- communalism
<i>Regional competition</i>	A2	Order from Strenght	Security first	Barbarization
<i>Business-as- usual</i>	[B2]			


# Suggested use of RCPs in I

Less likely cases and definition of storyline also RCP dependent

For 8.5 scenario:  
 High energy use (coal use)  
 More likely with high population, Medium population, if energy technology development is low  
 In both cases, RCP8.5 more logically linked with high vulnerable world?




**IMPACT = Exposure + Vulnerability!**




# Suggested use of RCPs in IAV research




Use taxonomy for naming



**IMPACT = Exposure + Vulnerability!**




# Lots of open questions:



- Does matrix help?
- Taxonomy versus selection of marker “storylines”
- Selection of priority cases
- Naming of scenarios
- Use of storyline elements others than economy/population
- Possibly use information on unlikely cases
  
- → Be careful not to design the ultimate set of scenarios that can do everything - and should be used by everybody.
  - Not possible!
  - Not useful!


# For mitigation



- Needs a third axis?
- Mitigation community probably want to look into:
  - Feasibility of RCPs as function of global cooperation
  - Feasibility of RCPs as function of technology assumptions
  - ...



# What have we learned?



- Clearly important to continue from RCP process.
- Socio-economic assumptions and RCPs are not hardwired
- Suggestion for how to develop a set of socio-economic assumptions and RCPs that together provide a relevant basis for impact research
- Discussion on how to fill in the matrix (use 2/3 “marker” socio-economic sets across all RCPs; possible small adaptations for specific RCP levels?)
- Consideration of likelihood of various matrix elements
- Need for further research in exploring relationships between storyline assumptions and RCPs! The current literature was not done specifically in that context.... Needs to be a community exercise.




➤ Thank you for your attention!




# Suggested use of RCPs in climate research

- If the intention of the impact analysis is to map out all possibilities → analysis shows that it is safe to assume decoupling




- Matrix with 8 elements; only 2 sets of GDP/population etc.
- Could further reduce (e.g. High climate/low AC; Low climate/high AC)



- The logic of most IAM analysis, as I understand it, is to select a reference or baseline case and then to conduct analysis of different mitigation possibilities (primarily technologies, but increasingly some types of policies) off of that. There are very good reasons for doing it this way--mostly a ceteris paribus approach that allows you to vary technology and policy to understand the implications of those for mitigation. But for IAV (and many other audiences), their interest is in varying the broader socio-economic conditions that are NOT changed in the different runs. Their assumption about the variation from low to high RF is that it is primarily a function of different population, economic, institutional scenarios, not just technologies and policies. We need to get everyone on the same page about this, and that part of what we are talking about is running new (or using existing) reference cases that systematically vary these broader socio-economic assumptions.




# Primary energy (EMF-22)



In the EMF-22 data, energy consumption is somewhat lower in the mitigation scenarios than in the reference cases. But no clear difference between 2.6 /4.5

# Primary energy (consistent sets from RCP teams)



Position is determined by scenario assumptions and RF level: most baselines high; most 2.6 scenarios on the low side.