

How much energy does your meal require?

Jennifer Burney

Program on Food Security & the Environment, Stanford
Scripps Institution of Oceanography, UCSD

- + Quantify energy inputs into the food system
- + Understand local, regional, and global scales
- + Compare 'eating philosophies' in terms of energy use

Why do we care?

Why do we care?

Political: Secure access to inputs

Economic: Prices

Environmental: Emissions

Why do we care?

Political: Secure access to inputs

Economic: Prices

Environmental: Emissions

Today's Takeaway:

- (1) The food system uses a lot of energy
- (2) That isn't necessarily a bad thing
- (3) Need to consider actual impact of energy use in comparison with alternatives

Understanding the energy inputs into food

Three main energy input phases:

Understanding the energy inputs into food

Three main energy input phases:

Production



Everything
up to the
farm gate

Understanding the energy inputs into food

Three main energy input phases:

Production



Everything
up to the
farm gate

Processing



Between the
farm gate and
the point of sale

Understanding the energy inputs into food

Three main energy input phases:

Production



Everything
up to the
farm gate

Processing



Between the
farm gate and
the point of sale

Consumption



From point
of sale to
your mouth

Understanding the energy inputs into food

Three main energy input phases:

Production



Everything
up to the
farm gate

Processing



Between the
farm gate and
the point of sale


Consumption



From point
of sale to
your mouth

Energy use can be **direct** or **indirect**

Basic flows in the food system



Global numbers to know

Global Energy Use: 474 EJ / 449 Quad Btu

(132,000 TWh or 15 TW equivalent)

Global GHG Emissions: 14-15 Gt C equivalent

(55 Gt CO₂e, ~75% is actually CO₂)

Global numbers to know

Global Energy Use: 474 EJ / 449 Quad Btu

(132,000 TWh or 15 TW equivalent)

Global GHG Emissions: 14-15 Gt C equivalent

(55 Gt CO₂e, ~75% is actually CO₂)

Production

1-2% of energy use

~15% of emissions
(+ another 10-15% for
land-use change)

Global numbers to know

Global Energy Use: 474 EJ / 449 Quad Btu

(132,000 TWh or 15 TW equivalent)

Global GHG Emissions: 14-15 Gt C equivalent

(55 Gt CO₂e, ~75% is actually CO₂)

Production

1-2% of energy use

~15% of emissions
(+ another 10-15% for
land-use change)

Processing

Very difficult to
quantify at global scale

Global numbers to know

Global Energy Use: 474 EJ / 449 Quad Btu

(132,000 TWh or 15 TW equivalent)

Global GHG Emissions: 14-15 Gt C equivalent

(55 Gt CO₂e, ~75% is actually CO₂)

Production

1-2% of energy use

~15% of emissions
(+ another 10-15% for
land-use change)

Processing


Very difficult to
quantify at global scale

Consumption

Transport energy &
emissions difficult to
quantify at global scale.

Cooking: 8% of energy
use & ~2/3 of BC
emissions

Role of trade



How do we calculate?

How do we calculate?

Two main methods:

(1) Life-cycle analysis (LCA)

- ◉ Bottom-up approach
- ◉ Count all inputs at all steps
- ◉ Very precise
- ◉ Difficult to define boundaries, uncertainty with scaling

How do we calculate?

Two main methods:

(1) Life-cycle analysis (LCA)

- Bottom-up approach
- Count all inputs at all steps
- Very precise
- Difficult to define boundaries, uncertainty with scaling


(2) Input-output (IO) accounting

- Top-down approach
- Calculate economy-wide activity for output in one area
- Get all direct and indirect requirements, nothing missed
- Requires very good data, lose precision with aggregation


Energy used in US production (bottom-up)

	Energy use per acre	Energy use for US crop	Fertilizers Production	Pesticides Production	Irrigation	Tillage
	MBtu/acre	1e6 MBtu	%	%	%	%
Corn	8.13	647.17	0.63	0.03	0.32	0.02
Wheat	8.3	413.92	0.78	0.02	0.18	0.02
Soybeans	0.96	73.36	0.31	0.16	0.43	0.1
Potatoes	15.2	15.88	0.62	0.04	0.32	0.02

Energy used in US production (top-down)





Energy used in US processing



Transport & “food miles” in the US

Ton-km per household

mt CO2e per household



Delivery: ~5% of climate impact in US

Transport as a whole: ~11% of climate impact

Consumption in the US and globally

US Residential Energy Use:

2/3 of electricity to appliances (~4 Quad)
<10% of NG to appliances (~5 Quad)

Global Energy Use:

8% of energy use to cooking
2/3 is biomass, in developing world
(much higher climate impact)


A note on biomass-based cooking



Major contributor to atmospheric brown clouds (ABCs)


A note on biomass-based cooking

Major contributor to atmospheric brown clouds (ABCs)



A note on biomass-based cooking

Major contributor to atmospheric brown clouds (ABCs)



Traditional/unimproved cookstoves:

- Not just indoor pollution problem (chimneys don't help)
- Need strategies that sustainably address black carbon emissions

What are the alternatives & tradeoffs?

What are the alternatives & tradeoffs?

Strategy

Impact

Co-benefits

Tradeoffs

What are the alternatives & tradeoffs?

Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions

What are the alternatives & tradeoffs?

Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions
Conservation tillage	Reduce on-farm energy use	Sequestration of SOC	Higher herbicide requirements, N ₂ O impact varies

What are the alternatives & tradeoffs?

Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions
Conservation tillage	Reduce on-farm energy use	Sequestration of SOC	Higher herbicide requirements, N ₂ O impact varies
Other on-farm energy reductions	Reduce on-farm energy use	Reduce GHG emissions	Up-front costs

What are the alternatives & tradeoffs?

Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions
Conservation tillage	Reduce on-farm energy use	Sequestration of SOC	Higher herbicide requirements, N ₂ O impact varies
Other on-farm energy reductions	Reduce on-farm energy use	Reduce GHG emissions	Up-front costs
Local eating	Reduce transport energy	Social co-benefits	Savings and feasibility unclear

What are the alternatives & tradeoffs?


Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions
Conservation tillage	Reduce on-farm energy use	Sequestration of SOC	Higher herbicide requirements, N ₂ O impact varies
Other on-farm energy reductions	Reduce on-farm energy use	Reduce GHG emissions	Up-front costs
Local eating	Reduce transport energy	Social co-benefits	Savings and feasibility unclear
Vegetarianism	Eliminate animal production & processing energy	Reduce GHG emissions	Requires demand shift

What are the alternatives & tradeoffs?

Strategy	Impact	Co-benefits	Tradeoffs
Organic farming	Reduce energy used for fertilizers & pesticides	Reduce (non-GHG) environmental impacts	Higher land requirement & GHG emissions
Conservation tillage	Reduce on-farm energy use	Sequestration of SOC	Higher herbicide requirements, N ₂ O impact varies
Other on-farm energy reductions	Reduce on-farm energy use	Reduce GHG emissions	Up-front costs
Local eating	Reduce transport energy	Social co-benefits	Savings and feasibility unclear
Vegetarianism	Eliminate animal production & processing energy	Reduce GHG emissions	Requires demand shift
Energy efficient consumption	Reduce personal energy additions	Reduce GHG emissions	Requires planning

Extra slides

Low-input agriculture is a climate loser: yield!!!



RW: Real world

AW1: No yield gains; historical trends in population & living standards

AW2: No yield gains; constant fertility & mortality rates, living standards since 1961

Calories in & calories out

Corn:

56 lbs/bu = 25.45 kg/bu

365 kcal/100g : 92909 kcal/bu

\$7.44/bu

\$1 = 0.13 bu = 7.53 lb = 3.42 kg = 12487 kcal

Bottom-up estimates (low-bound):

2009: 165.2 bu/acre

15.3 M kcal/acre out

1 kcal = 3.97 Btu

8.13 Mbtu/acre inputs = 2.05 M kcal/acre in

Top-down estimates (high bound):

0.021 Mbtu per \$ grain farming output

5290 kcal in per 12487 out

Emissions-free inputs

Emissions-free inputs



Emissions-free inputs




Emissions-free inputs



Tillage and residue management



No-Till or Minimum-Till




Global mitigation potential ≈ 1.61 Gt C/yr

Tillage and residue management




No-Till or Minimum-Till



Global mitigation potential $\approx 1.61\text{Gt C/yr}$



Biochar



International
Biochar
Initiative:
 2.2Gt C/yr